Attachmen	t	3
Page	2	4

6.7.8	If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP.
6.7.9	Interface Requirements
6.7.9.1	The following SS7 Network Interconnection interface options are available to connect <customer_short_name> or <customer_short_name>-designated local or tandem switching systems or STPs to the BellSouth SS7 network:</customer_short_name></customer_short_name>
6.7.9.1.1	A-link interface from <customer_short_name> local or tandem switching systems; and</customer_short_name>
6.7.9.1.2	B-link interface from <customer_short_name> STPs.</customer_short_name>
6.7.9.2	The SPOI for each link shall be located at a cross-connect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
6.7.9.3	BellSouth shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
6.7.9.4	The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references. BellSouth does not have the capability to support any of the VoIP interfaces at the present time but is willing to negotiate new protocol interfaces.
6.7.9.5	BellSouth shall set message screening parameters to accept messages from <a href="customer_short_name">customer_short_name</a> local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the <a href="customer_short_name">customer_short_name</a> switching system has a valid signaling relationship.
6.8	Rate Categories And Applications
6.8.1	Message Charges
6.8.1.1	Message charges, as set forth in 6.8.1.3, following, are assessed based on the type of message protocol, ISUP or TCAP. ISUP messages are associated with call set-up, while TCAP messages are used to query call related databases. ISUP message charges are assessed per terminating and originating call set-up request and TCAP message charges are assessed per data request.

6.8.1.2	Message charges do not apply for TCAP messages switched by the regional STPs to the BellSouth provided 800 Data Base, LIDB or LNP Data Base. Query charges are assessed in lieu of message charges. Query charges for 800 Data Base are described in 6.9.5, following. When TCAP messages are destined for a foreign database, including a non-company provided LNP Data Base, message charges are assessed in lieu of query charges.
6.8.1.3	Message charges are assessed in the following manner:
6.8.1.3.1	Signal Formulation
6.8.1.3.1.1	An ISUP Signal Formulation charge is assessed, per call set-up request, for terminating and originating formulating signaling messages in association with call set-up.
6.8.1.3.2	Signal Transport
6.8.1.3.2.1	An ISUP Signal Transport charge is assessed, per call set-up request, for signaling messages transported to and from the Company STP in association with call set-up.
6.8.1.3.2.2	A TCAP Signal Transport charge is assessed per data request transported to a BellSouth STP and destined for a foreign database.
6.8.1.3.3	Signal Switching
6.8.1.3.3.1	An ISUP Signal Switching charge is assessed per call set-up request that is switched at the Company STP for terminating and originating messages .
6.8.1.3.3.2	A TCAP Signal Switching charge is assessed for each data request that is switched by the Company STP and destined for a foreign network or database.
6.8.1.3.4	Query Charges
6.8.1.3.4.1	Query charges apply for queries to the Company LIDB and the LNP Data Base. When query charges apply for access to a Company provided database, message charges are not assessed. LIDB Query Charges are described in 6.9.3, following and the LNP Data Base Query Charge is described in 6.9.4, following.
6.8.1.4	TCAP Bill and Keep
6.8.1.4.1	The Parties agree to treat signaling messages, signaling ports, and signaling links associated with local calls on a bill and keep basis.

6.8.1.4.2 customer\_short\_name> and BellSouth agree that BellSouth will bill
<customer\_short\_name> for signaling links, signaling ports, and signaling
messages associated with interstate calls and with intrastate non-local calls in
accordance with BellSouth's federal and state tariffs.

6.8.1.4.3 Beginning on the Effective Date of this Agreement and continuing until <customer\_short\_name> implements a system that is capable of counting the total number of signaling messages that traveled over facilities connecting <customer short\_name>'s CCS7 network and BellSouth's CCS7 network, BellSouth agrees that for the purposes of billing BellSouth for signaling messages for any given month, <customer\_short\_name> may use the total number of signaling messages that BellSouth's signaling bill to <customer short name> indicates have traveled over facilities connecting <customer short\_name>'s CCS7 network and BellSouth's CCS7 network for that same month. When <customer\_short\_name> implements a system that is capable of counting the total number of signaling messages that travel over facilities connecting <customer\_short\_name>'s CCS7 network and BellSouth's CCS7 network. <customer short name> will use the number of signaling messages counted by such system for the purposes of billing BellSouth for signaling messages, subject to BellSouth's right to contest the accuracy of the number of signaling messages counted by such system.

6.8.1.4.4 For the purposes of billing BellSouth for signaling messages,

<customer\_short\_name> will apply the SPIU/SPLU provided by BellSouth

(which can, at BellSouth's option, be the same as the PIU/PLU that BellSouth

provides for minutes of use) to the number of messages calculated pursuant to

Paragraph 6.8.1.4.3 above.

6.9 RATES AND CHARGES ASSOCIATED WITH SS7

6.9.1 Message Charge for ISUP Messages RATE

Per signaling message Bill & Keep

6.9.2 Message Charge for TCAP Messages RATE

Per signaling message Bill& Keep

6.9.3 LINE INFORMATION DATA BASE SERVICE

RATE PER QUERY

Per Access Transport Query Exhibit A of Attachment 2 for

UNE-P Only, Tariff Rate for All

Others

Per Validation Service Query Exhibit A of Attachment 2 for

UNE-P Only, Tariff Rate for All

Others

Per OLNS Service Query Tariff Rate

#### 6.9.4 LOCAL NUMBER PORTABILITY DATA BASE SERVICE

Per LNP Query Exhibit A of Attachment 2 for UNE-P Only

Negotiated Rates Pursuant to a Separate Agreement for All Others

6.9.5 800 DATA BASE SERVICE

Per 800 Query Exhibit A of Attachment 2 for

UNE-P Only, Tariff Rate for All

Others

7. FORECASTING FOR TRUNK PROVISIONING

7.1 Within six (6) months after execution of this Agreement, <customer\_short\_name> shall provide an initialinitial-interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. BellSouth's reciprocal trunking forecasts will be based upon information provided by <customer\_short\_name> in the initial forecast. If <customer\_short\_name> refuses to provide such information, BellSouth shall provide reciprocal trunking forecasts based only on existing trunk group growth and BellSouth's annual estimated percentage of BellSouth subscriber line growth. After the exchange of each Party's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.

7.2 The Parties shall use best efforts to make the initial and annual subsequent forecasts as accurate as possible based on reasonable engineering criteria. In addition, the Parties agree to proactively manage their interconnection trunking

arrangements and use best efforts to timely notify each other if forecasted need quantities change or if a known or anticipated network event that may create a blocking situation is likely to occur during the time period between joint planning meetings. Joint planning meetings shall be conducted via conference call, unless mutual agreement is reached otherwise.

- 7.3 At a minimum, the joint forecast shall include the projected quantity of Transit Trunks, <customer\_short\_name>-to-BellSouth one-way trunks
  (<customer\_short\_name> Trunks), BellSouth-to-<customer\_short\_name> one-way trunks (Reciprocal Trunks) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic, ISP-Bound Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities.

  The Parties shall mutually develop Reciprocal Trunk Groups and/or two-way interconnection trunk forecast quantities.
- 7.4 All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for <customer\_short\_name> location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 7.5 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts and act in good faith to plan for and provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted and the provisioning Party shall not be responsible for a lack of interconnection trunks provided that the provisioning Party can establish that best efforts and good faith have been exercised.

#### 8. TRUNK UTILIZATION

8.1 For the Reciprocal Trunk Groups that cannot overflow traffic to another trunk group (Reciprocal Final Trunk Groups), BellSouth and <customer\_short\_name> shall monitor traffic on each interconnection Reciprocal Final Trunk Group that is ordered and installed. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at 60 percent (60%) of the time consistent busy hour utilization level within 180 days of installation. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within 365 days of installation. Any Reciprocal Final Trunk

Group not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized Reciprocal Final Trunk Groups and, for trunks not in excess of <customer\_short\_name>'s forcast, <customer\_short\_name> shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.

- 8.1.1 BellSouth's CISC will notify <customer short name> of any under-utilized Reciprocal Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated <customer\_short\_name> interface. <customer\_short\_name> will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which <customer\_short\_name> expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with <customer\_short\_name> to determine if agreement can be reached on the number of Reciprocal Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to <customer\_short\_name>. Notwithstanding any other provision to this Agreement, the Parties will disconnect the underutilized trunks no sooner than two weeks after <customer\_short\_name> receives such disconnect orders, unless the parties mutually agree to do so sooner.
- 8.1.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- 8.2 For the two-way trunk groups that cannot overflow traffic to another trunk group and other than alternate final trunk groups, BellSouth and <customer\_short\_name> shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 180 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 365 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth will request the disconnection of any Under-utilized two-way trunk(s) and, for trunks not in excess of <customer\_short\_name>'s forcast, <customer\_short\_name> shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.

- 8.2.1 BellSouth's LISC will notify <customer\_short\_name> of any under-utilized twoway trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated <customer\_short\_name> interface. <customer\_short\_name> will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which <customer\_short\_name> expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with <customer\_short\_name> to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, <customer\_short\_name> will issue disconnect orders to BellSouth. Notwithstanding any other provision to this Agreement, the Parties will disconnect the underutilized trunks no sooner than two weeks after <customer short name> receives such disconnect orders, unless the parties mutually agree to do so sooner.
- 8.2.2 To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties shall review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

#### 9. INTERFERENCE OR IMPAIRMENT

- 9.1 As soon as possible and in no case later than twenty-four (24) hours after receipt of notification of blocking of traffic originated within the other Party's network, the Parties shall determine and begin work to implement reasonable corrective measures in a manner consistent with industry practices.
- 9.2 In the event of an outage or trouble in any arrangement, facility, or service being provided by BellSouth hereunder, BellSouth will follow procedures for isolating and clearing the outage or trouble that are no less favorable than those that apply to comparable arrangements, facilities, or services being provided by BellSouth to itself, Affiliate or any other carrier whose network is connected to that of BellSouth.
- 9.3 BellSouth will use best efforts to provide <customer\_short\_name> with at least thirty (30) days advance notification of scheduled maintenance activity. Upon such notice, <customer\_short\_name> may submit a reasonable request for additional information relevant to the scheduled maintenance activity and BellSouth shall provide such information to the extent the scheduled maintenance activity may impact <customer\_short\_name> and such information is reasonably necessary for <customer\_short\_name> to identify and analyze potential risks associated with such maintenance. BellSouth may expedite or delay scheduled maintenance as a

result of unscheduled maintenance or other unforeseen events. In those instances where BellSouth will not perform scheduled maintenance at the announced times, BellSouth will make best efforts to provide <customer\_short\_name> with as much notice as is reasonably possible concerning the changed schedule.

- 9.4 For switch software/processor updates, software upgrades/new releases to the SONET transport network elements, or other major scheduled events which might impact <customer\_short\_name>, BellSouth shall use best efforts to provide <customer\_short\_name> with at least thirty (30) days advance notification of scheduled maintenance activity. Upon such notice, <customer\_short\_name> may submit a reasonable request for additional information relevant to the scheduled maintenance activity and BellSouth shall provide such information to the extent the scheduled maintenance activity may impact <customer\_short\_name> and such information is reasonably necessary for <customer\_short\_name> to identify and analyze potential risks associated with such maintenance.
- 9.5 BellSouth will provide <customer\_short\_name>'s Network Operations Center with written notice when translations are scheduled to be modified on <customer\_short\_name>'s trunk groups. BellSouth shall use best efforts to provide such notice 30 days in advance of such scheduled activity, or as close thereto as possible.

### 9.6 [Parties Disagred]

[NuVox Versiof] Once <customer\_short\_name> determines that there is an outage that encompasses either a particular section of the network or the whole network, then <customer\_short\_name> shall generate a trouble ticket to the CISC. After issuing the trouble ticket, <customer\_short\_name> will notify the appropriate BellSouth representative in the CISC via telephone.

<customer\_short\_name> may then send an email confirmation to such BellSouth representative. BellSouth will work cooperatively with <customer\_short\_name> to determine the appropriate steps to resolve such outage. Additionally, <customer\_short\_name> will provide BellSouth with any applicable information that is necessary to resolve such outage and the Parties will work cooperatively to take all steps necessary to resolve the outage. Upon request, BellSouth will provide a written root cause analysis report for all global outages, and for any trunk group outage that has occurred 3 or more times in a 60 day period. BellSouth shall use best efforts to provide such report within five (5) business days after the request for it is made.

[BellSouth Version] Once <customer\_short\_name> determines that there is an outage that encompasses either a particular section of the network or the whole network, then <customer\_short\_name> shall generate a trouble ticket to the CISC. After issuing the trouble ticket, <customer\_short\_name> will notify the

appropriate BellSouth representative in the CISC via telephone.

<customer\_short\_name> may then send an email confirmation to such BellSouth representative. BellSouth will work cooperatively with <customer\_short\_name> to determine the appropriate steps to resolve such outage. Additionally, <customer\_short\_name> will provide BellSouth with any applicable information that is necessary to resolve such outage and the Parties will work cooperatively to take all steps necessary to resolve the outage. <customer\_short\_name> may submit a reasonable request to BellSouth for a written analysis of the cause of any global outage affecting <customer\_short\_name>'s network. BellSouth shall use best efforts to provide such report within thirty (30) days of such request.

- 10. COMPENSATION FOR CALL TRANSPORT AND TERMINATION FOR LOCAL TRAFFIC AND ISP-BOUND TRAFFIC.
- 10.1 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in this Attachment and to Multiple Tandem Access as described in this Attachment.
- 10.3 Neither Party shall represent Switched Access Traffic, as defined in this Attachment, as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- If <customer\_short\_name> assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to <customer\_short\_name> End Users physically located outside of that LATA, BellSouth originated traffic that is not bound for an Internet Service Provider ("ISP") and originates from within the LATA where the NPA/NXXs are assigned and is delivered to a <customer\_short\_name> End User physically located outside of such LATA shall not be deemed Local Traffic. Further, <customer\_short\_name>agrees to identify such traffic to BellSouth, to the extent technically feasible, and to compensate BellSouth for originating and transporting such non-local traffic to <customer\_short\_name> at BellSouth's switched access tariff rates.
- 10.4.1 The Parties have been unable to agree on the treatment of calls where 

  <ustomer\_short\_name> assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to 

  <ustomer\_short\_name> End Users physically located outside of that LATA and such End Users are Internet Service Providers ("ISPs"). Notwithstanding the foregoing, and without waiving any rights with respect to either Party's position as to the treatment of such calls, the Parties agree that, for purposes of this

Agreement, traffic delivered to an End User that is an ISP physically located outside of such LATA shall be considered ISP-bound Traffic as defined in this Attachment.

#### 10.5 Jurisdictional Reporting,

- 10.5.1 Percent Local Usage. Each Party shall report to the other a Percent Local Usage (PLU) factor. The application of the PLU will determine the amount of Local/ISP-Bound minutes to be billed to the other Party. Local and ISP-bound Traffic shall be treated as Local for purposes of calculating the PLU. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, attached hereto as Exhibit F.
- Percent Local Facility. Each Party shall report to the other a Percent Local Facility (PLF) factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Requirements associated with PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, attached hereto as Exhibit F.
- 10.5.3 Percent Interstate Usage. Each Party shall report to the other a Percent Interstate Usage (PIU) factor. Requirements associated with PIU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, attached hereto as Exhibit F.
- 10.5.4 <u>Application of Factors</u>. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU factor will be used for application and billing of Call Transport and Termination consistent with Section 7.1 of this Attachment.
- 10.5.5 Factors on file with BellSouth as of the Effective Date of this Agreement shall remain in place until such time as they are replaced by <customer\_short\_name> in accordance with this Attachment, or replaced in accordance with Section 10.5.6 of this Attachment 3.
- In Lieu of Jurisdictional Factors Reported. Notwithstanding the provisions in Section 10.5.1, 10.5.2, and 10.5.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information may, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors, in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 30 days prior to the

beginning of the calendar quarter in which the terminating Party will begin to utilize its own data.

10.5.6.1 Upon the request of the originating Party, the terminating Party shall provide supporting data for the jurisdictional factors proposed by the terminating Party to be used in lieu of those reported by the originating Party. The originating Party shall have 30 days to consent or object to the proposed replacement of reported factors. If the originating Party consents or fails to respond within 30 days, the terminating Party may proceed with the replacement of factors effective at the beginning of the calendar quarter. If the originating Party objects to the proposed replacement of reported factors, the Parties shall proceed as set forth below.

### 10.5.6.2 [Parties Disagree]

[NuVox Version] Upon either Party's request, the Parties will work in good faith to resolve the discrepancy between the factors submitted by the originating party and those proposed by the terminating party pursuant to Section 7.2.5 above. In the event that the Parties are unable to mutually agree as to the appropriate resolution, the Parties may negotiate a mutually agreeable resolution based on the data specific to the traffic patterns of the originating party or either Party may request an audit of the factors in accordance with Section 7.2.9 below. In the event that negotiations and audits fail to resolve disputes between the parties, either Party may seek Dispute Resolution as set forth in the General Terms and Conditions. While such a dispute is pending, factors reported by the originating Party shall remain in place, unless the Parties mutually agree otherwise.

[BellSouth Version] Upon either Party's request, the Parties will work in good faith to resolve the discrepancy between the factors submitted by the originating party and those proposed by the terminating party pursuant to Section 7.2.5 above. In the event that the Parties are unable to mutually agree as to the appropriate resolution, the Parties may negotiate a mutually agreeable resolution based on the data specific to the traffic patterns of the originating party or either Party may request an audit of the factors in accordance with Section 7.2.9 below. In the event that negotiations and audits fail to resolve disputes between the parties, either Party may seek Dispute Resolution as set forth in the General Terms and Conditions. While such a dispute is pending, the factors proposed by the terminating Party pursuant to Section 7.2.5 above shall be utilized, unless the Parties mutually agree otherwise.

10.5.6.3 Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit of the jurisdictional reporting factors as reported or utilized pursuant to this Attachment 3to ensure the proper

billing of traffic. BellSouth and <customer\_short\_name> shall retain records of call detail for a minimum of nine months from which the jurisdictional reporting factors can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. The Parties shall use commercially reasonable efforts to complete audits in as timely a manner as possible. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The jurisdictional reporting factors shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated jurisdictional reporting factors by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit

- 10.6 Compensation for 8XX Traffic
- 10.6.1 Compensation for 8XX Traffic. Each Party shall compensate the other pursuant to the appropriate Switched Access charges, including the database query charge as applicable, as set forth in the providing Party's tariff, as filed and effective with the FCC or Commission, or reasonable and non-discriminatory web-posted listing if the FCC or Commission does not require filing of a tariff.
- 10.6.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 10.6.3 8XX Access Toll Free Dialing Ten Digit Screening ("TFD"). BellSouth's provision of TFD to <customer\_short\_name> requires interconnection from <customer\_short\_name> to BellSouth's 8XX Signal Channel Point (SCP). Such interconnections shall be established pursuant to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. <customer\_short\_name> shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that <customer\_short\_name> desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.
- 10.7 Switched Access Traffic is defined as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 800/877/888), and 900 access services. Switched Access Traffic does not include Local Traffic and ISP-Bound Traffic originated by one

Party and terminated by the other. The Parties have been unable to agree as to whether "Voice-Over-Internet Protocol" transmissions ("VOIP") which cross LATA boundaries constitute Switched Access Traffic. Notwithstanding the foregoing, and without waiving any rights with respect to either Party's position as to the jurisdictional nature of VOIP, the Parties agree amend this Agreement in accordance with the General Terms and Conditions of this Agreement to abide by any effective and applicable FCC rules and orders regarding the nature of such traffic and the compensation payable by the Parties for such traffic, if any.

- 10.7.1 If the BellSouth End User chooses <customer\_short\_name> as their presubscribed interexchange carrier, or if the BellSouth End User uses <customer\_short\_name> as an interexchange carrier on a 101XXXX basis, BellSouth will charge <customer\_short\_name> the appropriate BellSouth tariff charges for originating switched access services.
- 10.7.2 Where the originating Party delivers Switched Access Traffic to the terminating Party, the originating Party will pay the terminating Party terminating switched access charges as set forth in the providing Party's tariff, as filed and effective with the FCC or Commission, or reasonable and non-discriminatory web-posted listing if the FCC or Commission does not require filing of a tariff.
- 10.7.3 When one Party's end office switch, subtending the other Party's Access Tandem switch for receipt or delivery of switched access traffic, provides an access service connection to or from an interexchange carrier ("IXC") by either a direct trunk group to the IXC utilizing the other Party's facilities, or via the other Party's tandem switch, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by the Party providing the end office function. The Parties will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. . Thirty (30)-day billing periods will be employed for these arrangements. To the extent either party is providing the tandem function, that party (i.e., Initial Billing Company) agrees to provide to the other company (i.e., Subsequent Billing Company), as defined in MECAB, at no charge, the switched access detailed usage data within no more than sixty (60) days after the recording date where technically feasible. Each company will notify the other when it determines that it is not feasible to meet these requirements so that the customers may be notified for any necessary revenue accrual associated with the significantly delayed recording or billing. As business requirements change, data reporting requirements may be modified as necessary, by mutual agreement of the Parties or per a change in industry standards.

#### 10.7.4 [Parties Disagree]

[NuVox Version] In the event that either Party fails to provide accurate switched access detailed usage data to the other Party within 90 days after the recording date and the receiving Party is unable to bill and/or collect access revenues due to the sending Party's failure to provide such data within said time period, then the Party failing to send the data as specified herein shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of such unbillable or uncollectible access revenues. In the event that the Parties disagree as to the liability of the Initial Billing Party for such unbillable or uncollectible revenues, then either Party may invoke the Dispute Resolution process set forth in this Agreement.

[BellSouth Version] In the event that the Initial Billing Party, as defined in Section 7.4.4 herein, was provided the accurate switched access detailed usage data in a manner that allowed the Initial Billing Party to generate and provide such data to the Subsequent Billing Party in a reasonable timeframe and where the Initial Billing Party failed to provide notice to the Subsequent Billing Party of any inability to provide such data within a reasonable and nondiscriminatory timeframe and the Subsequent Billing Party is unable to bill and/or collect access revenues due to the Initial Billing Party's failure to provide such data within said time period, then the Initial Billing Party shall be liable to the other Party in an amount equal to the unbillable or uncollectible revenues. Each company will provide complete documentation to the other to substantiate any claim of such unbillable or uncollectible revenues. In the event that the Parties disagree as to the liability of the Initial Billing Party for such unbillable or uncollectible revenues, then either Party may invoke the Dispute Resolution process set forth in this Agreement.

- 10.7.5 The Initial Billing Company will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data. Initial Billing Company agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 10.7.6 Initial Billing Company also agrees to process the recreated data within forty-eight (48) hours of receipt at its data processing center.
- 10.7.7 All claims for unbillable or uncollectible revenue should be filed with the Initial Billing Company within 120 days of the date the receipt of the usage record.
- 10.7.8 The Initial Billing Party shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate Switched Access Traffic Services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access

billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof. In the absence of mutual agreement otherwise, the Audit provisions set forth in Section 10.5.6.3 of this Attachment shall govern.

#### 10.8 Transit Traffic

- 10.8.1 Each Party shall provide tandem switching and transport services for the other Party's Transit Traffic. Rates for Local Transit Traffic and ISP-Bound Transit Traffic shall be the applicable Call Transport and Termination charges (i.e., common transport and tandem switching charges and tandem intermediary charge; end office switching charge is not applicable) as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in the applicable Party's Commission approved Interstate or Intrastate Switched Access tariffs as filed and effective with the FCC or Commission, or reasonable and non-discriminatory web-posted listing if the FCC or Commission does not require filing of a tariff. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines.
- Traffic between <customer\_short\_name> and Wireless Type 1 third parties or a third party CLEC utilizing BellSouth switching (including resellers and UNE-P providers) shall not be treated as Transit Traffic from a routing or billing perspective. Traffic originated by a Wireless Type 1 third party or a third party CLEC utilizing BellSouth switching (including resellers and UNE-P providers) shall be treated as BellSouth-originated traffic and BellSouth shall compensate <customer\_short\_name> for transport and termination of such traffic based on the classification of such traffic as Local Traffic, ISP-Bound Traffic, IntraLATA Toll or Switched Access Traffic in accordance with the terms of this Attachment.
- Traffic between <customer\_short\_name> and Wireless Type 2A third parties shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and the Wireless Type 2A carrier have the capability to properly meetpoint-bill in accordance with MECAB guidelines. Until such time, such traffic originated by Wireless Type 2A third parties shall be treated as BellSouth-originated traffic and BellSouth shall compensate <customer\_short\_name> for transport and termination of such traffic based on the classification of such traffic as Local Traffic, ISP-Bound Traffic, IntraLATA Toll or Switched Access Traffic in accordance with the terms of this Attachment.
- Traffic between BellSouth and Wireless Type 1 third parties or a third party CLEC utilizing <customer\_short\_name> switching shall not be treated as Transit Traffic from a routing or billing perspective. Such traffic originated by a Wireless Type 1 third party or a third party CLEC utilizing <customer\_short\_name> switching shall be treated as <customer\_short\_name>-originated traffic and

<customer\_short\_name> shall compensate BellSouth for transport and termination of such traffic based on the classification of such traffic as Local Traffic, ISP-Bound Traffic, IntraLATA Toll or Switched Access Traffic in accordance with the terms of this Attachment.

10.8.5 Traffic between BellSouth and Wireless Type 2A third parties shall not be treated as Transit Traffic from a routing or billing perspective until <a href="customer\_short\_name">customer\_short\_name</a> and the Wireless Type 2A carrier have the capability to properly meet-point-bill in accordance with MECAB guidelines. Until such time, such traffic originated by Wireless Type 2A third parties shall be treated as <a href="customer\_short\_name">customer\_short\_name</a> originated traffic and <a href="customer\_short\_name">customer\_short\_name</a> shall compensate BellSouth for transport and termination of such traffic based on the classification of such traffic as Local Traffic, ISP-Bound Traffic, IntraLATA Toll or Switched Access Traffic in accordance with the terms of this Attachment.

### 10.8.6 [Parties Disagree]

[NuVox Version] BellSouth agrees to deliver Transit Traffic originated by <customer\_short\_name> to the terminating carrier; provided, however, that <customer\_short\_name> is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to <customer\_short\_name> for transiting <customer\_short\_name>-originated or terminated Transit Traffic. Notwithstanding any other provision of this Attachment, in the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic originated by <customer\_short\_name>, <customer\_short\_name> shall reimburse BellSouth for all charges paid by BellSouth, which BellSouth is contractually obligated to pay, provided that BellSouth notifies and, upon request, provides <customer\_short\_name> with a copy of such an invoice, if available, or other equivalent supporting documentation (if an invoice is not available), and proof of payment and other applicable supporting documentation. BellSouth will provide such notice and information in a timely, reasonable and nondiscriminatory manner. BellSouth shall diligently review, dispute and pay such third party invoices (or equivalent) in a manner that is at parity with its own practices for reviewing, disputing and paying such invoices (or equivalent) when no similar reimbursement provision applies. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

[BellSouth Version] BellSouth agrees to deliver Transit Traffic originated by <customer\_short\_name> to the terminating carrier; provided, however, that <customer\_short\_name> is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for

any compensation to the terminating carrier or to <customer\_short\_name> for transiting <customer short name>-originated or terminated Transit Traffic. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic originated by <customer\_short\_name>, <customer short name> shall reimburse BellSouth for all charges paid by BellSouth, provided that BellSouth notifies <customer\_short\_name> and, upon request, provides <customer\_short\_name> with a copy of such an invoice, if available, or other equivalent supporting documentation (if an invoice is not available), and proof of payment and other applicable supporting documentation. BellSouth will use commercially reasonable efforts to provide such notice and information in a timely, reasonable and nondiscriminatory manner. BellSouth shall diligently review, dispute and pay such third party invoices (or equivalent) in a manner that is at parity with its own practices for reviewing, disputing and paying such invoices (or equivalent) under the same circumstances. Once <customer short name> reimburses BellSouth for any such payments, any disputes with respect to such charges shall be between <customer\_short\_name> and the terminating third party carrier. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

- 10.8.7 Except for as provided in 7.6.3 and 7.6.4, transit charges as described in this Attachment shall only be assessed on the carrier originating Transit Traffic and shall not be assessed on the terminating carrier.
- 10.8.8 Transit charges associated with the provisioning of toll free services (e.g., 800/888/877) shall be assessed upon the terminating carrier and shall not be imposed on the originating carrier.
- 10.9 Records Exchange and Misrouting of Traffic.
- 10.9.1 Misrouted Traffic.
- 10.9.1.1 The Parties shall route traffic to each other in a manner consistent with the Trunk Group Architectures selected by the Parties and as set forth in Section 4 of this Attachment 3, except as otherwise set forth in this Agreement (e.g., overflow) or in instances where a third party causes either Party to route traffic in a manner that is inconsistent with this Attachment.
- 10.9.1.2 In instances of misrouting, either Party may request that the Parties investigate, identify the cause of, and correct misrouting to the extent technically and economically feasible.
- 10.9.1.3 In the event that misrouting results in either Party's inability to bill or collect revenues from a third party and the Parties disagree as to the liability of the other

Party for such revenues, then either Party may pursue the Dispute Resolution procedures set forth in this Agreement.

- 10.9.2 Records Exchange
- 10.9.2.1 Where feasible and appropriate, the Parties will generate and exchange all available messages for the purpose of billing third parties, including but not limited to CMRS providers and other LECs.

#### 11. BASIC 911 AND E911 INTERCONNECTION

- 11.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Interconnection. BellSouth will provide to <customer\_short\_name> a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. <customer\_short\_name> will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. <customer\_short\_name> will be required to route the call to the appropriate PSAP. When a municipality converts to E911 service, <customer\_short\_name> will be required to begin using E911 procedures.
- 11.3 E911 Interconnection. <customer\_short\_name> shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with multifrequency (MF) pulsing that will deliver ANI with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. <customer\_short\_name> will be required to provide BellSouth daily updates to the E911 database. <customer short name> will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, <customer\_short\_name> will be required to route the call to a designated seven (7)-digit or ten (10)-digit local number residing in the appropriate PSAP. This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. <customer short name> shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users.


- 11.4 Rates. Recurring and nonrecurring rates associated with trunk groups for 911 service are as set forth in Section 3.3.1 of this Attachment.
- 11.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers, which can be found at http://www.interconnection.bellsouth.com/guides/e911/html/gcuge001/index.htm.

## 12. FRAME RELAY SERVICE INTERCONNECTION


1

12.1.1 <customer\_short\_name>and BellSouth agree that, at the request of either Party,
they will negotiate an amendment to this Agreement that provides rates, terms and
conditions for frame relay service interconnection.


# **Basic Architecture**




# **One-Way Architecture**



# Two-Way Architecture



# **Supergroup Architecture**



LOCA	L INTE	RCONNECTION - Alabama										l		Attach	ment: 3	Exhi	ibit: A
ATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
	Γ		_		<del></del>		<del>                                     </del>	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	·	<u> </u>
_							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
									_								
		CONNECTION (CALL TRANSPORT AND TERMINATION)															
		"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep for	that element pursua	ant to the te	rms and condit	ions in Attachi	nent 3.								
	TANDE	M SWITCHING			ļ	<del> </del>											<u> </u>
	<u> </u>	Tandem Switching Function Per MOU		—	OHD	ļ	0.000498bk										<b>↓</b>
	l	Multiple Tandem Switching, per MOU (applies to initial tandem only)		l	OHD		0.000498										i
-		Tandem Intermediary Charge, per MOU*		├	OHD	<u> </u>	0.000498							· · · · · · · · · · · · · · · · · · ·		<del>-</del>	<del> </del> -
		charge is applicable only to transit traffic and is applied in ad-	dition to	<u> </u>		lar intercen		<u> </u>						<b></b>			
	TRUNK	CHARGE	and on to	T appiii	Lable switching and	T Intercom	lection charge:	j.						<del> </del>			<del> </del>
_		Installation Trunk Side Service - per DS0		<del> </del>	OHD	TPP6X	<del>                                     </del>	21,56bk	8.12bk			<del>                                     </del>	<del></del>	l		<del> </del>	<b> </b>
	<u> </u>	Installation Trunk Side Service - per DS0			OHD	TPP9X	<del> </del>	21.56bk	8.12bk		<b> </b>	<b></b>	<u> </u>	l		<del> </del>	$\vdash$
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00	1			i — — —		l	· · · · · ·			
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00	1									
	[	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										Ĭ
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	** This	rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and I	Tandem Swi	tching, per MO	U rate element	S								1
	COMM	ON TRANSPORT (Shared)		ļ	<u> </u>	ļ						ļ <u>.</u>				ļ	ļ
		Common Transport - Per Mile, Per MOU			OHD		0.0000023bk						ļ				<b></b>
لبيب	INTER	Common Transport - Facilities Termination Per MOU CONNECTION (DEDICATED TRANSPORT)		⊢	OHD	ļ	0.0003224bk							ļ			<b></b>
OCAL	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT		⊢	<del></del>	<del></del>	<del> </del>				<u> </u>			<b></b>	<u> </u>	-	<del> </del>
-	INTERC	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		├	<u> </u>		-				<del></del>			<del></del>		<b></b>	<del></del>
		Per Mile per month			онм	1L5NF	0.008838bk										ļ
		Interoffice Channel - Dedicated Transport 2- Wire Voice Grade - Facility Termination per month			онм	1L5NF	21.13bk	40.54bk	27.41bk	16.74bk	6.90bk						ļ
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			онм	1L5NK	0.008838bk										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			онм	1L5NK	15.12bk	40.54bk	27,41bk	16.74bk	6.90bk						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			ОНМ	1L5NK	0,008838bk										
	ĺ	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			ОНМ	1L5NK	15.12bk	40,54bk	27,41bk	16,74bk	6,90bk						
$\neg$		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		$\vdash$			1				******						
		month		1	OH1, OH1MS	1L5NL	0.18bk				1	1					
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1, OH1MS	1L5NL	60.16bk	89.27bk	81.81bk	16.35bk	14.44bk						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			OH3, OH3MS	1L5NM	4.09bk										
		Interoffice Channel - Dedicated Transport - DS3 - Facility		<del></del>			1				i			1			<b>—</b>
		Termination per month			онз, онзмѕ	1L5NM	703.52bk	278.75bk	162,76bk	60,20bk	58.46bk			l		<u> </u>	<u> </u>
	LOCAL	CHANNEL - DEDICATED TRANSPORT				1	<u> </u>	l									
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	13.97bk	193.10bk									
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	14.93bk		33.60bk								L
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	35.76bk	177.47bk	153.72bk	22.19bk	15.26bk			ļ		<del></del>	<del> </del>
		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	416.54bk	451.52bk	263.94bk	119.49bk	83.58bk						
		INTERCONNECTION MID-SPAN MEET		L	l		L					ļ		L			1
<b></b>	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed ser	vice Lo				<del> </del>	70.55			ļ		ļ	<del> </del>			<del> </del>
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	*0.00			ļ	<b> </b>	<b> </b>	<del> </del>		<del></del>	<del> </del>
$\dashv$		Local Channel - Dedicated - DS3 per month	ļ	-	ОНЗМЅ	TEFHJ	0.00	0.00			<b></b>		ļ	ļ		<del> </del>	<del> </del>
		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	101,06bk	91.04bk	62.57bk	10.54bk	9.79bk	<del> </del>	<del> </del>	<del> </del>	<del></del>	<del> </del>	+
$\dashv$		DS3 to DS1 Channel System per month		├─	OH3, OH3MS	SATNS	101,065K	91.04bk	93.97bk		9.790x		<b> </b>	<del>                                     </del>	<del> </del>	<del>                                     </del>	+
$\dashv$		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.70bk	6.58bk	4.72bk	33.20DK	31.0308		<del></del>	-	<del></del>	<del> </del>	+
		with the contract of the c		<b></b>	LOUIS CHILLIANS	1971.00	1 12.1 UUN	1O:OODK	1 7.1 ZDK		1	1	L		L		

LOC	AL INTE	ERCONNECTION - Florida												Attach	ment: 3	Exhi	ibit: A
														Incremental			
				ł								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi	1								Elec	Manually	Manual Syc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
			<sup>178</sup>										•	Electronic-	Electronic-	Electronic-	Electronic-
				1										1st	Add'l	Disc 1st	Disc Add'I
				1		l _									Auu.		
								Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
	T						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	T						<u> </u>					1					
LOCA	LINTER	CONNECTION (CALL TRANSPORT AND TERMINATION)		$\overline{}$			1							t		Ť	
	NOTE:	"bk" beside a rate indicates that the Parties have agreed to bi	il and k	eep for	r that element pursu	ant to the te	ms and condit	ions in Attachr	nent 3.		_	i				1	
	TANDE	M SWITCHING				T	1	T						†		T	
	1	Tandem Switching Function Per MOU			OHD	†**********	0.0006019bk		-			1		1		1	<b>———</b>
	1	Multiple Tandem Switching, per MOU (applies to intial tandem	1			<del> </del>											
		only)	ŀ	1	OHD		0.0006019							İ	1	1	
		Tandem Intermediary Charge, per MOU*	1		OHD	<del> </del>	0.0015					<del> </del>		<del> </del>	_	<del> </del>	
	* This	charge is applicable only to transit traffic and is applied in ad-	dition to	itaas o	cable switching and	or intercons		R.				1				i e	
	TRUNK	CHARGE	T	1		1	1	· · · · · · · · · · · · · · · · · · ·				<del> </del>				<del>                                     </del>	
	1	Installation Trunk Side Service - per DS0	<del> </del>	1	ОНО	TPP6X	1	21.73bk	8.19bk			<del>                                     </del>	· · · · · · · · · · · · · · · · · · ·	<del> </del>		<b>——</b>	<del></del>
	1	Installation Trunk Side Service - per DS0	<b>†</b>		OHD	TPP9X	f	21.73bk	8.19bk			<del>                                     </del>	<del>                                     </del>		<del>-</del>	<del> </del>	
	1	Dedicated End Office Trunk Port Service-per DS0**	$\vdash$		OHD	TDEOP	0.00		U. 100K			<del></del>	t	<b>-</b>	l	<del> </del>	<del>                                     </del>
	†	Dedicated End Office Trunk Port Service-per DS1**	-		OH1 OH1MS	TDE1P	0.00			_		<del>                                     </del>					<del> </del>
		Dedicated Tandem Trunk Port Service-per DS0**		<del>                                     </del>	ÖHD	TDWOP	0.00	<b></b>		<del> </del>		<del> </del>	<del> </del>			1	<del> </del>
	<del>                                     </del>	Dedicated Tandem Trunk Port Service-per DS1**	<del> </del>	┼──	OH1 OH1MS	TDW1P	0.00		-			<del>                                     </del>	-		<del></del>		<del> </del>
	** This	rate element is recovered on a per MOU basis and is included	in the	End O	ffice Switching and								<del>}                                    </del>		-	+	<del> </del>
	COMM	ON TRANSPORT (Shared)	1	T C	Ince Ownering and	I alluelli Owi	icining, per mo	Tate element				1					<del></del>
	10012111	Common Transport - Per Mile, Per MOU		┼	ОНО		0.0000035bk			<del></del>		<del> </del>	-			<del>                                     </del>	
	+	Common Transport - Facilities Termination Per MOU	-	<del> </del>	OHD	<del> </del>	0.0004372bk	<del> </del>				1			<del> </del>	<del> </del>	<del></del>
LOCA	INTER	CONNECTION (DEDICATED TRANSPORT)		-	0.10	<del>├</del>	0.0004312BK	<del></del>				<del> </del>		<del></del>	<del></del>	<del> </del>	<del></del>
200,	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT	├──	<del> </del>	<del></del>	<del>                                     </del>	•	<del> </del>				<del>}</del>	<del></del>				
	1	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	<del> </del>	╁	1	ł	<del> </del>				-		-			<del>                                     </del>	<del> </del>
	1	Per Mile per month	l		ОНМ	1L5NF	0.0091bk	i				1					
	+	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	_	-	OT IN	ILUM	0.003108					<del> </del>		<del> </del>			<del></del>
		Facility Termination per month	1		ОНМ	1L5NF	25.32bk	47.35bk	31.78bk	18.31bk	7.03bk	1					
	+	Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1	OLIM	ILDIAF	23,3208	47.330K	31.7004	10.310K	7,0308	<del> </del>					<del> </del>
		per month	1		онм	1L5NK	0.0091bk					1					
	+	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	-	-	OTIM	ILDIAK	0.0051bk					-				<del></del>	<del> </del>
		Termination per month			ОНМ	1L5NK	18.44bk	47.35bk	31.78bk	18.31bk	7.03bk	]					
	+	Interoffice Channel - Dedicated Transport - 64 kbps - per mile	·	├	ОЛМ	ILDINK	10.4408	47.350K	31./00K	10,3 lbk	7.035K	1	<b>.</b>		<del> </del>	<del>                                     </del>	<del> </del>
		per month			ОНМ	1L5NK	0.0091bk					1			l		
	+	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		₩	Unm	ILDNK	0.00910K					<del> </del>					<del> </del>
	i i	Termination per month			онм	1L5NK	45.441.	47.00.	04 7064	40.041.	7.03bk						
	+	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	<u> </u>	<del> </del>	ОНМ	ILDINK	18.44bk	47.35bk	31.78bk	18.31bk	7,030K	<del></del>				<del> </del>	
	1	Interomics Channel - Dedicated Channel - DS1 - Per Mile per										1			l		
					OH1, OH1MS	1L5NL	0.1856bk	L					_				<del> </del>
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			l	l						1			•		
	╄	Termination per month	<u> </u>		OH1, OH1MS	1L5NL	88.44bk	105.54bk	98.47bk	21.47bk	19.05bk						ļ <u> </u>
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			l	l						1			l		
		month	ļ		онз, онзмв	1L5NM	3.87bk	<b>!</b>				<u> </u>				ļ	<b></b>
	1	Interoffice Channel - Dedicated Transport - DS3 - Facility	í		L	l									l		
	1.004	Termination per month	<u> </u>	<b>├</b>	онз, онзмв	1L5NM	1071.00bk	335.46bk	219.28bk	72.03bk	70.56bk	<u> </u>	ļ	ļ			<b>└</b>
	LOCAL	CHANNEL - DEDICATED TRANSPORT		—		<u> </u>	ļ						<u> </u>		<b>.</b>		<del></del>
	<del>                                     </del>	Local Channel - Dedicated - 2-Wire Voice Grade per month			ОНМ	TEFV2	19,66bk	265.84bk	46.97bk	37.63bk	4.00bk				ļ	ļ	↓
	+	Local Channel - Dedicated - 4-Wire Voice Grade per month	L		ОНМ	TEFV4	20.45bk	266.54bk	47.67bk	44.22bk	5.33bk		<u> </u>		Ļ	<u> </u>	<del> </del>
		Local Channel - Dedicated - DS1 per month		↓	OH1	TEFHG	36.49bk	216.65bk	183.54bk	24.30bk	16.95bk				ļ	Ļ	<b>↓</b>
	1		1		L	L						1			l	1	I
		Local Channel - Dedicated - DS3 Facility Termination per month		_	ОНЗ	TEFHU	531.91bk	556.37bk	343.01bk	139.13bk	96.84bk	ļ			L	<del> </del>	<b>↓</b>
	LOCAL	INTERCONNECTION MID-SPAN MEET	L,	بببا	1						ļ <u>.</u>	ļ	ļ		ļ	<b>↓</b>	<del></del>
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed ser	vice Lo	cal Ch	annel rate is applica	bie.							L		L	<del> </del>	<b>↓</b>
		Local Channel - Dedicated - DS1 per month		$ldsymbol{ldsymbol{ldsymbol{eta}}}$	OH1MS	TEFHG	0.00	0.00									<u> </u>
	<b>L</b>	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHU	0,00	0,00									<u> </u>
	MULTI	PLEXERS		آسا													
	+	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146,77bk		71,62bk		10.49bk						
		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	211.19bk	199.28bk	118,64bk	40.34bk	39.07bk					1	
		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	13.76bk	10.07bk	7.08bk								
						I										1	

LOCA	L INTE	RCONNECTION - Georgia										1	r——	Attach	ment: 3	Exhi	ibit: A
							T	······································	· · · · · · · · · · · · · · · · · · ·			Svc Order	Svc Order			Incremental	
ľ				1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
l			Interi	1								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			<b>"</b> "	ì										Electronic-	Electronic-	Electronic-	Electronic-
			ŀ	1										1st	Add'l	Disc 1st	Disc Add'i
	r —						<b>!</b>			<del></del>		ļ	<u> </u>				
<u> </u>	├						Rec		curring		Disconnect				Rates (\$)		
	<del> </del>			<u> </u>				First	Addfl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	INTER	CONNECTION (CALL TRANSPORT AND TERMINATION)	├──	-		-						1	-	-	-		<del> </del>
		"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	een for	that alament nursus	not to the to	me and condit	one in Attach	nant 2			1	-				<del> </del>
$\vdash$	TANDE	M SWITCHING	II BIIG X	l lot	arat erement parsor		ins and condit	Ons in Attachi	nerit 3.			+		<del>                                     </del>	<del>                                     </del>		<del> </del>
		Tandem Switching Function Per MOU		<del>                                     </del>	OHD	1	0.0004086bk			_		<del>†</del>	<del>                                     </del>	-	-		<del> </del>
		Multiple Tandem Switching, per MOU (applies to intial tandem		1	0.12	<del></del>	0.000100000				1	<del>†                                      </del>	<del> </del>	-	<b>†</b>		<del> </del>
l '	l	only)		i i	OHD		0.0004086										
		Tandem Intermediary Charge, per MOU*			OHD		0.0015				<del></del>	<del> </del>		·			
	* This	charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	or Intercons	ection charges	s.				1	1				<u> </u>
	TRUNK	CHARGE												<u> </u>	[	<u></u>	1
		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.53bk	8,11bk								
<u> </u>		Installation Trunk Side Service - per DS0			OHD	TPP9X		21,53bk	8.11bk								
<u> </u>	ļ	Dedicated End Office Trunk Port Service-per DS0**		L	OHD	TDEOP	0.00										L
<u> </u>	<u> </u>	Dedicated End Office Trunk Port Service-per DS1**	L	$\perp$	OH1 OH1MS	TDE1P	0.00										
	-	Dedicated Tandem Trunk Port Service-per DS0**	L		OHD	TDWOP	0.00	l									<u> </u>
<u> </u>	# Th'-	Dedicated Tendem Trunk Port Service-per DS1**	1			TDW1P	0.00				L	<del> </del>	ļ	L	ļ	L	<u> </u>
⊢—	COUNT	rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and 1	andem Swi	ching, per MO	U rate element				<u> </u>	ļ		ļ		<b></b>
<u> </u>	COMM	ON TRANSPORT (Shared) Common Transport - Per Mile, Per MOU	-		OUR.		0.00000001					<b>↓</b>	<b></b>				<del></del>
		Common Transport - Per Mile, Per MOU  Common Transport - Facilities Termination Per MOU			OHD		0.0000027bk 0.0001914bk					<del> </del>	<b></b>	ļ			<del> </del>
LOCAL	INTED	CONNECTION (DEDICATED TRANSPORT)		├	OHD		0.0001914bk				ļ	ļ	<b></b>	ļ			<b></b>
		OFFICE CHANNEL - DEDICATED TRANSPORT	├─-	<del> </del>			-				<del></del>	<del> </del>	<del> </del>		_	1	<b>├</b>
$\vdash$	III I EIN	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	├—	—	-							<del>                                     </del>					<del> </del>
		Per Mile per month		l	онм	1L5NF	0,0057bk										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	<del></del>	<del>                                     </del>	OTHE	120141	0.000708					+	-		-	<del>                                     </del>	<del> </del>
		Facility Termination per month		i	ОНМ	1L5NF	12.87bk	48.455bk	19.48bk	16.575bk	4.99561	.l					
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile		-	O, an	120141	12.07.08	40.40008	10.4008	10.01008	4.33301	<del>`</del>				<b></b>	<del> </del>
		per month		1	ОНМ	1L5NK	0.0057bk						1		j		
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility						·				1					
		Termination per month	1		OHM	1L5NK	7.83bk	48.455bk	19.48bk	16.575bk	4.995bl	k l	l	!			1
7		Interoffice Channel - Dedicated Transport - 64 kbps - per mile										1			1		
'		per month	L		OHM	1L5NK	0.0057bk					1					i
, ,		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															1
!		Termination per month		L	ОНМ	1L5NK	7.83bk	48.455bk	19.48bk	16.575bk	4.995bl	k					l
'	l	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	1			l											
<b> </b> -	<u> </u>	month	<u> </u>	<b>—</b>	OH1, OH1MS	1L5NL	0.1154bk				L	<b></b>	<u> </u>	<b></b>	ļ	ļ	<b></b>
/		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month	I		014 01440	L		444.00=::				.1	1	l	I	I	1
├──	<del></del>	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	<del> </del>	$\vdash$	OH1, OH1MS	1L5NL	34,19bk	111.025bk	80.28bk	31,355bk	21.73bi	9	<b> </b>	ļ	<b>!</b>	ļ	<del> </del>
l '		month	l		онз, онзмв	1L5NM	2.53bk				1			l			1
┌──		Interoffice Channel - Dedicated Transport - DS3 - Facility		$\vdash$	Ono, Onoivo	ILDINM	2.530K		<b>——</b>		<del> </del>	<del> </del>	<del> </del>	ļ		ļ	<del>+</del>
l '		Termination per month	l		онз, онзмв	1L5NM	342.02bk	320.47bk	86.32bk	66.77bk	52.81bi			l			1
┝──┤		CHANNEL - DEDICATED TRANSPORT	<del></del>	$\vdash$	J. 10, O. IOING	I TOTAL	U-12.UZUK	520,410K	30.320K	30.11DK	32.01DI	1	<del>                                     </del>	<del></del>	<del>                                     </del>	<del></del>	<del>                                     </del>
		Local Channel - Dedicated - 2-Wire Voice Grade per month	$\vdash$		ОНМ	TEFV2	7.74bk	121.065bk	53.295bk	46.395bk	13.365bl	d	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	+
		Local Channel - Dedicated - 4-Wire Voice Grade per month	<del></del>	$\Box$	OHM	TEFV4	8,72bk	125.62bk	54.43bk				t	<del>                                     </del>			<del>                                     </del>
		Local Channel - Dedicated - DS1 per month	<del></del>		OH1	TEFHG	18.47bk	149.46bk	111.195bk	40.355bk			<u>†                                      </u>	1	1	1	t
							1					1	1		i	1	
'	L !	Local Channel - Dedicated - DS3 Facility Termination per month	l		онз	TEFHJ	147.01bk	445.01bk	145.18bk	112,905bk	75.88bi	k	l	1	I	I	1
		INTERCONNECTION MID-SPAN MEET												1			
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed ser	vice Lo														
		Local Channel - Dedicated - DS1 per month			OH1M\$	TEFHG	0.00	0.00			I						
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
		PLEXERS	<u> </u>														
<b> </b>	L	Channelization - DS1 to DS0 Channel System	<u></u>		OH1, OH1MS	SATN1	69,75bk	105,675bk	41.585bk				L				
<del></del>		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	121.9bk	224.475bk	71.83bk	40.005bk			<b></b>	L	<b></b>	ļ	
<del>├</del>		DS3 Interface Unit (DS1 COCI) per month		ļ	OH1, OH1MS	SATCO	7.35bk	15.805bk	11.385bk	6.605bk	6.605bi	4		<b> </b>			<b>↓</b>
	L		Ц.		L	l	l			l	<u> </u>		L	<u> </u>	I	L	<u> </u>

LOCAL	LINTE	RCONNECTION - Kentucky		-						-				Attach	ment: 3	Exhi	bit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. 'Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
						-		Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
							Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CONNECTION (CALL TRANSPORT AND TERMINATION)															
		"bk" beside a rate indicates that the Parties have agreed to b	il and k	eep for	that element pursua	ant to the ter	ms and conditi	ons in Attachr	nent 3.								<b></b>
	TANDE	M SWITCHING			0110		0.000077011										<b>├</b>
		Tandem Switching Function Per MOU  Multiple Tandem Switching, per MOU (applies to intial tandem	—	₩.	OHD	ļ	0.0006772bk									<del> </del>	──
		only)	1		OHD		0.0006772							İ			
		Tandem Intermediary Charge, per MOU*		┼──	OHD	<del> </del>	0.0000772					<del></del>				<del></del>	<del> </del>
		harge is applicable only to transit traffic and is applied in ad	dition to	o appli		or intercon				<del>-</del>	· · · · · · · · · · · · · · · · · · ·						
	TRUNK	CHARGE	T	T													
		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.58bk	8.13bk								
		Installation Trunk Side Service - per DS0			OHD	TPP9X		21.58bk	8.13bk								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										L
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0,00								ļ		<b></b>
		Dedicated Tandem Trunk Port Service-per DS0**	ļ	,	OHD	TDWOP	0.00					ļ				-	<del></del>
	** This	Dedicated Tandem Trunk Port Service-per DS1** rate element is recovered on a per MOU basis and is include	l in the	F-4 04	OH1 OH1MS	TDW1P	0.00	l sata alamant			<u> </u>	<del> </del>			<del> </del>	<del> </del>	<del></del>
	COMMO	ON TRANSPORT (Shared)	in me	Ena O	ice Switching and	andem Swi	Ching, per MO	J rate element	· · · · · · · · · · · · · · · · · · ·		<del></del>	+			<del> </del>		<del> </del>
	COMING	Common Transport - Per Mile, Per MOU	-	<del>                                     </del>	OHD	-	0.000003bk	_	-		<del>-</del>						<del> </del>
		Common Transport - Facilities Termination Per MOU			OHD	<del> </del>	0.0007466bk				·	<u> </u>			-		<b>.</b>
LOCAL	INTERC	CONNECTION (DEDICATED TRANSPORT)										<del></del>					i e
	INTERC	FFICE CHANNEL - DEDICATED TRANSPORT				1						T -					T
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -										· ·					
		Per Mile per month			OHM	1L5NF	0.01bk							ļ			
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -													1		
		Facility Termination per month			ОНМ	1L5NF	29,11bk	47.34bk	31.78bk	22,77bk							
į.		Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1		4. 51.04								İ	1		
_		per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility	├		ОНМ	1L5NK	0.0115bk					<del> </del>					<del> </del>
- 1		Termination per month			ОНМ	1L5NK	20.97bk	47.35bk	31.78bk	22.77bk	8.75bk				ŀ		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile	<del>                                     </del>	1	OI IIVI	ILONIX	20.97 DK	41,000,0	31.7000	22.77UN	0.7504	<del> </del>		-	<del> </del> -	<del> </del>	<del>                                     </del>
- 1		per month			ОНМ	1L5NK	0.0115bk				}				ŀ		
	$\neg$	Interoffice Channel - Dedicated Transport - 64 kbps - Facility		<b>—</b>		1					- <del></del>				<del> </del>		1
- 1		Termination per month			ОНМ	1L5NK	20.97bk	47.35bk	31.78bk	22.77bk	8.75bk	:	j		1		
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		1										l			
		month	<u> </u>	l	OH1, OH1MS	1L5NL	0.23bk										<u> </u>
		Interoffice Channel - Dedicated Tranport - DS1 - Facility						_									
$\longrightarrow$		Termination per month	<b>└</b>	$\vdash$	OH1, OH1MS	1L5NL	96.04bk	105.52bk	98,46bk	23.09bk	20.49bk		ļ	ļ	<u> </u>	<b></b>	<del> </del>
- !		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month	]		OLD OLDS	41.555					1			l	1	I	1
	——I	month Interoffice Channel - Dedicated Transport - DS3 - Facility			онз, онзмѕ	1L5NM	4.97bk			-	<del> </del>			<del> </del>	<del> </del>	<del>                                     </del>	<del></del>
- 1		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month	1		OH3. OH3MS	1L5NM	1175.15bk	335.4bk	219.24bk	89.57bk	87.75bk			l	1		1
<del> </del>		CHANNEL - DEDICATED TRANSPORT	<del></del>		OI 10, OFFINIO	LICOLAIM	1175.1508	333.4UK	2.13.24DK	03.370K	07.7504	<del> </del>		<b> </b>		<del> </del>	$\vdash$
		Local Channel - Dedicated - 2-Wire Voice Grade per month	<del>                                     </del>		ОНМ	TEFV2	18.57bk	265.78bk	46.96bk	46.79bk	4.98bk			<del> </del>			<del>  </del>
		Local Channel - Dedicated - 4-Wire Voice Grade per month	<b>†</b>		ОНМ	TEFV4	19.86bk	266.48bk		47.54bk				i	<del>                                     </del>	1	†
		Local Channel - Dedicated - DS1 per month	<u> </u>	1	OH1	TEFHG	40.46bk	209.6bk	176.51bk	30.21bk				l			I
		· · · · · · · · · · · · · · · · · · ·	[		*												
		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	576.05bk	551,38bk	338.08bk	173bk	120.42bk				L		<del></del>
		INTERCONNECTION MID-SPAN MEET				<u> </u>						ļ		ļ <u></u>		ļ	<del> </del>
!		f Access service ride Mid-Span Meet, one-half the tariffed se	vice Lo	cal Cha			L	2.2			ļ			ļ	<u> </u>	<b> </b>	<del></del>
		Local Channel - Dedicated - DS1 per month Local Channel - Dedicated - DS3 per month		-	OH1MS	TEFHG	0.00	0.00			ļ	<del> </del>		ļ	ļ	<b> </b>	<del> </del>
<del> </del> ,		Lexers	ļ	$\vdash$	OH3MS	TEFHÜ	0.00	0.00			<del> </del>	<del>                                     </del>		<del> </del>		<del>                                     </del>	
		Channelization - DS1 to DS0 Channel System		<del> </del>	OH1, OH1MS	SATN1	113.33bk	101,4bk	71.6bk	13.79bk	13,04bk			<del> </del>	<del> </del>	<del>                                     </del>	<del> </del>
-		DS3 to DS1 Channel System per month	<del>                                     </del>	$\vdash$	OH3, OH3MS	SATNS	158.2bk	199.23bk		50,16bk			-	<del> </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>
$\longrightarrow$		DS3 Interface Unit (DS1 COCI) per month		<del> </del>	OH1, OH1MS	SATCO	11.8bk	10.07bk	7.08bk	55.10DK	<u>"</u>	1		<b></b>			
ı						, _,	, INCOR	70.01 DK	,								

ILOCAL	INTE	RCONNECTION - Louisiana						· · · · · · · · · · · · · · · · · · ·			·····			Attachi	ment: 3	Exhi	bit: A
									_			Svc Order	Svc Order	Incremental			Incremental
	- 1		1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi				1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	XRY	RATE ELEMENTS	m	Zone	BCS	USOC	1		RATES (\$)				perLSR	Order vs.	Order vs.	Order vs.	Order vs.
			l m				1						<b>F</b> 0. 20.0	Electronic-	Electronic-	Electronic-	Electronic-
			l				1							1st	Add'i	Disc 1st	Disc Add'l
					l							L				D/30 131	Diso Add.
<b>—</b>							Rec	Nonrec		Nonrecurring					Rates (\$)		
			1				1,00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			<u> </u>	1								L					ļ
		ONNECTION (CALL TRANSPORT AND TERMINATION)	1	<u>.                                    </u>	l	L	l										
	IUIE:	"bk" beside a rate indicates that the Parties have agreed to bi M SWITCHING	il and k	sep for	that element pursu	ant to the ter	ms and conditi	ons in Attachn	nent 3.								
<del></del>		Tandem Switching Function Per MOU	<b>├</b>	<b>├</b>		ļ											-
<b></b>				-	OHD		0.0005507bk										
		Multiple Tandem Switching, per MOU (applies to initial tandem only)		1	OHD	ì											
$\vdash$		only) Tandem Intermediary Charge, per MOU*		<del>                                     </del>	OHD	ļ	0.0005507					<del> </del>					ļ
<del></del>		harge is applicable only to transit traffic and is applied in ad	distant			<u> </u>											
<del>   </del>	PIINK	CHARGE	dinou to	о арри	cable switching and	or interconn	lection charges										ļ
<del>                                     </del>		Installation Trunk Side Service - per DS0	┼	╁	IOHD	TPP6X		21,64bk	8.15bk			<del>                                     </del>					<del> </del>
<del></del>		Installation Trunk Side Service - per DS0	<del>                                     </del>	+	OHD	TPP9X		21.64bk	8.15bk			<del>                                     </del>					<del> </del>
<del></del>		Dedicated End Office Trunk Port Service-per DS0**	_	$\vdash$	OHD	TDEOP	0.00	21,040K	g. IODK								<del>                                     </del>
$\vdash$		Dedicated End Office Trunk Port Service-per DS1**	<del>                                     </del>	<del>                                     </del>	OH1 OH1MS	TDE1P	0.00					<del>                                     </del>					<del> </del>
$\vdash$		Dedicated Tandem Trunk Port Service-per DS0**	<del> </del>	1	OHD	TDWOP	0.00					<del>                                     </del>					<del>                                     </del>
$\vdash$		Dedicated Tandem Trunk Port Service-per DS1**	<del>                                     </del>	$\vdash$	OHI OHIMS	TOW1P	0.00					<del> </del>					<del> </del>
<u> </u>		rate element is recovered on a per MOU basis and is included	t in the	Fnd Of				I reto elemente				<del>                                     </del>					<del> </del>
l c	OMMO	ON TRANSPORT (Shared)	1	1	l	I Own	l l	J 14to elettietti				<del> </del>					<b> </b>
		Common Transport - Per Mile, Per MOU		$\vdash$	OHD	<del></del>	0.0000032bk					<del></del>					<del> </del>
		Common Transport - Facilities Termination Per MOU	<del>                                     </del>	$\vdash$	OHD		0.0003748bk					<del> </del>		-			<del> </del>
LOCAL I		ONNECTION (DEDICATED TRANSPORT)	<del> </del>	<del></del>	U11.D		DIGCOOT TODA										
		FFICE CHANNEL - DEDICATED TRANSPORT	<del> </del>	t									-				<del></del>
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		<b></b>	Í							<del> </del>					
	ŀ	Per Mile per month	l		ОНМ	1L5NF	0.013bk					J					1
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		$\vdash$													i
1 1	ŀ	Facility Termination per month	1	1	ОНМ	1L5NF	22.6bk	39.36bk	26.625k			ŀ					i
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															i
		per month			ОНМ	1L5NK	0.013bk					ľ					]
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility										T					
$\Box$		Termination per month	l.		ОНМ	1L5NK	15.61bk	39.37bk	26.62bk			[					]
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
$\perp$		per month			ОНМ	1L5NK	0.013bk					l					
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility						· ·									i
<b></b>		Termination per month			ОНМ	1L5NK	15.61bk	39.37bk	26.62bk								<u></u>
(		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			l					i							
$\vdash$		month		<u> </u>	OH1, OH1MS	1L5NL	0.2652bk					ļ					1
1 1		Interoffice Channel - Dedicated Tranport - DS1 - Facility	l		L	l	l										1
┝┷┵		Termination per month		—	OH1, OH1MS	1L5NL	70.47bk	86.69bk	79.44bk								ļ
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			Ons Onsero	41 2502											
<del></del>		month Interoffice Channel - Dedicated Transport - DS3 - Facility	<del>                                     </del>	$\vdash$	онз, онзмѕ	1L5NM	_6.04bk					<del> </del>					<del> </del>
		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			онз, онзмя	1L5NM	850 451	270,69bk	158.05bk								1
<del>                                     </del>		CHANNEL - DEDICATED TRANSPORT		<u> </u>	Ons, Onsma	ILONM	850.45bk	21U.090K	158.U5DK							<b></b>	<del> </del>
<del>                                     </del>		Local Channel - Dedicated - 2-Wire Voice Grade per month	├──	<del>-</del>	ОНМ	TEFV2	18.32bk	187.51bk	32,21bk			-					<del>}</del>
<del></del>		Local Channel - Dedicated - 2-Wire Voice Grade per month	<del></del>	<del> </del>	OHM	TEFV2	18.320k	187.94bk	32.210k			<del>                                     </del>				ļ	<del> </del>
$\vdash$	-+	Local Channel - Dedicated - DS1 per month	$\vdash$		OH1	TEFHG	39.18bk	172.34bk	149.27bk			<del>                                     </del>					<del>                                     </del>
$\vdash$	-	Com Channel - Dedicated - DOT per HAMILI	<del></del>		VIII	, EF (10	39,10DK	112.340K	148.210K			<del> </del>					<del> </del>
	Į,	Local Channel - Dedicated - DS3 Facility Termination per month			онз	TEFHJ	469.44bk	438.46bk	256.3bk								
<del>                                     </del>	OCAL	INTERCONNECTION MID-SPAN MEET	<del>                                     </del>	$\vdash$	V.10	15119	409,4408		230.00K			<del> </del>					t
	OTE:	Access service ride Mid-Span Meet, one-half the tariffed ser	vice I o	cal Ch	annel rate is annilesi	hie						<del>                                     </del>		-			<del> </del>
<del>                                     </del>		Local Channel - Dedicated - DS1 per month	1.00 20		OH1MS	TEFHG	0.00	0.00				<del> </del>	-				<del>                                     </del>
<del>                                     </del>		Local Channel - Dedicated - DS3 per month	<b></b>		OH3MS	TEFHJ	0.00	0.00		-		<del> </del>					<del>                                     </del>
		LEXERS		$\vdash$	00110		V.00	0.00									<del>                                     </del>
		Channelization - DS1 to DS0 Channel System	<b>—</b>		OH1, OH1MS	SATN1	105.09bk	88.41bk	60.76bk			<del></del>					1
$\vdash$		DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	201.48bk	172.99bk	91.25bk								1
-		DS3 Interface Unit (DS1 COCI) per month	1		OH1, OH1MS	SATCO	11.78bk	6.39bk	4,58bk								1
L T																	

$\overline{}$	- IM I E	RCONNECTION - Mississippi										L	L	Attach	ment: 3	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	
			l				1					Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi				1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEG	ORY	RATE ELEMENTS	I III	Zone	BCS	USOC	1		RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""			1	1					,	<b>F</b> 0. 20	Electronic-	Electronic-	Electronic-	
							1					1	ł	1st	Add'i	Disc 1st	Disc Add'i
				l			1					1	l	151	AGG 1	Disc ist	Disc Add I
				1		1		Nonrec	urring	Nonrecurring	Disconnect		·	OSS	Rates (\$)	·	
						1	Rec	First	Add'l	First	Addil	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
						1						ì					
		CONNECTION (CALL TRANSPORT AND TERMINATION)		1		1											
	NOTE: '	"bk" beside a rate indicates that the Parties have agreed to bi	ll and k	eep fo	that element pursu	ant to the te	rms and condit	ons in Attachr	nent 3.								1
	TANDE	M SWITCHING					1										
		Tandem Switching Function Per MOU			OHD	1	0.0005379bk									T	
		Multiple Tandem Switching, per MOU (applies to intial tandem			1	1				_		1			i		1
		only)			OHD		0.0005379					i	1	1	}		
		Tandem Intermediary Charge, per MOU*		1	OHD		0.0015										1
	* This c	charge is applicable only to transit traffic and is applied in ad-	dition to	appli	cable switching and	or Intercon	nection charges	3.									1
	TRUNK	CHARGE				Ĭ						1	i e		i	1	1
		Installation Trunk Side Service - per DS0			OHD	TPP6X	1	21.58bk	8.13bk				Ì	i	1		1
		Installation Trunk Side Service - per DS0		1	OHD	TPP9X		21.58bk	8.13bk						Ì	1	1
		Dedicated End Office Trunk Port Service-per DS0**	T	Ι —	OHD	TDEOP	0.00		2211			1		Ì	1	1	1
		Dedicated End Office Trunk Port Service-per DS1**		1	OH1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**	_	1	OHD	TDWOP	0.00	-				1	1	<del>                                     </del>			<b>T</b>
		Dedicated Tandem Trunk Port Service-per DS1**		1	OH1 OH1MS	TDW1P	0.00						· · · · · · · · · · · · · · · · · · ·			·	1
	** This	rate element is recovered on a per MOU basis and is included	in the	End O	fice Switching and	Tandem Swi	tching, per MO	U rate element				<u> </u>				Ť	<b>†</b>
	COMMO	ON TRANSPORT (Shared)	T	1		T								<u> </u>	-	1	<del> </del>
		Common Transport - Per Mile, Per MOU		_	OHD		0.0000026bk						1	i		†	<del> </del>
		Common Transport - Facilities Termination Per MOU		·	OHD	1	0.0004541bk							<del></del>			<del> </del>
LOCAL	INTERC	CONNECTION (DEDICATED TRANSPORT)		1								<del> </del>				·	<del></del>
	INTERC	OFFICE CHANNEL - DEDICATED TRANSPORT		1		1						<b>†</b>		· · · · · · · · · · · · · · · · · · ·		1	<del> </del>
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -		1	· ·	<del></del>	<b>†</b>					<del> </del>		<del></del>		<del>                                     </del>	1
I		Per Mile per month			<b>І</b> онм	1L5NF	0.0098bk				j			1			ł
$\rightarrow$		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	$\vdash$	<del></del>	<u> </u>	1,20.11	0.000000							<del></del>			<del>                                     </del>
l		Facility Termination per month	1		ОНМ	1L5NF	22,52bk	40.77bk	27.57bk	17.26bk	7.11bk			1			1
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile		1	0.,,,,	1.2.11	22,000	40,7708	ZI.OIDK	17.2001	7.110					<b>+</b>	+
		per month	l		Онм	1L5NK	0.0098bk							1			1
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility	<del></del>		Q1	TEO! VIC	0.000000					<del> </del>		<b>-</b>			+
		Termination per month	İ		<b>І</b> онм	1L5NK	15.68bk	40.78bk	27.57bk	17.26bk	7.11bk			1			1
$\neg$		Interoffice Channel - Dedicated Transport - 64 kbps - per mile		<del> </del>	011111	120141	10.005	70.7000	£1:010k	17,2000	7.1100	+		-		+	+
		per month			ОНМ	1L5NK	0.0098bk				j			1			1
$\rightarrow$		Interoffice Channel - Dedicated Transport - 64 kbps - Facility	<b></b>	$\vdash$	i i	incorate	0.003001							<b> </b>		<del>                                     </del>	1
		Termination per month			онм	1L5NK	15.68bk	40.78bk	27.57bk	17.26bk	7.11bk	.]		1			1
-		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		├──	OTIM	1 CONTRACT	13.000x	40.7001	27.3700	17.2008	- 7.1150	+		<b>-</b>		<del></del>	+
		month		l	OH1, OH1MS	1L5NL	0.201bk				}			1			i
		Interoffice Channel - Dedicated Tranport - DS1 - Facility		<del></del>	OITI, OITIMO	TESINE	0.20108							<b></b>		-	<del></del>
		Termination per month		1	OH1, OH1MS	1L5NL	57.33bk	89.79bk	82,28bk	16.86bk	14.9bk			1			i
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		├	OTTI, OTTINO	TESINE	07.00DK	03.730K	02.20DK	10.000K	14.506	+		<del></del>		<del>!</del>	+
		month		1	онз. онзмѕ	1L5NM	4,76bk							1	1	J	
$\rightarrow$		Interoffice Channel - Dedicated Transport - DS3 - Facility	-	<del> </del>	Oria, Oriana	IEDIAM	4.7008					<del> </del>		<del> </del>	<del> </del>	1	+
		Termination per month		1	онз, онзмѕ	1L5NM	641.9bk	280.37bk	163.7bk	62.08bk	60.29bk			1	l		
		CHANNEL - DEDICATED TRANSPORT	_		Orio, Orioles	ILUMAN	041.508	200.37DK	103.704	02.00DK	00.29UK	+				<del> </del>	+
-		Local Channel - Dedicated - 2-Wire Voice Grade per month		-	ОНМ	TEFV2	14.91bk	194.22bk	33,36bk	37.79bk	3.3bk	<del>.                                    </del>		<del></del>	<del></del>	<del> </del>	+
$\overline{}$		Local Channel - Dedicated - 2-Wire Voice Grade per month	<b>—</b>	$\vdash$	OHM	TEFV4	15.99bk	194.220k 194.66bk	33.360k	37.79bk 38.27bk			<del></del>	<b></b>	+	<del> </del>	+
$\neg$		Local Channel - Dedicated - DS1 per month		$\vdash$	OH1	TEFHG	36.83bk	178.5bk	154.61bk	22.89bk	15.74bk		<b>——</b>	<b></b>	<del></del>	+	+
$\rightarrow$	<del>-  </del>	- DO I per includ	-	$\vdash$	U	ILLERIG	30.03DK	170,508	104,0108	22.09DK	13.7408	1	-	$\vdash$	<del> </del>	+	+
- 1		Local Channel - Dedicated - DS3 Facility Termination per month		1	онз	TEFHJ	413.87bk	454.13bk	264.47bk	123.23bk	86,19bk		l				l .
<del></del>	LOCAL	INTERCONNECTION MID-SPAN MEET		1	0.10	16170	7 13.07 DK	454, 130K	204.47 DK	123.230K	00, 19DK	<del></del>		<del></del>	<del></del>	+	<del></del>
		f Access service ride Mid-Span Meet, one-half the tariffed ser	vice to	cal Ch	L annol rate le anntica	ble	<del> </del>					<del>                                     </del>		<del></del>		<del> </del>	<del> </del>
<del></del> i		Local Channel - Dedicated - DS1 per month	TICE LO	<del></del>	annei rate is applica	TEFHG	0.00	0.00				<del> </del>	<del> </del>	<del> </del>	<del></del>	+	+
-		Local Channel - Dedicated - DS3 per month		—	OH3MS	TEFHJ	0.00	0.00				<del> </del>	-	<del> </del>		<del> </del>	<del></del>
<del> ,</del>		PLEXERS			OI TOWN	ILELAN	0.00	0.00			ļ	-	<del></del>	<del></del>	<del></del>	+	+
<del></del>		Channelization - DS1 to DS0 Channel System	<del></del>	<b>├</b> -	OH1, OH1MS	SATN1	102.85bk	91.57bk	62.94bk	10.87bk	10.1bk	1	<b>├</b>	<b>-</b>	<b>-</b>	+	+
$\rightarrow$		DS3 to DS1 Channel System per month		├	OH3, OH3MS	SATNS	102.850k	91.576k 179.176k	94.52bk	10.87bk	32,82bk			<b></b>		+	+
		DS3 Interface Unit (DS1 COCI) per month	<del></del>	<del></del>	OH1, OH1MS	SATCO	170.630k 12.96bk	1/9.1/bk 6.62bk	94.525k 4.745k	34.30K	32.820k	1		<b>.</b>		+	<del> </del>
$\overline{}$										1							

LOCAL	INTÉ	RCONNECTION - North Carolina												Attachi		Exhil	
												Svc Order Submitted Elec		Incremental Charge - Manual Svo	Incremental Charge • Manual Svc	Charge -	Incremental Charge - Manual Svo
ATEGO	ЖY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
_				-				Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CONNECTION (CALL TRANSPORT AND TERMINATION)				I											
1	OTE:	"bk" beside a rate indicates that the Parties have agreed to bi	il and k	eep for	that element pursu	ant to the te	rms and conditi	ons in Attachr	nent 3.								
		M SWITCHING															
		Tandem Switching Function Per MOU			OHD		0.0012bk									ļ	
		Multiple Tandem Switching, per MOU (applies to Intial tandem				1											,
		only) Tandem Intermediary Charge, per MOU*			OHD	<b></b>	0.0012 0.0015										
		harge is applicable only to transit traffic and is applied in ad-	 			 									<u> </u>	<del></del>	<del></del>
	DINK	CHARGE	aruon te	) spbiid	cable switching and	/or intercont	lection charges	i.								<del></del>	
		Installation Trunk Side Service - per DS0	$\vdash$		OHD	TPP6X	1	21.55bk	8.12bk			+				<del>                                     </del>	
-+		Installation Trunk Side Service - per DS0	<del>                                     </del>		OHD	TPP9X	<del> </del>	21.55bk	8.12bk							<del> </del>	
		Dedicated End Office Trunk Port Service-per DS0**	1		OHD	TDEOP	0.00				-					<del> </del>	
		Dedicated End Office Trunk Port Service-per DS1**	<u> </u>		OH1 OH1MS	TDE1P	0,00					1					
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	* This	rate element is recovered on a per MOU basis and is included	in the	End Of	fice Switching and	Tandem Swi	tching, per MOI	J rate elements									
		ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU			OHD	ļ	0.00001bk					<b></b>				ļ	
		Common Transport - Facilities Termination Per MOU			OHD		0.00034bk					ļ					
		CONNECTION (DEDICATED TRANSPORT) DEFICE CHANNEL - DEDICATED TRANSPORT				<b>↓</b>						<del> </del>				ļ	ļ
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	<b></b>			<del> </del>	<u> </u>					<del> </del>				<del> </del>	<del> </del>
	J	Per Mile per month			ОНМ	1L5NF	0.0282bk					<u> </u>					
	1	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			ОНМ	1L5NF	18bk	137.48bk	52.58bk								
	I	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			ОНМ	1L5NK	0.0282bk										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			ОНМ	1L5NK	17.4bk	137.48bk	52.58bk								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			ОНМ	1L5NK	0.0282bk										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			ОНМ	1L5NK	17,4bk	137.48bk	52.58bk								
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per				<del> </del>	<b></b>				-					<u> </u>	
		month		l	OH1, OH1MS	1L5NL	0.5753bk					1					L
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1, OH1MS	1L5NL	71.29bk	217.17bk	163.75bk		'						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			ОНЗ, ОНЗМЅ	1L5NM	12.98bk					l					
$\neg T$		Interoffice Channel - Dedicated Transport - DS3 - Facility															
		Termination per month			OH3, OH3MS	1L5NM	720.38bk	794.94bk	579.55bk							<del> </del>	
		CHANNEL - DEDICATED TRANSPORT														<b></b>	Ļ
		Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	11.24bk	553.8bk	89,69bk			<del>                                     </del>		ļ	ļ	<del> </del>	<u> </u>
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	12.03bk 27.05bk	562.23bk 534,48bk	92.67bk 462.69bk			-				<del>                                     </del>	<del>                                     </del>
		Local Channel - Dedicated - DS1 per month	<b>—</b>	$\vdash$	OH1	TEFHG	27,05bk	534.466k	462,69bk			+		<b>_</b>	ļ	<del> </del>	<del> </del>
	0001	Local Channel - Dedicated - DS3 Facility Termination per month			онз	TEFHJ	298.92bk	438.46bk	256,3bk								
		INTERCONNECTION MID-SPAN MEET  f Access service ride Mid-Span Meet, one-half the tariffed ser	ulac 1	001.01	 	<u> </u>						-		<b> </b>	-	<del> </del>	ļ <del>-</del>
—-  <u>^</u>		Access service ride Mid-Span Meet, one-half the tariffed ser Local Channel - Dedicated - DS1 per month	VICE LO		onnei rate is applica	TEFHG	0.00	0.00				+		l		<del> </del>	
+		Local Channel - Dedicated - DS1 per month	-		OH3MS	TEFHU	0.00	0.00				+		<del> </del>		<del> </del>	<del>                                     </del>
— I.		LEXERS	<b>—</b>	$\vdash$	O. IOINIO	14110	0.00	0.00				+		<u> </u>		+	<del> </del>
		Channelization - DS1 to DS0 Channel System		$\vdash$	OH1, OH1MS	SATN1	146.69bk	197.78bk	140.06bk			<del>                                     </del>		<del> </del>		<del>                                     </del>	· · · · · · · · · · · · · · · · · · ·
		DS3 to DS1 Channel System per month	<b></b>		OH3, OH3MS	SATNS	233.1bk	403.97bk	234.4bk			<del>                                     </del>		i		1	1
		DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	16,07bk	13.09bk	9.38bk					l			
_		· · · · · · · · · · · · · · · · · · ·				i	1					1				T	

OCAL IN	ERCONNECTION - South Carolina												Attach	ment: 3	Exhi	ibit: A
			F								Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremen
		ł	l 1								Submitted		Charge -	Charge -	Charge -	Charge
			l 1								Elec	Manually		Manual Svc		
TEGORY	RATE ELEMENTS	Interi	اء۔۔۔ا	BCS	USOC			RATES (\$)								
CIEGORI	RATE ELEMENTS	m	Zone	802	USUC			KA165 (3)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order v
			li								l .		Electronic-	Electronic-	Electronic-	Electroni
													1st	Add'i	Disc 1st	Disc Add
			LI													<u> </u>
			$\sqcup$			Rec		curring		Disconnect				Rates (\$)		
						1,00	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	l															
	CONNECTION (CALL TRANSPORT AND TERMINATION)															
NOTE	"bk" beside a rate indicates that the Parties have agreed to bi	il and k	sep for	that element pursua	ant to the ter	ms and condit	ions in Attachi	nent 3.								
TAND	EM SWITCHING														<u> </u>	
	Tandem Switching Function Per MOU	L		OHD		0.000736bk										
1	Multiple Tandem Switching, per MOU (applies to initial tandem		1 1													
	only)			OHD		0.000736										
	Tandem Intermediary Charge, per MOU*			OHD		0.0015										
* This	charge is applicable only to transit traffic and is applied in ad	dition to	applic	able switching and	or intercond	nection charge:	5.		<del>-</del>							
TRUN	K CHARGE														1	
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.65bk	8.16bk								
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.65bk	8.16bk								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00	_	· ·		Ĩ					1	1
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**	-		OH1 OH1MS	TDW1P	0.00		i		·						<b>—</b>
** This	rate element is recovered on a per MOU basis and is included	in the	End Off	ice Switching and	andem Swi	ching, per MO	U rate element	5								
COM	ON TRANSPORT (Shared)				1	, , , , , , , , , , , , , , , , , , ,			·						<del></del>	$\overline{}$
	Common Transport - Per Mile, Per MOU			OHD		0.0000045bk									1	-
	Common Transport - Facilities Termination Per MOU			OHD		0.0004095bk					<b></b>				<b>†</b>	-
CAL INTER	CONNECTION (DEDICATED TRANSPORT)		$\vdash$	<u> </u>		0.000 T050BK					<del>-</del>		-		1	
	OFFICE CHANNEL - DEDICATED TRANSPORT		<del></del>		-	<del></del>									1	-
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	<del>                                     </del>	$\vdash$		<del> </del> -										<del></del>	<del> </del>
	Per Mile per month	1		ОНМ	1L5NF	0.0167bk										1
_	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			OI IIVI	ILOME	0.010708				<b></b>					<del> </del>	<del></del>
	Facility Termination per month	1		ОНМ	1L5NF	24.3bk	40,63bk	27.47bk	16.77bk	6.91bk						
_	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OFW	TLONE	24.3UK	40.030K	21.41UK	10.7708	0.9 IDK	<b></b>				<del>                                     </del>	<del> </del>
	per month		1	ОНМ	1L5NK	0.0167bk				l						
<del></del>	Interoffice Channel - Dedicated Transport - 56 kbps - Facility	-	-	Onw	ILDIVA	0.0107DK									<u> </u>	<del> </del>
- 1	Termination per month			ОНМ	1L5NK	16.76bk	40.63bk	27.47bk	16.77bk	6.91bk						1
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OUM	ILDIAK	10.70DK	40.0308	21.41 DK	10.77DK	0.9 IDK					<b>_</b>	
1	per month			ОНМ	44 53.114	0.040714				ł						1
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility			UHM	1L5NK	0.0167bk										
				<b></b>												1
	Termination per month			ОНМ	1L5NK	16,76bk	40.63bk	27.47bk	16,77bk	6.91bk						ļ
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per									1						1
	month			OH1, OH1MS	1L5NL	0,3415bk										<b>↓</b>
	Interoffice Channel - Dedicated Tranport - DS1 - Facility		1													1
	Termination per month			OH1, OH1MS	1L5NL	77.14bk	89,47bk	81.99bk	16,39bk	14,48bk						<u> </u>
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															1
	month			OH3, OH3MS	1L5NM	8.02bk										<u> </u>
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	880.65bk	279.37bk	163.12bk	60.33bk	58.59bk						
LOCA	CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	15.33bk	193.53bk	33.24bk	36.72bk	3,21bk						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			ОНМ	TEFV4	16.54bk	193.97bk		37.19bk	3.68bk						
	Local Channel - Dedicated - DS1 per month			OH1	TEFHG	42.62bk	177.87bk	154.06bk	22.24bk	15.3bk						
	Local Channel - Dedicated - DS3 Facility Termination per month		!	OH3	TEFHJ	446bk	452.52bk	264.53bk	119.75bk	83.77bk						L
	INTERCONNECTION MID-SPAN MEET															
NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed ser	vice Lo	cal Cha	nnel rate is applical	ble.		-			_				1	1	
	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									T
	Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00			i -					1	
MULT	PLEXERS				1			i							Ť T	1
	Channelization - DS1 to DS0 Channel System		10	OH1, OH1MS	SATN1	107.57bk	91.24bk	62.71bk	10.56bk	9.81bk		_			1	t
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	144,02bk	178,54bk	94,18bk	33.33bk	31.9bk	<u> </u>				1	<b>†</b>
	DS3 Interface Unit (DS1 COCI) per month			OH1. OH1MS	SATCO	8.64bk	6.59bk	4.73bk	30,000		i –				1	<del>                                     </del>
				,	1			JUK							+	-

UCAL	INTE	RCONNECTION - Tennessee													ment: 3		ibit: A
ATEGO	ЖY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs.	Charge -	Charge -
			m									per Lor	pe. Lo.	Electronic- 1st	Electronic- Add'i	Electronic- Disc 1st	
-							Rec	Nonrecurring			Disconnect				Rates (\$)		
-+			1		ļ		-	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
CAL II	NTER	CONNECTION (CALL TRANSPORT AND TERMINATION)	<del> </del>			<del> </del>						<del> </del>	<b></b>			<del> </del>	<del>}</del>
		"bk" beside a rate indicates that the Parties have agreed to bi	II and k	eep for	that element pursu	ant to the te	ms and condit	ons in Attachr	nent 3.								<del> </del>
	ANDE	M SWITCHING				T											1
_		Tandem Switching Function Per MOU			OHD		0.0009778bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem only)			l <u>.</u>						[						
+		Tandem Intermediary Charge, per MOU*	<u> </u>	⊢	OHD	<del> </del>	0.0009778				[		<b> </b>			<u> </u>	<b>├</b> ──
-	This	charge is applicable only to transit traffic and is applied in ad	dition to	annii	cohla switching and	for intercons	nection charge	<u> </u>			<u> </u>	├	├──			<del>                                     </del>	+
T	RUNK	CHARGE	T		l	I	lection charge	i				<del>                                     </del>	<del></del>	<del></del>			<del> </del>
		Installation Trunk Side Service - per DS0			OHD	TPP6X	i	21.59bk	8.09bk							1	
		Installation Trunk Side Service - per DS0			OHD	TPP9X		21.59bk	8.09bk								
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										1
$\rightarrow$		Dedicated End Office Trunk Port Service-per DS1**		-	OH1 OH1MS	TDE1P	0,00	ļ			ļ	ļ				ļ	ļ
		Dedicated Tandem Trunk Port Service-per DS0** Dedicated Tandem Trunk Port Service-per DS1**	ļ	ļ.—	OHD	TDWOP	0.00									<del> </del>	ļ
		rate element is recovered on a per MOU basis and is included	l in the	End C	OH1 OH1MS	TDW1P	0.00	L mto clamant	<u></u>		<b> </b>	<del> </del>	-	<del> </del>		<del> </del>	+
<del>- c</del>	OMN	ON TRANSPORT (Shared)	lii uie	T C	Ince Switching and	I mineiu omi	tening, per wo	o rate element				<del> </del>	+			_	+
Ť		Common Transport - Per Mile, Per MQU		<del>                                     </del>	OHD		0.0000064bk							<del> </del>		<del> </del>	+
		Common Transport - Facilities Termination Per MOU		· · · ·	OHD	<del> </del>	0.0003871bk					i			·		1
		CONNECTION (DEDICATED TRANSPORT)				1	1							1			.1
ii ii		OFFICE CHANNEL - DEDICATED TRANSPORT					1.				•						T
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			ОНМ	1L5NF	0.0174bk										
_		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			ОНМ	1L5NF	18.58bk	55.39bk	17.37bk	27.96bk	3.51bk						1
4		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month Interoffice Channel - Dedicated Transport - 56 kbps - Facility			ОНМ	1L5NK	0.0174bk		F.							ļ	
_		Termination per month  Interoffice Channel - Dedicated Transport - 64 kbps - per mile			ОНМ	1L5NK	17.98bk	55.39bk	17.37bk	27.96bk	3.51bk	r .				ļ	ļ
_		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility			ОНМ	1L5NK	0.0174bk					ļ. <u></u>	ļ <u>.</u>			ļ	
4		Termination per month Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			ОНМ	1L5NK	17.98bk	55.39bk	17.37bk	27,96bk	3,51bk						<u> </u>
		month			OH1, OH1MS	1L5NL	0.3562bk	'									
		Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination per month			OH1, OH1MS	1L5NL	77.86bk	112.4bk	76.27bk	19,55bk	14.99bk					-	
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			онз, онзмѕ	1L5NM	2.34bk										<u> </u>
4		Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month	<u> </u>	ļ	онз, онзмѕ	1L5NM	848.99bk	395.29bk	176,56bk	109.04bk	105.91bk					ļ <u>.</u>	
		CHANNEL - DEDICATED TRANSPORT  Local Channel - Dedicated - 2-Wire Voice Grade per month	<u> </u>	$\vdash$	OUN	TEEL TO	40 40**	400 0011	64.461	61.621	4.8bk	<del> </del>	ļ	1	ļ	<del> </del>	+
$\dashv$		Local Channel - Dedicated - 2-Wire Voice Grade per month  Local Channel - Dedicated - 4-Wire Voice Grade per month	$\vdash$	$\vdash$	ОНМ	TEFV2 TEFV4	19.43bk 20.56bk	199.33bk 201.53bk	24.16bk 24.83bk	54.81bk 55.52bk			<del> </del>	ļ		<del>                                     </del>	+
-+		Local Channel - Dedicated - 4-Wire voice Grade per month	<del> </del>	$\vdash$	OHM OH1	TEFHG	20.565K	201.530k 277.35bk	24.830k	33.18bk			1	<del>                                     </del>	<del> </del>	<del> </del>	+
		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	611.3bk	595.37bk	304.5bk	215.82bk	151.15bk					<del></del>	1
	OCAL	INTERCONNECTION MID-SPAN MEET	<del>                                     </del>			† <del></del>	971.30K	035.07DK	30-1.30K	Z 10.02DK	101.1008	<del>`</del>	-			+	+
	OTE:	f Access service ride Mid-Span Meet, one-half the tariffed ser	vice Lo	cal Ch	annel rate is applica	ble.					<del> </del>	<del> </del>	t			<del> </del>	1
		Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00									
		Local Channel - Dedicated - DS3 per month			OH3MS	TEFHJ	0.00	0.00									
M		PLEXERS															1
$-\!\!\!+$		Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	80.77bk	141.87bk	77,11bk	44,47bk	42.62bk		ļ	ļ		<b></b>	1
		DS3 to DS1 Channel System per month	<u> </u>	┡	OH3, OH3MS	SATNS	222.98bk	308,03bk	108.47bk	6.34bk	4.23bk	·			-	<del> </del>	4
		DS3 Interface Unit (DS1 COCI) per month	1		OH1, OH1MS	SATCO	17.58bk	6.07bk	4.66bk		1	1	1			1	

Attachment 4

Collocation

## **BELLSOUTH**

#### COLLOCATION

# 1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when <customer\_short\_name> is collocated as a sole occupant or as a Host within a BellSouth premises location pursuant to this Attachment. BellSouth premises include BellSouth Central Offices and Serving Wire Centers; all buildings or similar structures owned, leased, or otherwise controlled by BellSouth that house its network facilities; all structures that house BellSouth facilities on public rights-of-ways, including but not limited to vaults containing loop concentrators or similar structures; and all land owned, leased, or otherwise controlled by BellSouth that is adjacent to BellSouth's Central Offices, Serving Wire Centers, buildings and structures (hereinafter "Premises"). BellSouth Remote Site Locations ("Remote Site Locations") include cabinets, huts and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. If the Premises occupied by BellSouth is leased by BellSouth from a third party or otherwise controlled by a third party, special considerations and/or intervals may apply in addition to the terms and conditions contained in this Attachment. BellSouth will inform <customer short name> if a Premises is leased when special considerations and/or intervals may be applicable.
- 1.2 If BellSouth provides collocation to other telecommunications carriers, or to a BellSouth Affiliate, BellSouth will provide the same collocation to <customer\_short\_name> at rates, terms and conditions no less favorable to <customer\_short\_name> than those provided by BellSouth to other telecommunications carriers, or to a BellSouth Affiliate.
- Right to Occupy. BellSouth shall offer to <customer\_short\_name> collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and in full compliance with the rules and orders of the FCC and the Commission. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow <customer\_short\_name> to occupy a certain area designated by BellSouth within a Premises or on BellSouth property upon which the Premises is located of a size which is specified by <customer\_short\_name> and agreed to by BellSouth (hereinafter "Collocation Space", or "Remote Site Collocation Space"). To the extent not contained herein,the necessary rates, terms and conditions for collocation at Premises, as defined by the FCC above, shall be negotiated upon reasonable request for collocation at such Premises.

## 1.4 Space Reservation.

1.4.1 Neither BellSouth nor any of BellSouth's Affiliates may reserve space for future use on more preferential terms than those set forth in Sections 1.4.2 and 1.4.3 of this Attachment.

- 1.4.2 In all states other than Florida, the size, or rack/bay(s) in a Remote Site Location, specified by <customer\_short\_name> may contemplate a request for space sufficient to accommodate <customer\_short\_name>'s growth within a twenty-four (24) month period.
- 1.4.3 In the state of Florida, the size, or rack/bay(s) in a Remote Site Location, specified by <a href="customer\_short\_name">customer\_short\_name</a> may contemplate a request for space sufficient to accommodate <a href="customer\_short\_name">customer\_short\_name</a> is growth within an eighteen (18) month period.
- 1.5 Space Allocation. BellSouth shall use best efforts to accommodate <customer short name>'s requested preferences, if any, including the provision of contiguous space for any subsequent request for collocation. In allocating Collocation Space, BellSouth shall not (a) materially increase <customer short name>'s cost or materially delay <customer short name>'s occupation and use of the Collocation Space, (b) assign Collocation Space that will impair the quality of service or otherwise limit the service <customer\_short\_name> wishes to offer, (c) reduce unreasonably the total space available for physical collocation at a Premise, or preclude unreasonably physical collocation within the Premises. Consistent with the foregoing, BellSouth shall assign <customer\_short\_name> collocation space within Premises that utilizes existing infrastructure (e.g., HVAC, lighting and available power), if such space is available for collocation. Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated telecommunications carrier; or (f) essential for the administration and proper functioning of Premises. BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.
- 1.6 <u>Space Reclamation</u>. In the event of space exhaust within a Premises, BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the Premises. <customer\_short\_name> will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.7 <u>Virtual Collocation Space Reservation</u>. BellSouth shall relinquish any space held for future use before denying a request for virtual collocation on the grounds of space limitations, unless BellSouth proves to the Commission that virtual collocation at that point is not technically feasible.
- 1.8 <u>Use of Space</u>. <customer\_short\_name> shall use the Collocation Space for the purposes of installing, maintaining and operating <customer\_short\_name>'s equipment (to include testing and monitoring equipment) necessary for interconnection or for

- accessing unbundled network elements in accordance with the Act and FCC and Commission rules.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations.
- 1.10 Service Coordination. The Parties shall coordinate, where necessary, to ensure that the Collocation Space is provisioned in accordance with the specifications submitted by <customer\_short\_name> in its Application, as affirmed by the Bona Fide Firm Order ("BFFO") or as jointly amended thereafter. BellSouth will provide the necessary infrastructure to support <customer\_short\_name>'s request(s) pursuant to this Agreement.

# 2. Space Availability Report

- 2.1 Upon request from <customer\_short\_name> and at the <customer\_short\_name>'s expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is available for collocation at a particular Premises. This report will include the amount of Collocation Space available at the Premises requested, the number of collocators present at the Premises, any modifications in the use of the space since the last report on the Premises requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the Premises for which the Space Availability Report was requested by <customer\_short\_name>.
- 2.1.1 The request from <customer\_short\_name> for a Space Availability Report must be in writing and include the Premises street address, as identified in the Local Exchange Routing Guide (LERG) and Common Language Location Identification (CLLI) code of the Premises. CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.
- 2.1.1.1 If <customer\_short\_name> is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, <customer\_short\_name> may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, <customer\_short\_name> should submit to BellSouth a Remote Site Interconnection Request (the Request) for the Serving Wire Center CLLI code prior to submitting its request for a Space Availability Report. <customer\_short\_name> should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee as set forth in Exhibit B of this Attachment.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Premises within ten (10) calendar days of the receipt of such a request. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify

- <customer\_short\_name> and inform <customer\_short\_name> of the timeframe under
  which it can respond.
- 2.2 Remote Site Information. Upon written request, BellSouth will provide 
  <customer\_short\_name> with the following information concerning BellSouth's 
  remote sites: (i) the address of the remote site; (ii) the CLLI code of the remote site; 
  (iii) the carrier serving area of the remote site; (iv) the designation of which remote 
  sites subtend a particular central office; and (v) the number and address of customers 
  that are served by a particular remote site.
- 2.3 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of <customer\_short\_name>'s request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by <customer\_short\_name>, up to a maximum of thirty (30) wire centers per <customer\_short\_name> request per month per state, and up to a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) <customer\_short\_name> agrees to pay the cost as set forth in Exhibit B.

## 3. Collocation Options

- 3.1 Cageless. BellSouth shall allow <customer\_short\_name> to collocate <customer\_short\_name>'s equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow <customer\_short\_name> to have direct access to <customer\_short\_name>'s equipment and facilities in accordance with Section 5.19 below. BellSouth shall make cageless collocation available in single rack/ bay increments. Except where <customer\_short\_name>'s equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, <customer\_short\_name> must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.
- 3.2 <u>Caged</u>. BellSouth will make caged collocation available in fifty (50) square foot increments, which should be sufficient enough, to collocate a single rack/bay of equipment. At <customer\_short\_name>'s expense, <customer\_short\_name> will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's reasonable and nondiscriminatory Technical References (TRs) (Specifications), where technically feasible as that term has been defined by the FCC, prior to starting equipment installation. BellSouth will provide Specifications to its BellSouth Certified Suppliers. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, <customer\_short\_name> and

<customer\_short\_name>'s BellSouth Certified Supplier must comply with the more stringent local building code requirements. <customer\_short\_name>'s BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with <customer\_short\_name> and provide, at <customer\_short\_name>'s expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for <customer\_short\_name>'s BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. <customer\_short\_name>'s BellSouth Certified Supplier shall bill <customer\_short\_name> directly for all work performed for <customer\_short\_name> pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by <customer\_short\_name>'s BellSouth Certified Supplier. Upon request, BellSouth shall construct the enclosure for <<customer\_short\_name.</p>

- 3.2.1 BellSouth may elect to review <customer\_short\_name>'s plans and specifications prior to allowing construction to start, to ensure compliance with BellSouth's Specifications. BellSouth will notify <customer\_short\_name> of its desire to execute this review in BellSouth's response to the Initial Application, if <customer short name> has indicated its desire to construct its own enclosure. If <ustomer short name>'s Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of <customer\_short\_name>'s plans and specifications. Regardless of whether or not BellSouth elects to review <customer short name>'s plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to <customer\_short\_name>'s submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from <customer\_short\_name>. BellSouth may require <customer\_short\_name> to remove or correct within seven (7) calendar days, at <customer short name>'s expense, any structure that materially deviates from < customer\_short\_name >'s plans and specifications or BellSouth's Specifications, if applicable. If <customer\_short\_name> requests BellSouth to construct the enclosure or do any other work, <customer short name> reserves the right to inspect the enclosure or work performed by BellSouth and review any plans or specifications related to the same.
- 3.3 Shared Caged Collocation. <customer\_short\_name> may allow other telecommunications carriers to share <customer\_short\_name>'s caged collocation arrangement, where technically feasible as that term has been defined by the FCC, pursuant to the terms and conditions agreed to by <customer\_short\_name> (Host) and the other telecommunications carriers (Guests) pursuant to this Section, except where the Premises is located within a leased space and BellSouth is prohibited by said lease from offering such an option to <customer\_short\_name> or is located on property for

which BellSouth holds an easement and such easement does not permit such an option for a Remote Site Location. BellSouth shall be notified in writing by <customer\_short\_name> upon the execution of any agreement between the Host and its Guest(s) prior to the submission of any application. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by <customer\_short\_name> that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and <customer\_short\_name>.

- 3.3.1 <customer short name>, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide <customer\_short\_name> with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each. BellSouth will not allocate less than one (1) rack/bay per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay within a Remote Site Location, BellSouth will not prorate the cost of the bay. In all other states than Florida, and in addition to the above, <customer\_short\_name> shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own initial and additional equipment placement applications using the Host's Access Carrier Name Abbreviation (ACNA), provided that Guest secures permission from <customer short name> to use <customer short name>'s ACNA and password. A separate Guest application shall result in the assessment of a Remote Site Application Fee, an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response to the Guest(s) Bona Fide Application (Application Response).
- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest(s) pursuant to the applicable Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 <ustomer\_short\_name> shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of <ustomer\_short\_name>'s Guest(s) in the Collocation Space, except to the extent caused by BellSouth's, its employees' or agents' negligence, gross negligence, or willful misconduct.
- 3.3.4 In making shared caged arrangements available, whether or not <customer\_short\_name> serves as Host, BellSouth may not increase the cost of site preparation or nonrecurring charges above the cost of provisioning such a shared arrangement of similar dimensions and material to a single collocating party.

- 3.4 <u>Shared Remote Site Cageless Collocation</u>. Subject to the requirements set forth in Section 3.3 above, to the extent BellSouth is permitted to offer shared collocation at Remote Site locations by property or easement owners, BellSouth will permit shared cageless collocation at such locations, where technically feasible, and space is available.
- 3.5 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on Premises' property only when space within the Premises is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the Premises' property. An Adjacent Arrangement shall be constructed or procured by <customer\_short\_name> and must be in conformance with reasonable and\_nondiscriminatory provisions of BellSouth's design and construction Specifications. Further, <customer\_short\_name> shall construct, procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the applicable rates, terms and conditions set forth in this Attachment. Additional rates, where applicable, shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.
- 3.5.1 If <customer\_short\_name> requests Adjacent Collocation, pursuant to the conditions stated in Section 3.5 above, <customer\_short\_name> must arrange with a BellSouth Certified Supplier to construct the Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, <customer\_short\_name> and <customer\_short\_name>'s BellSouth Certified Supplier must comply with the more stringent local building code requirements. <customer\_short\_name>'s BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. <customer\_short\_name>'s BellSouth Certified Supplier shall bill <customer\_short\_name> directly for all work performed for <customer\_short\_name> pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by <customer\_short\_name>'s BellSouth Certified Supplier.
- 3.5.2 <ustomer\_short\_name> must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its Firm Order. BellSouth shall review <ustomer\_short\_name>'s plans and specifications prior to construction of an Adjacent Arrangement(s) to ensure <ustomer\_short\_name>'s compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications from <ustomer\_short\_name> for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to <ustomer\_short\_name>'s submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of

written notification of completion of the enclosure from <customer\_short\_name>.

BellSouth may require <customer\_short\_name> to remove or correct within seven (7) calendar days at <customer\_short\_name>'s expense, any structure that materially deviates from its submitted plans and specifications or BellSouth's Specifications, if applicable.

- <customer short name> shall provide a concrete pad, the structure housing the 3.5.3 arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At <customer\_short\_name>'s option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power, to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC subject to individual case basis pricing that complies with the pricing standards of Sections 251 and 252 of the Act. <customer\_short\_name>'s BellSouth Certified Supplier shall be responsible, at <customer short name>'s sole expense, for filing and receiving any and all necessary zoning, permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow shared use of the Adjacent Arrangement pursuant to the terms and conditions set forth in Section 3.4 above.
- 3.5.4 In the event that interior space in a BellSouth Premises becomes available, and subject to the provisions of Section 6.6 of this Attachment, <customer\_short\_name> may, at its option, relocate its equipment from an adjacent facility into the interior space subject to the rates, terms and conditions of this Attachment 4.
- 3.6 Other Physical Collocation Arrangements. BellSouth will provide other collocation arrangements that have been demonstrated to be technically feasible. A previously successful method of obtaining interconnection or access to unbundled network elements at a particular premises or point on any incumbent LEC's network is substantial evidence that such method is technically feasible in the case of substantially similar network premises or points. In seeking a particular collocation arrangement, either physical or virtual, <customer\_short\_name>, is entitled to a presumption that such arrangement is technically feasible if any LEC has deployed such collocation arrangement in any incumbent LEC premises.
- 3.7 <u>Virtual Collocation</u>. Virtual Collocation will be made available according to the terms and conditions described in BellSouth's FCC Tariff No. 1 for all states except Florida, which will be made available pursuant to the terms and conditions contained in the Florida Access Tariff. BellSouth shall provide Virtual Collocation at the rates set forth in Exhibit B of this Attachment. If there are any inconsistencies between BellSouth's FCC Tariff No. 1 or the Florida Access Tariff, and this Agreement, the rates, terms, and conditions of this Agreement shall control.

- 3.7.1 Virtual Collocation would occur when <customer short name> provides and leases to BellSouth its transmission and other collocation equipment dedicated to <customer\_short\_name>'s use. <customer\_short\_name> will be responsible for monitoring and controlling <customer\_short\_name>'s circuits terminating at BellSouth's Premises. Once space preparation is complete, and upon <customer short name>'s request, <customer short name> shall contract with a BellSouth Certified Supplier to install all equipment and facilities in accordance with BellSouth's guidelines and Specifications. <customer\_short\_name> shall be responsible for all costs of the BellSouth Certified Supplier's installation of <customer\_short\_name>'s virtual collocation arrangement. <customer\_short\_name> shall be responsible for all engineering associated with the installation and the provision of the equipment, necessary supplies and related documentation related to provisioning <customer\_short\_name>'s virtual collocation space. BellSouth will maintain and repair such equipment under the same intervals and with the same or better failure rates for performance of similar functions for comparable BellSouth equipment. Maintenance may include the change out of electronic cards provided by <customer\_short\_name>.
- 3.7.2 <customer\_short\_name> may purchase the equipment from a third party, and is not required to purchase the equipment from BellSouth.
- 3.7.3 BellSouth will make available digital, analog and fiber cross connects for Virtual Collocation at the rates contained in Exhibit B of this Attachment.
- 3.8 Remote Site Collocation. Remote Site Collocation is the placement of 
  <customer\_short\_name> owned facilities and equipment in BellSouth remote sites. 
  Equipment ownership, maintenance and insurance are the responsibility of the 
  <customer\_short\_name> or their approved agent. The minimum amount of a Remote 
  Site Collocation arrangement is one bay/rack.
- 3.8.1 For equipment requiring special technical considerations, <customer\_short\_name> must provide the equipment layout, including spatial dimensions for such equipment pursuant to the generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Sections 3.8.2 and 3.8.3 following.
- 3.8.2 <customer\_short\_name> may elect to connect to a feeder line by submitting a service inquiry for that UNE to the Complex Resale Support Group, as follows:
- 3.8.2.1 connection to a BellSouth feeder line (when technically feasible) is achieved via cross connects located near the BellSouth equipment inside the Remote Site Location. In this case, the point of demarcation is the DSX, feeder distribution interface, or LGX panel in the Remote Site Location.
- 3.8.2.2 connection of the <customer\_short\_name> owned or leased entrance facilities into the Remote Site Collocation Space from <customer\_short\_name>'s own point of presence

is permitted. However, BellSouth will designate the point of entrance at the Remote Site location housing the collocation space, so that it is physically accessible to both Parties.

- 3.8.3 Distribution lines will be accessed through <customer\_short\_name>'s provision of a copper cable through a conduit from the Remote Site collocation space to the feeder distribution interface of sufficient length for splicing. BellSouth will splice this cable to the distribution cable at the feeder distribution interface in 8-pair increments.
- 3.8.4 <u>Virtual Collocation in the Remote Site</u>. Virtual Collocation provides for the placement of <customer\_short\_name> owned equipment and facilities in a BellSouth Remote Site. The minimum amount of space offered for a virtual collocation arrangement is one rack/bay. BellSouth will lease <customer\_short\_name>'s entrance fiber or cable (to include copper) cabling and equipment for the nominal fee of one dollar. <customer\_short\_name>'s certified supplier will install the equipment in the rack/bay. BellSouth will then be responsible for performing all installation, maintenance and repair of the Virtual in the Remote Site plug-ins, when <customer\_short\_name> requests such work via a Service Order or Maintenance ticket.

### 3.9 [Parties Disagree]

connect) is a cabling scheme between cabling runs subsystems, and equipment using patch cords or jumper wires that attach to connection hardware on each end, as defined and described by the FCC in its applicable rules and orders. A cross connect may consist of a jumper on a frame (Main Distribution or Intermediate Distribution) or panel (DSX or LGX) that is used to connect equipment and/or facility terminations together. For collocation arrangements, the definition of cross connect will also include the tie cable connecting the frame/panel with the collocation demarc if the demarc is located at a point other than the frame/panel (POT Bay). A cross connect involved in connecting equipment/facility terminations with equipment/facility terminations associated with a collocation arrangement, either physical or virtual, is ordered separately and is charged at the rates found in Attachment 2 or Attachment 4. A cross connect involved in the provision of services not associated with a collocation arrangement is not ordered but is a part of the provisioning of the service.

[BellSouth Version] Cross Connect. A cross connect is a jumper on a frame (Main Distribution or Intermediate Distribution) or panel (DSX or LGX) that is used to connect equipment and/or facility terminations together. For collocation arrangements, the definition of cross connect will also include the tie cable connecting the frame/panel with the collocation demarc if the demarc is located at a point other than the frame/panel (POT Bay). A cross connect involved in connecting equipment/facility terminations with equipment/facility terminations associated with a collocation arrangement, either physical or virtual, is ordered separately and is charged at the rates found in Attachment 2 or Attachment 4.

- 3.10 Co-Carrier Cross Connect (CCXC). CCXCs are cross connects between <a href="customer\_short\_name">customer\_short\_name</a> and another collocated telecommunications carrier other than BellSouth in the same Premises. Where technically feasible, BellSouth will permit <a href="customer\_short\_name">customer\_short\_name</a> to interconnect directly between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Premises via CCXCs and the associated cabling necessary to complete the interconnection consistent with FCC Rule 51.323. Both <a href="customer\_short\_name">customer\_short\_name</a>'s agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXCs. BellSouth applicable charges will be imposed on the requesting telecommunications carrier. <a href="customer-short\_name"><<a href="customer-short\_name">customer-short\_name</a> is prohibited from using the Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.10.1 <customer\_short\_name>may provision the CCXC using its own technicians, if certified as a BellSouth Certified Supplier, or contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned or leased by <customer short name>. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities (lit or dark). In cases where <customer short name>'s equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, <customer short name> may use its own technicians to install CCXCs using either electrical or optical facilities (and associated patch cords, jumper cables, tie-pairs, etc.) between the equipment of both collocated telecommunication carriers and construct a dedicated cable support structure, if needed, between the two contiguous cages. < customer short name > shall deploy such optical or electrical connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. <customer\_short\_name> shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross Connect), or LGX (Light Guide Cross Connect). <customer\_short\_name>> is responsible for ensuring the integrity of the signal.
- 3.10.2 The CCXC fees provided for in this Agreement shall not apply when BellSouth has installed fiber or copper/coax cable support structure, pursuant to the terms and conditions of previous interconnection agreements between the Parties, that has been paid in full by <customer\_short\_name> via nonrecurring CCXC charges. If <customer\_short\_name> has ordered a service that originates from its collocation space and terminates to another collocator's space in the same BellSouth Premises, which caused a BellSouth technician to jumper the two collocation spaces together using <customer\_short\_name> specific connecting facility assignments (CFAs) provided by <customer\_short\_name> and the other collocator at a BellSouth frame, panel or existing POT bay (wherever the point of demarcation resides), then BellSouth will permit these cross connections to remain in-service as provisioned and at the rates at which they were provisioned ("grandfathered")...

- 3.10.3 <a href="customer\_short\_name">customer\_short\_name</a> shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting <a href="customer\_short\_name">customer\_short\_name</a> provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, <a href="customer\_short\_name">customer\_short\_name</a> may use its own technicians to construct the dedicated support structure between the two collocation arrangements.
- 3.10.4 To request or self-provision CCXCs, <customer\_short\_name> must submit a Remote Site Application, an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Co-Carrier Cross Connect/Direct Connect Only Application Fee for CCXCs, as set forth in Exhibit B, will apply. If modifications, in addition to the placement of CCXCs, are requested, the Initial Application or Subsequent Application Fee will apply as appropriate. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to <customer\_short\_name>. If the CCXC is requested as part of an Initial Application, only the Initial Application Fee shall apply, plus any other applicable charges.
- 3.10.5 If requested by <customer\_short\_name>, BellSouth will provision additional cable racking, if insufficient capacity is available to support <customer\_short\_name>'s request to provision a CCXC itself.
- 3.11 <u>Direct Connect (DC)</u>. BellSouth will permit <customer\_short\_name> to interconnect directly between <customer\_short\_name>'s virtual and/or physical collocation arrangements within the same Premises by utilizing a DC. <customer\_short\_name> must use a BellSouth Certified Supplier to place the DC. The DC shall be provisioned through facilities owned by <customer\_short\_name>. In those cases where <customer\_short\_name>'s virtual and/or physical collocation space is contiguous in the central office, <customer\_short\_name> will have the option of using <customer\_short\_name>'s own technicians to deploy DC's using either electrical or optical facilities between the collocation spaces and constructing its own dedicated cable support structure. <customer\_short\_name> will deploy such optical or electrical connections directly between its own facilities without being routed through BellSouth equipment. <customer\_short\_name> may not self-provision DC's on any BellSouth distribution frame, POT, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect).
- 3.11.1 <a href="customer\_short\_name">customer\_short\_name</a> is responsible for ensuring the integrity of the signal.
  <a href="customer\_short\_name">customer\_short\_name</a>-provisioned DC's shall utilize common cable support structure. There will be a recurring charge per linear foot, and a nonrecurring charge per cable, of the actual common cable support structure used. In the case of two contiguous collocation arrangements, <a href="customer\_short\_name">customer\_short\_name</a> will have the option of using <a href="customer\_short\_name">customer\_short\_name</a> is own technicians to construct its own dedicated support structure.

3.11.2 To request or self-provision DCs, <customer\_short\_name> must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of DC's, the Co-Carrier Cross Connect/Direct Connect Only Application Fee for DC, as defined in Exhibit B, will apply. If modifications in addition to the placement of DC's are requested, the Initial Application or Subsequent Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

# 4. Occupancy

- 4.1 <u>Space Ready Date</u>. BellSouth will notify <customer\_short\_name> in writing when the Collocation Space is ready for occupancy ("Space Ready Date).
- Acceptance Walkthrough. <customer\_short\_name> will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations from <customer\_short\_name>'s original or jointly amended application requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame or mutually agree to accept the deviations. BellSouth will notify <customer\_short\_name> of a new Space Ready Date upon resolution of any deviations that require correction. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those items identified in the initial walkthrough. This process will continue until the Space Acceptance Date as defined below in Section 4.3 following. <customer\_short\_name> must notify BellSouth in writing that collocation equipment installation is complete and operational with BellSouth's network.
- 4.3 <u>Space Acceptance Date</u>. If <customer\_short\_name > completes its acceptance walkthrough within the fifteen (15) calendar day interval, the date of <customer\_short\_name > 's acceptance of the Collocation Space, as indicated by <customer\_short\_name > 's execution of a Space Acceptance Form, will be the Space Acceptance Date ("Space Acceptance Date").
- 4.3.1 In the event that <customer\_short\_name> fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by <customer\_short\_name> on the Space Ready Date and the Space Acceptance Date will be established as the same date, provided that BellSouth has complied with all space preparation, provisions of <customer\_short\_name>'s BFFO, and that all required of BellSouth is complete.
- 4.3.2 If <customer\_short\_name> decides to occupy the space prior to the Space Ready
  Date, the date <customer\_short\_name> occupies the space will be deemed the Space
  Acceptance Date.

- 4.4 <u>Termination of Occupancy</u>. In addition to any other provisions addressing termination of occupancy in this Agreement < customer\_short\_name > may terminate occupancy in a particular Collocation Space by submitting a Subsequent Application, or a Remote Site Application requesting termination of occupancy. Such termination shall be effective upon BellSouth's execution of the Space Relinquishment Form for the collocation space(s) for which < customer short name > seeks to terminate occupancy, which termination date shall be the same date as <customer short name>'s date of the Space Relinquishment Form, provided <customer short name> has complied with all provisions of the Space Relinquishment Form. BellSouth may terminate << customer\_short\_name>.'s right to occupy the Collocation Space in the event <customer short name> fails to comply with any material provision directly related to Collocation in this Agreement provided BellSouth gives <customer\_short\_name> thirty (30) calendar days' prior written notice of the failure to comply and gives <customer\_short\_name> an opportunity to cure during such period. Notwithstanding the above, any termination for non-payment of applicable fees, shall be in accordance with Attachment 7, Billing.
- 4.4.1 Upon termination of occupancy, <customer\_short\_name>, at its sole expense, shall remove its equipment and any other property from the Collocation Space. <customer\_short\_name> shall have thirty (30) calendar days (Removal Date) from the Subsequent Application BFFO Date to complete such removal, including the removal of all equipment and facilities of <customer\_short\_name>'s Guest(s), unless <customer\_short\_name>'s Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment, pursuant to the Commissions' space exhaust requirements and executed the appropriate documentation required by BellSouth prior to the <customer\_short\_name> Removal Date.
- 4.4.2 Should <customer\_short\_name> or <customer\_short\_name>'s Guest(s) fail to vacate the Collocation Space by the Removal Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of <customer\_short\_name> or <customer\_short\_name>'s Guest(s), in any commercially reasonable manner that BellSouth deems fit, at <customer\_short\_name>'s expense and with no liability whatsoever for <customer\_short\_name>'s property or <customer\_short\_name>'s Guest(s)'s property, provided that BellSouth has not granted <customer\_short\_name>'s request for an extension of the Removal Date, and such request shall not unreasonably be denied.
- 4.4.3 Upon termination of <customer\_short\_name>'s right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's space inventory, and <customer\_short\_name> shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by <customer\_short\_name>, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. <customer\_short\_name>'s BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including, but not limited to, Central Office Record Drawings and ERMA Records. <<customer-short\_name>> shall be responsible for the

cost of removing any <customer\_short\_name> constructed enclosure, together with any supporting structures (e.g., racking, conduits or power cables), at the termination of occupancy and restoring grounds to their original condition

# 5. <u>Use of Collocation Space</u>

- 5.1 Equipment Type. BellSouth shall permit the collocation and use of any equipment necessary for interconnection or access to unbundled network elements, in accordance with the applicable FCC and Commission rules and orders. Equipment is necessary for interconnection if an inability to deploy that equipment would, as practical, economic, or operational matter, preclude the requesting carrier from obtaining interconnection with BellSouth at a level equal in quality to that which BellSouth obtains within its own network or what BellSouth provides to any Affiliate, subsidiary, or other party.
- 5.2 Equipment is necessary for access to an unbundled network element if an inability to deploy that equipment would, as a practical, economic, or operational matter, preclude the requesting carrier from obtaining nondiscriminatory access to that unbundled network element, including any of its features, functions, or capabilities.
- 5.3 Multi-functional equipment shall be deemed necessary for interconnection or access to an unbundled network element if and only if the primary purpose and function of the equipment, as the requesting carrier seeks to deploy it, meets either or both of the standards set forth above in Sections 5.1 and 5.2 above. For a piece of equipment to be utilized primarily to obtain equal in quality interconnection or nondiscriminatory access to one or more unbundled network elements, there also must be a logical nexus between the additional functions the equipment would perform and the telecommunication services < customer short name > seeks to provide to its customers by means of the interconnection or unbundled network element. The collocation of those functions of the equipment that, as stand-alone functions, do not meet either of the standards set forth above in Sections 5.1 and 5.2 above must not cause the equipment to significantly increase the burden on BellSouth's property. Such equipment necessary for interconnection or access to unbundled network elements shall include, but is not limited to transmission equipment, equipment to light dark fiber, optical terminating equipment and multiplexers, digital subscriber line access multiplexers, routers, asynchronous transfer mode multiplexers, multifunction equipment, remote switching modules, fiber distribution frames, splitters, concentrators, cross connect systems, switching equipment other than traditional circuit switches, and ancillary equipment that enables a requesting carrier to assure proper provisioning and functioning of other collocated equipment. Subject to the provisions of this Section, <customer\_short\_name> may order BellSouth tariffed services that connect to such equipment in its Collocation Space.
- 5.3.1 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated

telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on Premises must not place any greater relative burden on BellSouth's property than comparable single function equipment. BellSouth may object to the collocation of equipment based on criteria and in accordance with procedures and limitations established by applicable FCC and Commission rules and orders. With the exception of the equipment set forth in this Section 5.3.1, BellSouth may not block collocation and use of equipment while a proceeding to determine whether BellSouth may block such placement is pending. If BellSouth prevails in such a proceeding, <customer\_short\_name> will remove such equipment from the collocation, within thirty (30) days of receipt of a written request to do so from BellSouth, or as otherwise set forth in the relevant Commission order.

- 5.4 Whenever BellSouth objects to collocation of equipment by <customer short name> for purposes within the scope of Section 251 (c) (6) of the Act, BellSouth shall prove to the state commission that the equipment is not necessary for interconnection or access to unbundled network elements under the standards set forth above in this Section. BellSouth may not object to the collocation of equipment on the grounds that the equipment does not comply with safety or engineering standards that are more stringent than the safety or engineering standards that BellSouth applies to its own equipment. BellSouth may not object to the collocation of equipment on the ground that the equipment fails to comply with Network Equipment and Building Specifications performance standards or any other performance standards. Collocated equipment must comply with the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1. If BellSouth denies collocation of << customer-short name>>'s equipment, citing safety standards, BellSouth must provide to <customer\_short\_name> within five (5) business days of the denial a list of all equipment that BellSouth locates at the Premises in question, together with an affidavit attesting that all of the equipment meets or exceeds the safety standard that BellSouth contends the competitor's equipment fails to meet. This affidavit must set forth in detail: the exact safety requirement that <customer\_short\_name>'s equipment does not satisfy; BellSouth's basis for concluding that <customer short name>'s equipment does not meet this safety requirement; and BellSouth's basis for concluding why collocation of equipment not meeting this safety requirement would compromise network safety. BellSouth reserves the right to permit on a nondiscriminatory basis collocation of equipment that does not necessarily comport with the requirements of applicable FCC and Commission rules and orders.
- All <customer\_short\_name> Remote Site equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conducted pairs, working and

- non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory and located within <customer\_short\_name>'s Remote Site Collocation Space.
- 5.6 Terminations. <customer\_short\_name> shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment (including, but not limited to, transmission equipment, multiplexers, DSLAMS, DLC's, signal regenerators, cross connect panels) physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in the application in question as well as the transmission equipment already placed in an arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event that <customer\_short\_name> submits an application for terminations that exceed the total capacity of the collocated equipment, <customer\_short\_name> will be informed of the discrepancy and will be required to submit a revision to the application. Billing for terminations begin when services are ordered to those terminationsvia an ASR or a LSR.
- 5.7 <ustomer\_short\_name> will provide a list of those entities with a security interest in collocation equipment in <ustomer\_short\_name>'s collocation sites to BellSouth. This list will be updated by <ustomer\_short\_name> once annually. This information shall be expressly covered by the confidentiality provisions contained in Section 12 of the General Terms and Conditions of this Agreement. In no event shall BellSouth use the list of entities for any purpose other than contacting equipment owners or lien holders subsequent to abandonment of such equipment by <ustomer\_short\_name>.
- 5.8 No Marketing. <customer\_short\_name> shall not use the Collocation Space for marketing purposes, nor shall it place any marketing materials outside the Collocation Space or on the grounds of the Premises.
- 5.9 <u>Collocation Space/Equipment Identification</u>. <customer\_short\_name> shall place a plaque on or affix other identification (e.g., stenciling) to <customer\_short\_name>'s equipment, in order for BellSouth to identify <customer\_short\_name>'s equipment, including a list of emergency contacts with telephone numbers. For caged collocation the identification may be placed on a plaque affixed outside of the caged enclosure. All equipment must be identified for cageless collocation.
- 5.10 Entrance Facilities. <customer\_short\_name> may elect to place <customer\_short\_name>-owned or <customer\_short\_name>-leased (from\_BellSouth or a third party provider) fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection as close as reasonably possible\_to the Premises building housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. <customer\_short\_name> will provide and place fiber cable at the point of entrance (in the entrance manhole) of sufficient length to be pulled through conduit and into the splice location.

<customer\_short\_name> will provide and place copper or fiber cable through conduit from the Remote Site Collocation Space to the feeder distribution interface to the splice location of sufficient length for splicing by BellSouth. In Central Offices, <customer\_short\_name> will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth. The fire retardant riser cable will extend from the splice location to <customer\_short\_name>'s equipment in the Collocation Space. In the event <customer\_short\_name> utilizes a non-metallic, riser-type entrance facility, a splice will not be required.
<customer\_short\_name> must contact BellSouth for instructions prior to placing any entrance facility cable in the manhole. <customer\_short\_name> is responsible for maintenance of the entrance facilities.

- 5.10.1 <u>Central Office Microwave Entrance Facilities</u>. At <customer\_short\_name>'s option, BellSouth will accommodate, where technically feasible, a microwave entrance facility, pursuant to separately negotiated terms and conditions.
- 5.10.2 <u>Central Office -Copper and Coaxial Cable Entrance Facilities</u>. BellSouth shall permit <customer\_short\_name> to use copper or coaxial cable entrance facilities, if approved by the Commission. Notwithstanding the foregoing, in the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point unless BellSouth determines that limited space is available for the placement of entrance facilities.
- Dual Entrance Facilities. BellSouth will provide at least two (2) interconnection 5.11 points at each Premise where at least two such interconnection points are available and capacity exists. Upon receipt of a request by <customer short name> for dual entrance facilities to its physical Collocation Space, BellSouth shall provide <customer short name> with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation, BellSouth will make the requested conduit space available for installing a second entrance facility to <customer\_short\_name>'s arrangement. The location of the serving manhole(s) will be as close as reasonably possible to the Premises housing the Collocation Space, but determined by BellSouth on a reasonable and nondiscriminatory basis. Where dual entrance facilities are not available due to lack of capacity, BellSouth will provide this information to <customer\_short\_name> in the Application Response. BellSouth shall not deny an Application for the sole reason that dual entrance facilities are not available.
- 5.12 <u>Shared Use</u>. <customer\_short\_name> may utilize spare capacity on an existing interconnector's entrance facility for the purpose of providing an entrance facility to <customer\_short\_name>'s collocation arrangement within the same Premises.
- 5.12.1 In a Central Office, BellSouth shall allow the splice, as long as the fiber is non-working dark fiber. <customer\_short\_name> must arrange with BellSouth in accordance with

all reasonable and nondiscriminatory requirements set forth in BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to perform the splice of the <customer\_short\_name> provided riser cable to the spare capacity on the entrance facility. If <customer\_short\_name> desires to allow another telecommunications carrier to use its entrance facilities, that telecommunications carrier must arrange with BellSouth in accordance with all reasonable and nondiscriminatory requirements set forth in BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from <customer\_short\_name> for BellSouth to perform the splice of that telecommunications carrier's provided riser cable to the spare capacity on <customer\_short\_name>'s entrance facility.

- 5.12.2 For a Remote Site, the Parties will negotiate the rates, terms and conditions based upon the technical feasibility and physical capacity at the time of a request from <customer\_short\_name>.
- 5.13 Central Office Demarcation Point. BellSouth, in a reasonable and nondiscriminatory manner and in accordance with any and all applicable FCC and Commission rules and orders, will designate the point(s) of demarcation between <customer\_short\_name>'s equipment and/or network and BellSouth's network. Each Party will be responsible for the installation, maintenance and operation of all equipment/facilities on its side of the demarcation point and may make any terminations that may be required on their side of the demarcation point and may self-provision cross connects within the Collocation Space that may be required to activate service requests. <customer\_short\_name> shall have access to the demarcation point and all equipment and facilities on its side of the demarcation point. <customer\_short\_name> shall not have access to BellSouth's side of the demarcation point. When troubles cannot be clearly isolated to BellSouth's facilities and equipment. BellSouth will agree to test cooperatively with <customer\_short\_name> to assist in trouble isolation to a specific Party's facilities and equipment as set forth in Section 2.3.13 of BellSouth's FCC Tariff No. 1. If customer short name>> performs testing of its facilities and submits a trouble ticket to BellSouth indicating a trouble exists on BellSouth's side of the demarcation, then BellSouth will perform the required testing on its side of the demarcation point to isolate the trouble reported by <customer\_short\_name>. If BellSouth does find that a trouble exists on its side of the demarcation point after it has performed the required testing of its facilities, then BellSouth will take the necessary action to repair its facilities to eliminate the trouble and <customer\_short\_name> will not be charged for submission of the trouble ticket. If BellSouth cannot locate any trouble on its side of the demarcation point, then BellSouth will assess <customer\_short\_name> the applicable Maintenance of Services charge as set forth in Section 13.3.1 of BellSouth's FCC Tariff No. 1, based on the amount of time, in half-hour increments, it takes a BellSouth technician to complete the appropriate testing. If, within thirty (30) calendar days of BellSouth's billing of the Maintenance of Services charge, <customer\_short\_name> performs its testing of the same facilities and finds that the trouble has not been eliminated and does not reside on<customer\_short\_name>'s side of the demarcation point, then the

<customer short name> shall submit a second trouble ticket to BellSouth. If, after testing has been performed by BellSouth, the trouble is actually determined to be on BellSouth's side of the demarcation point, BellSouth will not charge <customer short name> for the submission of the trouble ticket. BellSouth shall also credit <customer\_short\_name>'s account for the amount of the original Maintenance of Service charge on this same facility, within the next billing cycle. For 2-wire and 4wire connections to BellSouth's network, the demarcation point shall be a common block on the BellSouth designated conventional distributing frame (CDF). <customer short name> shall be responsible for providing, and <customer short name>'s BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling, the common, and necessary cabling pursuant to Section 7 below. For DS1 and DS3 connections, the demarcation point shall be a BellSouth provided DSX panel, or elsewhere if mutually agreed. For fiber connections, the demarcation point shall be a BellSouth provided LGX panel, or elsewhere if mutually agreed. For DS0 connections, the demarcation point shall be a BellSouth designated distributing frame. BellSouth shall not require <customer\_short\_name> to use an intermediate interconnection arrangement in lieu of a direct connection to BellSouth's network if technically feasible.

- 5.13.1 Existing point(s) of demarcation <customer short name> provided POT Bay.

  BellSouth will grandfather existing point(s) of demarcation established at a

  <customer\_short\_name> provided POT Bay. <customer\_short\_name> shall order services using the existing remaining terminations in the POT bay.
- 5.13.2 Existing point(s) of demarcation BellSouth provided POT Bay. BellSouth will grandfather existing point(s) of demarcation established at a BellSouth provided POT Bay. <customer\_short\_name> shall order services using the existing remaining cabling and terminations in the POT Bay.
- 5.13.3 Irrespective of where the demarcation point in a central office is located, BellSouth shall provide <customer\_short\_name> with access to the <customer\_short\_name>'s side of the demarcation point pursuant to this Section.
- 5.14 Remote Site Point of Demarcation. The point of demarcation will be as follows for each service level: DS-0 services will be the feeder distribution interface. DS-1 services will be at the designated BellSouth DS-1 cross connect panel. DS-3 services will be at the designated BellSouth DS-3 cross connect panel. Dark fiber services will be at the designated BellSouth LGX panel.
- 5.15 <a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><

- need not use a BellSouth Certified Supplier to monitor, maintain or repair its own equipment and facilities.
- BellSouth's Access to Enclosed Collocation Space. Except in the case of an emergency, BellSouth will not access <customer\_short\_name>'s locked enclosure prior to notifying <customer\_short\_name> at least seventy-two (72) hours or three (3) business days, whichever is greater, before access to the Collocation Space is required. BellSouth retains the right to access <customer\_short\_name>'s space for the purpose of making BellSouth equipment or cabling and building modifications (e.g., altering or removing racking, ducts, electrical wiring, HVAC, and cabling). <customer\_short\_name> may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that <customer\_short\_name> will not bear any of the expense associated with this type of work. BellSouth, its employees, vendors and agents, will comply at all times with its own security and safety procedures and requirements, while in <customer\_short\_name>'s space.
- 5.16.1 In cases of emergency, BellSouth will provide oral notice of entry as soon as possible (such oral notice most likely will be after entry) and, upon request, will provide subsequent written notice containing the time of entry, cause for emergency, and a listing of personnel allowed to enter the space during said emergency.
- 5.17 <ustomer\_short\_name> must provide the local BellSouth Central Office building contact with two Access Keys that will allow BellSouth entry into enclosed and locked Collocation Space, including but not limited to, Adjacent Arrangements, pursuant to this Section. Access Keys may not be duplicated under any circumstances. BellSouth agrees to be responsible for all Access Keys and for the return of all Access Keys after the contractual obligation with <customer\_short\_name> ends, upon the termination of this Attachment, or upon the termination of occupancy of an individual collocation arrangement.
- Subject to the Limitation of Liability Section in the General Terms and Conditions of this Agreement, BellSouth shall be liable for the negligent actions of its employees or agents and for any damage caused to <customer\_short\_name>'s equipment, facilities or Collocation Space while in <customer\_short\_name>'s Collocation Space and shall indemnify and hold harmless <customer\_short\_name> from any claim, liability or damages that may result from such entry into <customer\_short\_name>'s Collocation Space by BellSouth, its agents, contractors or employees.
- 5.19 <a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name

Acknowledgement" form. When distributing access keys or cards, BellSouth shall provide receipt acknowledgement forms, the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys to <customer short name>. These receipt acknowledgement forms must be signed by <customer short name> and returned to BellSouth Access Management within fifteen (15) calendar days of <customer short name>'s receipt of keys or cards. Failure to return these properly acknowledged forms will result in the holding of subsequent access key or card requests until the proper acknowledgement documents have been received by BellSouth. Access Keys may not be duplicated under any circumstances. <customer\_short\_name> agrees to be responsible for all Access Keys and for the return of all Access Keys in the possession of <customer\_short\_name>'s employees, suppliers, Guests, or agents after termination of the employment relationship, the contractual obligation with <customer\_short\_name> ends, upon the termination of this Attachment, or upon the termination of occupancy of an individual collocation arrangement. The BellSouth Access Customer Advocacy Center (ACAC) emergency access contact numbers will be provided to <customer short name> for access related issues.

- 5.19.1 BellSouth will permit one accompanied site visit to <customer short name>'s designated collocation arrangement location, after receipt of the BFFO without charge to <customer\_short\_name>. <customer\_short\_name> must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the Premises within a minimum of thirty (30) calendar days prior to the date <customer\_short\_name> desires access to the Collocation Space or Remote Collocation Space. <customer short name> may submit a request for its one accompanied site visit to its designated collocation arrangement location at any time subsequent to BellSouth's receipt of the BFFO. BellSouth shall respond to such request within five (5) business days, and shall use best efforts to facilitate the visit on the date requested by <customer\_short\_name>. In the event <customer\_short\_name> desires access to the Collocation Space or Remote Collocation Space after submitting such a request, but prior to the approval of its access request, in addition to the first accompanied free visit, BellSouth shall permit <customer\_short\_name> to access the Collocation Space or Remote Collocation Space, prior to completing BellSouth's Training requirements (as set forth in Section 13 of this Attachment), accompanied by a security escort, at <customer\_short\_name>'s expense. <customer\_short\_name> must request escorted access to its designated collocation arrangement location at least three (3) business days prior to the date such access is desired. A security escort will be required whenever <customer short name> or its approved agent desires access to the entrance manhole.
- 5.19.2 Lost or Stolen Access Keys. The Parties shall immediately notify each other in writing in the case of lost or stolen Access Keys. If it becomes necessary for BellSouth to rekey buildings or enclosures or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), <customer\_short\_name> shall pay for the costs of re-keying or deactivating the card as set forth in the rates in Exhibit B of this Attachment. If it becomes necessary for <<customer-short\_name>> to rekey an

enclosure due to BellSouth losing a key or if a key becomes stolen while in the possession of BellSouth, BellSouth will pay <customer\_short\_name> the applicable costs, as supported by documentation, to rekey an enclosure or replace lost or stolen keys that <customer\_short\_name> has previously provided to BellSouth.

- 5.20 <u>Health Related Facilities and Parking</u>. <customer\_short\_name> authorized personnel will have reasonable access to health related facilities (e.g., bathrooms, eyewash stations, shower stations, drinking water, etc. within the Premises), as well as to available parking.
- 5.21 <u>Interference or Impairment.</u> For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective.

### 5.21.1 [Parties Disagree]

Scustomer short name Version Notwithstanding any other provisions of this Attachment, <customer\_short\_name> shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades service provided by BellSouth; 2) endangers or damages the equipment or facilities of BellSouth or any other telecommunications carrier collocated in the Premises; 3) knowingly and unlawfully compromises the privacy of communications routed through the Premises; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of <customer\_short\_name> violates the provisions of this paragraph. BellSouth shall provide written notice to <customer short name>, which shall direct <customer\_short\_name> to cure the violation within forty-eight (48) hours of <customer short name>'s actual receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the arrangement. The Parties will act in good faith and in a cooperative manner to determine or isolate the source of significant degradation. Any dispute regarding the source of the risk, impairment, interference, or degradation may be resolved pursuant to the dispute resolution provisions set forth I the General Terms and Conditions of this Agreement.

[BellSouth's Version] Interference or Impairment. Notwithstanding any other provisions of this Attachment, <customer\_short\_name> shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth, or by any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or of any other entity or person; 3) compromises the privacy of any

communications routed through the Premises or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of <customer\_short\_name> violates the provisions of this paragraph, BellSouth shall provide written notice to <customer\_short\_name>, which shall direct <customer\_short\_name> to cure the violation within forty-eight (48) hours of <customer\_short\_name>'s actual receipt of written notice or, if such cure is not feasible, at a minimum, to commence curative measures within twenty-four (24) hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the arrangement. The Parties will act in good faith and in a cooperative manner to determine or isolate the source of significant degradation. Either Party may submit any dispute regarding the source of the risk, impairment, interference, or degradation to the Commission.

# 5.21.2 [Parties Disagree]

Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if the violation is of a character that poses an immediate and substantial threat of physical damage to property or injury or death to any person, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat, including, without limitation, the interruption of electrical power to <customer\_short\_name>'s equipment which BellSouth has determined beyond a reasonable doubt is the cause of such threat. BellSouth must provide notice to <customer\_short\_name> prior to, or, if made impossible due to the nature of the threat imposed, as soon as possible after the taking of such action and provided that BellSouth, its agents, contractors or employees conduct themselves in strict compliance with this Section and except to the extent that such action by BellSouth fails to comport with the requirements of this paragraph or otherwise constitutes negligence, gross negligence or willful misconduct, BellSouth shall have no liability to <customer\_short\_name> for any damages arising from such action.

[BellSouth Version] Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if <customer\_short\_name> fails to commence curative action within twenty-four (24) hours and exercise reasonable diligence to complete such action as soon as possible or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems necessary to eliminate such threat, including, without limitation, the interruption of electrical power to <customer\_short\_name>'s equipment which BellSouth will provide notice to <customer\_short\_name> prior to, or, if made

impossible due to the nature of the threat imposed, as soon as possible after the taking of such action and provided that BellSouth, its agents, contractors or employees conduct themselves in strict compliance with this Section and except to the extent that such action by BellSouth fails to comport with the requirements of this paragraph or otherwise constitutes negligence, gross negligence or willful misconduct, BellSouth shall have no liability to <customer\_short\_name> for any damages arising from such action.

- In the case of the deployment of an advanced service which significantly degrades the 5.21.3 performance of other advanced services or traditional voice band services and <customer short name> fails to take curative action within forty-eight (48) hours. then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to <customer\_short\_name> or, if subsequently necessary, the Commission must be supported by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by <customer\_short\_name> is significantly degrading the performance of other advanced services or traditional voice band services, <customer\_short\_name> shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment under applicable FCC and Commission rules and orders, the degraded service shall not prevail against the newly deployed technology.
- Central Office Personalty and its Removal. Subject to requirements of this 5.22 Attachment, <customer short name> may place or install in or on the Central Office Collocation Space such facilities and equipment, including storage for and spare equipment, as it deems desirable for the conduct of business, provided that such equipment is telecommunications equipment, or is desirable for the maintenance and operation of the collocated telecommunications equipment, and does not violate floor loading requirements, imposes or could impose or contains or could contain environmental conditions or hazards. Personal property, facilities and equipment placed by <customer\_short\_name> in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain its status as personalty and may be removed by <customer\_short\_name> at any time. Any damage caused to the Collocation Space by <customer\_short\_name>'s employees, suppliers, agents or representatives during the removal of such property shall be promptly repaired by <customer\_short\_name>'s expense.
- 5.23 <u>Alterations</u>. Under no condition shall <customer\_short\_name> or any person acting on behalf of <customer\_short\_name> make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the Premises, hereinafter referred to individually or collectively as "Alterations", without the express

written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such Alteration shall be paid by <customer\_short\_name>. Any such Alteration shall require a Subsequent Application and will result in the assessment of a Remote Site Application Fee, a Subsequent Application Fee, an Administrative Only Application Fee or an Initial Application Fee as set forth in Section 6.2.1 below, and, which will be billed by BellSouth on the date that BellSouth provides <customer\_short\_name> with an Application Response.

- 5.24 <u>Janitorial Service</u>. <customer\_short\_name> shall be responsible for the general upkeep of its Collocation Space. <customer\_short\_name> shall arrange directly with a BellSouth Certified Supplier for janitorial services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a site-specific basis, upon request.
- 6. Ordering and Preparation of Central Office and Remote Site Collocation Space
- 6.1 Initial Application. For <customer\_short\_name> or <customer\_short\_name>'s Guest(s) initial equipment placement, <customer\_short\_name> shall submit to BellSouth a Physical Expanded Interconnection Application Document (Initial Application). The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the application are completed with the appropriate type of information
- 6.1.1 Initial Application Fee. An Application Fee, as set forth in Exhibit B, will apply to each Initial Application submitted by <customer\_short\_name>, and will be billed by BellSouth on the date that BellSouth provides <customer\_short\_name> with an Application Response.
- Subsequent Application. In the event <customer\_short\_name> or <customer\_short\_name>'s Guest(s) desires to modify the Collocation Space after a BFFO, <customer\_short\_name> shall complete an application that contains all of the detailed information associated with an Alteration to the Collocation Space, as defined in Section 5.23 of this Attachment ("Subsequent Application"). The Subsequent Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application are completed with the appropriate type of information associated with the Alteration. BellSouth shall determine what modifications, if any, to the Premises are necessary to accommodate the change requested by <customer\_short\_name> in the application. Such modifications to the Premises may include, but are not limited to: floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.2.1 Subsequent Application Fee. The application fee paid by <customer\_short\_name> for its request for an Alteration shall be dependent upon the level of assessment needed for the Alteration requested. Where the Subsequent Application does not require assessment for provisioning or construction work but requires administrative costs by

BellSouth, an Administrative Only Application Fee will be required as set forth in Exhibit B. This Administrative Only Application Fee will be applicable in instances such as Transfer of Ownership of the Collocation Space, Removal of Equipment from the Collocation Space, where the removal requires no physical work to be done by BellSouth, modification to an application prior to BFFO and V-to-P Conversion (In Place). The fee for a Subsequent Application where the Alteration requested has limited effect (e.g., requires limited assessment but no capital expenditure by BellSouth as sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. If the modification requires capital expenditure, an Initial Application Fee shall apply. This nonrecurring fee will be billed on the date that BellSouth provides <customer\_short\_name> with an Application Response.

- Remote Site Application. When <customer\_short\_name> or <customer\_short\_name>'s Guest(s) desires to install a bay/rack in a Remote Site Location, <<customer-short\_name>> shall submit to BellSouth a Physical Expanded Interconnection Application Document (Remote Site Application). The Remote Site Application is Bona Fide when it is completed and accurate, meaning that all required fields on the Remote Site Application ar completed with the appropriate type of information. An application fee, as set forth in Exhibit B, will apply which will be billed on the date that BellSouth provides an Application Response. The placement of an additional bay/rack at a later date will be treated in the same fashion and a Remote Site Application will be required. The installation of additional shelves/ equipment, subject to the restrictions contained in Section 3.8 above, within an existing bay or rack does not require a Remote Site Application.
- Availability of Space. Upon submission of an application, BellSouth will permit <customer\_short\_name> to physically collocate in any available full bay/rack of space, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no full bay/rack of space available due to space limitations after BellSouth has conducted a review of all space within the Remote Site Location or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 below shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify <customer\_short\_name> of the amount that is available.
- 6.4 <u>Space Preferences</u>. If <customer\_short\_name> has previously requested and received a Space Availability Report for the Premises, <customer\_short\_name>> may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate the <customer\_short\_name>'s preference(s), <customer\_short\_name> may accept the space allocated by BellSouth or cancel its application, (without incurring an

application fee), and submit another application requesting additional space preferences for the same central office. This application will be treated as a new application and an application fee will be billed by BellSouth on the date that BellSouth provides <customer\_short\_name> with an Application Response.

- 6.5 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a requested Premises. BellSouth's electronic application system will indicate when the application is Bona Fide. If the application cannot be Bona Fide, BellSouth will describe the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify <customer\_short\_name> of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by <customer\_short\_name> or space that is configured differently, no application fee will apply. If <customer\_short\_name> must resubmit its application to reflect the actual space available, including the configuration of the space. When <customer\_short\_name> resubmits its application, BellSouth will bill <customer\_short\_name> the appropriate application fee.
- 6.5.2 BellSouth will respond to a Florida and Tennessee application within fifteen (15) calendar days as to whether space is available or not available within a Premises. BellSouth's electronic application system will indicate when the application is Bona Fide. If the application cannot be Bona Fide, BellSouth will describe the items necessary to cause the application to become Bona Fide. If the amount of space requested is not\_available, BellSouth will notify <customer\_short\_name> of the amount of space that is available or space that may be configured differently and no application fee will apply. If <customer\_short\_name> decides to accept the available space, <customer\_short\_name> must amend its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO.
- 6.5.3 <u>Denial of Application</u>. If BellSouth notifies <customer\_short\_name> that no space is available ("Denial of Application"), BellSouth will not assess an application fee to <customer\_short\_name>. After providing written notice to <customer\_short\_name> that BellSouth has no available space in the requested Premises, BellSouth will allow <customer\_short\_name>, upon request, to tour the entire Premises within ten (10) calendar days of such Denial of Application, or as otherwise agreed to by the Parties. In order to schedule this tour, the request for the tour of the Premises must be received by BellSouth at least five (5) calendar days prior to the tour date.
- 6.5.4 BellSouth's written notice of denial shall provide <customer\_short\_name>with information relevant to the denial of its request for collocation space, and give some detail as to why the space was denied.

- 6.5.5 Expedited Removal of Equipment in a Space Exhaust Scenario. BellSouth shall remove obsolete unused equipment from its Premises prior to denying a request for collocation on the grounds of space limitations, unless BellSouth proves to the Commission that collocation at the point is not technically feasible.
- 6.5.6 BellSouth will provide virtual collocation in accordance with applicable FCC and Commission rules and orders.
- 6.5.7 Filing of Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information required or requested by that Commission. Such information shall include which space, if any BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit <customer\_short\_name> to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Waiting List. On a first-come, first-served basis, governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. BellSouth will notify the requesting carriers on the waiting list by mail when space becomes available, according to the position of each requesting carrier on said waiting list.
- In Florida, on a first come, first served basis, governed by the date of the receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Premises is out of space, have submitted a Letter of Intent to collocate in that Premises. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of each telecommunications carrier on said waiting list. If BellSouth does not know sixty (60) calendar days in advance of when space will become available, BellSouth will notify the Commission and the telecommunications carriers on the waiting list within two (2) business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- 6.7 When space becomes available, <customer\_short\_name> must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of notification by BellSouth that space will be available in the Premises previously out of space. If <customer\_short\_name> has originally requested caged Collocation Space and cageless Collocation Space becomes available, <customer\_short\_name> may refuse such space and notify BellSouth in writing within the thirty (30) calendar day timeframe that <customer\_short\_name> wants to maintain its place on the waiting list, without accepting the available cageless Collocation Space. <customer\_short\_name>

may accept an amount of space less than its originally requested space by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If <customer\_short\_name> does not submit an application or notify BellSouth in writing as described above, BellSouth will offer the space to the next telecommunications carrier on the waiting list and remove <customer\_short\_name> from the waiting list. Upon request, BellSouth will advise <customer\_short\_name> as to its position on the waiting list.

- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Premises that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice when space has become available in a Premises previously on the space exhaust list.
- 6.9 Application Response.
- In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, when space has been determined to be available for caged or cageless arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application for physical collocation and ten (10) calendar days for virtual collocation. The Central Office Application Response will include sufficient information to enable <customer\_short\_name> to place a Firm Order, which, at a minimum, will consist of the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8 below.
- 6.9.1.1 BellSouth will provide the Remote Site Application Response in Alabama, Georgia, Kentucky, Mississippi, North Carolina, and South Carolina, when space has been determined to be available, within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8 below.
- 6.9.1.2 BellSouth will provide the Remote Site Application Response in Louisiana, when space has been determined to be available, within thirty (30) calendar days for one (1) to ten (10) applications; thirty-five (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8 below.

- In Florida and Tennessee, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable <customer\_short\_name> to place a Firm Order. The Central Office Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8 below. When <customer\_short\_name> submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response interval will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.2.1 BellSouth will provide the Remote Site Application Response in Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable <customer\_short\_name>> to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8 below. When <customer\_short\_name> submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.9.2.2 BellSouth will provide the Remote Site Application Response in Tennessee, when space has been determined to be available, within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8 below.
- 6.10 Application Modifications.
- 6.10.1 If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, at the request of <a href="customer\_short\_name">customer\_short\_name</a>, or necessitated by technical considerations agreed to by\_both Parties, the application shall be considered a new application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge <customer\_short\_name> the appropriate application fee associated with the level of assessment performed by BellSouth. If the modification requires no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. The fee for an application modification where the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC,

power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require <customer\_short\_name> to submit the application with an Initial Application Fee. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides <customer\_short\_name> with an Application Response.

#### 6.11 Bona Fide Firm Order.

4

ŧ

- 6.11.1 <ustomer\_short\_name>> shall indicate its intent to proceed with its request for collocation space in a BellSouth Premises by submitting a Bona Fide Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after receipt of BellSouth's Application Response to <ustomer\_short\_name>'s Bona Fide Application or <ustomer\_short\_name>'s application will expire.
- 6.11.2 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of <customer\_short\_name>'s BFFO. BellSouth will acknowledge the receipt of <customer\_short\_name>'s BFFO within seven (7) calendar days of receipt, so that <customer\_short\_name> will have positive confirmation that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions can be made to a BFFO.

# 7. <u>Construction and Provisioning</u>

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida and Tennessee, BellSouth will complete construction for physical and Remote Site collocation arrangements as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For Alterations requested to the Collocation Space after initial space completion, BellSouth will complete construction for physical and remote site collocation arrangements as soon as possible within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties if no additional space requested. If BellSouth does not believe that construction for physical and remote site collocation will be completed within the relevant timeframe and BellSouth and <customer short name> cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days of receipt of the BFFO for an Alteration. BellSouth may seek an extension from the Commission. For virtual collocation arrangements in Florida and Tennessee, BellSouth will complete construction for initial and Alterations requested to the virtual Collocation Space after initial space completion as soon as possible within a maximum of sixty (60) calendar days.
- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will complete construction for caged collocation arrangements

under ordinary conditions as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for cageless and Remote Site collocation arrangements under ordinary conditions as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. BellSouth will complete construction for virtual collocation arrangements under ordinary conditions as soon as possible within a maximum of fifty (50) calendar days under ordinary conditions from receipt of a BFFO and seventy five (75) calendar days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required such as, but not limited to, HVAC, cabling and the power plant. Extraordinary conditions shall include, but not be limited to, major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; a major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.

- 7.1.3 Records Only Change. When <customer\_short\_name> adds equipment within initial demand parameters that requires no additional space preparation work on the part of BellSouth, then no additional charges or additional intervals will be imposed by BellSouth.
- 7.1.4 Central Office Augments. In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to <customer\_short\_name>, when <customer\_short\_name> requests a Central Office augment that is identified in Sections 7.1.4.1, 7.1.4.2, 7.1.4.3, 7.1.4.4 and 7.1.4.5 ("Augment") after the Space Ready Date for existing physical collocation space. The cost of any such Augment shall be paid by <customer\_short\_name>. Unless otherwise set forth in Section 7.1.4.10 below, any such Augment application will require a Subsequent Application.
- 7.1.4.1 Simple Augments will be completed within twenty (20) calendar days after receipt of the BFFO for an:
  - Extension of Existing AC Circuit Capacity within Arrangement Where Sufficient Circuit Capacity is Available
  - Fuse Change and/or Increase or Decrease -48V DC Power from Existing ILEC BDFB
- 7.1.4.2 Minor Augments will be completed within forty-five (45) calendar days after receipt of the BFFO for:
  - 168 DS1s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)

- 96 DS3s Terminations at the ILEC Demarcation Frame (Databasing Only;
   Panels, Relay Racks and Overhead Racking Exist)
- 99 Fiber Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- Maximum of 2000 Service Ready DS0 Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) calendar days after receipt of the BFFO for:
  - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
  - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
  - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
  - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
  - Install Cable Racking or Other Support Structures as Required to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments Physical Collocation will be completed within ninety (90) calendar days after BFFO and includes all requests for additional physical collocation space (caged or cageless).
- 7.1.4.5 Major Augments Virtual Collocation will be completed within seventy-five (75) calendar days after BFFO and includes all requests for additional virtual collocation space
- 7.1.4.6 If <customer\_short\_name> submits an Augment application request that includes two Augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the Augment interval associated with the next highest augment category will apply (e.g., if two items from the minor Augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate category).
- 7.1.4.7 If <customer\_short\_name> submits an Augment application request that includes three Augment items from the same category in Sections 7.1.4.1, 7.1.4.2, and 7.1.4.3 above, the major Augment interval of ninety (90) calendar days from the receipt of the BFFO would apply (e.g., if three items from the simple augment category are requested on the same request for a physical collocation arrangement, then an interval of ninety (90) calendar days from the receipt of the BFFO would apply, which is the major physical augment interval; likewise if three items from the simple Augment category are requested on the same request for a virtual collocation arrangement, then an interval of seventy-five (75) calendar days from the receipt of the BFFO would apply, which is the major virtual Augment interval.

- 7.1.4.8 If <customer\_short\_name> submits an Augment application request that includes one Augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the Augment interval associated with the higher augment category will apply (e.g., if an item from the minor augment category and an item from the intermediate Augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate Augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major categories as outlined above will be placed into the appropriate category as negotiated by <customer\_short\_name> and BellSouth. If <customer\_short\_name> and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate major augment category identified in Sections 7.1.4.4 and 7.1.4.5 above would apply based on whether the Augment request is for <customer\_short\_name>'s physical or virtual collocation arrangement.
- 7.1.4.10 Individual application fees associated with simple, minor and intermediate Augment applications are contained in Exhibit B. The appropriate application fee will be assessed to <customer\_short\_name> at the time BellSouth provides <customer\_short\_name> with the Application Response. If <customer\_short\_name> requests multiple items from different Augment categories BellSouth will bill <customer\_short\_name> the Augment Application Cost, as identified in Exhibit B of this Attachment, associated with the higher Augment category only. <customer\_short\_name> will be assessed a Subsequent Application Fee for all Major Augment applications (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5 above). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- Joint Planning. Unless otherwise agreed to by the Parties, a joint planning meeting or other method of joint planning between BellSouth and <customer\_short\_name> will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. At such meeting, the Parties will agree to the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Application and affirmed in the BFFO. <customer\_short\_name> Upon mutual agreement and within a mutually agreed upon time frame, the Parties will exchange any additional information requested (including, but not limited to cable type and cable termination specifications, naming convention and requirements, diagrams or drawings depicting the exact path of entrance facilities from the interconnection point to the Collocation Space, power cabling connectivity, feeder and fuse specifications and requirements, BellSouth contacts and escalation procedures, and identification of demarcation points) at the Joint Planning Meeting.
- 7.3 Permits. Each Party or its agent(s) will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agent(s) within ten (10) calendar days of the completion of the finalized construction design and specifications.

- Acceptance Walkthrough. <customer\_short\_name> will schedule and complete an acceptance walkthrough of each Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notification to <customer\_short\_name> that the Collocation Space is ready for occupancy. In the event <customer\_short\_name> fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by <customer\_short\_name> provided that BellSouth has complied with all space preparation, provisions of <customer\_short\_name>'s BFFO, and that all required of BellSouth is completed on the Space Ready Date. BellSouth will correct any deviations to <customer\_short\_name>'s original or jointly amended design and/or specification requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different timeframe. At the end of the acceptance walkthrough or after any deviations are corrected, <customer\_short\_name> will execute a Space Acceptance Form indicating its acceptance of the Collocation Space.
- 7.5 <u>Central Office Circuit Facility Assignments (CFAs)</u>. BellSouth will provide CFAs to <a href="customer\_short\_name">customer\_short\_name</a> as soon as possible and no later than thirty (30) calendar days after BellSouth's receipt of a Bona Fide Firm Order, except as set forth in Section 7.5.1 following. The ACTL will be provided to <a href="customer\_short\_name">customer\_short\_name</a> no later than with the issuance of the CFA.
- 7.5.1 To provide CFAs to <customer\_short\_name> prior to the Provisioning Interval for those Premises in which <customer\_short\_name> has a physical collocation arrangement with a POT bay provided by <customer\_short\_name> or a virtual collocation arrangement, -<customer\_short\_name> must provide BellSouth with the following information:
- 7.5.1.1 for a physical collocation arrangement with a <customer\_short\_name>-provided POT bay a complete layout of the POT panels (equipment inventory update (EIU) form) showing locations, speeds, etc.
- 7.5.1.2 for a virtual collocation arrangement a complete layout of <customer\_short\_name>'s equipment (equipment inventory update (EIU) form), including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by <customer\_short\_name>'s BellSouth Certified Supplier.
- 7.5.1.3 <customer\_short\_name> may submit an EIU form at any time after the twentieth (20<sup>th)</sup> calendar day after the BFFO. CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.2 BellSouth will bill <customer\_short\_name> a nonrecurring charge, as set forth in Exhibit B, each time <customer\_short\_name> requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs initially provided to <customer\_short\_name>.
- 7.5.3 For a Remote Site CFAs are not used. Distribution lines will be accessed by <a href="customer\_short\_name">customer\_short\_name</a> provisioning a copper cable through a conduit from the

Remote Site collocation space to the feeder distribution interface (FDI) of sufficient length for splicing. BellSouth personnel will splice <customer\_short\_name>'s cable to a group/bundle of the distribution cable at the FDI. Groups/Bundles will be provided in 8-pair increments. In order to establish the cable/pair range <customer\_short\_name> must submit a Remote Site Splitter Ordering Document (RSOD) which can be found in the Remote Site High Frequency Spectrum (RS HFS) CLEC Information Package located on BellSouth's web site at <a href="http://interconnection.bellsouth.com/guides/unedocs/rs hfs.pdf">http://interconnection.bellsouth.com/guides/unedocs/rs hfs.pdf</a>. Once the cable/pair range is established <customer\_short\_name> can then submit LSRs for individual line activations.

- 7.6 Use of BellSouth Certified Supplier. <customer\_short\_name> shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all construction, engineering as specified in TR 73503, installation and removal work. <customer short name>, if a BellSouth Certified Supplier, or <customer\_short\_name>'s BellSouth Certified Supplier must follow and comply with all of the reasonable and nondiscriminatory requirements, outlined in BellSouth TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, <customer short name> must use a separate BellSouth Certified Supplier for those work activities associated with transmission equipment, switching equipment and power equipment, unless the BellSouth Certified Supplier has met the requirements for all of the required work activities. BellSouth shall provide <customer short name> with a list of BellSouth Certified Suppliers, upon request. < customer short name>, if a BellSouth Certified Supplier, or its BellSouth Certified Supplier(s) shall be responsible for installing <customer short name>'s equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's equipment engineers and <customer\_short\_name> upon successful completion of installation and all associated work.. In cases where a BellSouth Certified Supplier is used, the BellSouth Certified Supplier shall bill <customer\_short\_name> directly for all work performed for <customer short name> pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by <customer\_short\_name>'s BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to <customer\_short\_name> or any supplier proposed by <customer\_short\_name> and will not unreasonably withhold certification.
- Alarm and Monitoring. BellSouth shall place environmental alarms in the Premises for the protection of BellSouth equipment and facilities. <customer\_short\_name> shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to service <customer\_short\_name>'s Collocation Space. Upon request, BellSouth will provide <customer\_short\_name> with an applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by <customer\_short\_name>. Both Parties shall use best efforts to notify the other of any verified environmental condition (e.g., temperature extremes or excess humidity) known to that Party.
- 7.8 <u>Virtual to Physical Collocation Relocation</u>. <customer\_short\_name> may relocate its existing virtual collocation arrangement(s), according to the standard intervals

identified in Sections 7.1.1 and 7.1.2 above, to a physical collocation arrangement(s) and pay the appropriate fees associated with physical collocation and the rearrangement or reconfiguration of services terminated in the virtual collocation arrangement, as set forth in Exhibit B to this Attachment 4. In the event BellSouth knows when additional space for physical collocation may become available at the location requested by <customer short name>, such information will be provided to <customer\_short\_name> in BellSouth's written denial of physical collocation space. To the extent that (i) physical Collocation Space becomes available to <customer\_short\_name> within one hundred eighty (180) calendar days of BellSouth's written denial of <customer\_short\_name>'s request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) <customer short name> was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar days, then <customer\_short\_name> may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual collocation. <customer short name> must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.

- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. BellSouth will complete virtual to in-place physical collocation conversions within forty-five (45) calendar days from receipt of the BFFO. BellSouth will bill <customer\_short\_name> an Administrative Only Application Fee as set forth in Exhibit B on the date that BellSouth provides an Application Response to <customer\_short\_name>.
- 7.10 <u>Cancellation</u>. If at any time prior to space acceptance, <customer\_short\_name> cancels its order for Collocation Space(s) (Cancellation), BellSouth will bill the applicable nonrecurring rate(s) as set forth in Exhibit B for any and all work processes for which work has begun or been completed.
- 7.11 <u>Licenses</u>. <customer\_short\_name>, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required, if any, to operate as a provider of telecommunications services to the public or to build-out, equip and/or occupy the Collocation Space.

7.12 <u>Environmental Compliance</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

# 8. Rates and Charges

8.1 [Parties Disagree]

[<customer\_short\_name> Version] Commission Approved Rates and Charges.
<customer\_short\_name> agrees to pay the rates and charges identified in Exhibit B attached hereto. Where rates have been "grandfathered", those rates shall be the rates that were in effect prior to the Effective Date of this Agreement, unless application of such rates would be inconsistent with the underlying purpose for grandfathering, or otherwise specified herein, and such rates shall be incorporated in Exhibit B attached hereto.

[BellSouth Version] Commission Approved Rates and Charges.

<customer\_short\_name> agrees to pay the rates and charges identified in Exhibit B attached hereto. Where rates have been "grandfathered", those rates shall be the rates that were in effect prior to the Effective Date of this Agreement, or otherwise specified herein, and such rates shall be incorporated in Exhibit B attached hereto.

- 8.2 <u>Application Fee.</u> BellSouth shall assess an application fee by generating a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.9 above. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to <customer\_short\_name>.
- 8.2.1 In Tennessee, the applicable application fee for caged physical collocation is the planning fee for both Initial Applications and Subsequent Applications placed by <a href="customer\_short\_name">customer\_short\_name</a>. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response to <a href="customer\_short\_name">customer\_short\_name</a>.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power <customer\_short\_name>'s equipment. <customer\_short\_name> shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where technically feasible.

#### 8.4 [Parties Disagree]

[scustomer short name> Version] Billing for recurring charges for floor space, if applicable, will begin on the Space Acceptance Date as defined above in Section 4.3 above. In the event that <customer\_short\_name> fails to complete an acceptance walkthrough within the applicable fifteen (15th) calendar day interval, billing for recurring charges will commence on the Space Ready Date. If

<customer\_short\_name> occupies the space prior to the Space Ready Date, the date
<customer\_short\_name> occupies the space is deemed the new Space Acceptance
Date and billing for recurring charges for floor space, if applicable, will begin on that date. Billing for recurring charges for power (if drawn from BellSouth), will commence on the date upon which the primary and redundant connections from <customer\_short\_name>'s equipment in the Collocation Space to the BellSouth power board or BDFB are installed. <customer\_short\_name> must notify
BellSouth in writing when the collocation equipment to power source installation is complete.

[BellSouth Version] Recurring Charges. If <customer\_short\_name> has met the applicable fifteen (15th) calendar day walkthrough interval specified in Section 4.3 above, billing for recurring charges will begin upon the Space Acceptance Date. In the event that <customer\_short\_name> fails to complete an acceptance walkthrough within the applicable fifteen (15th) calendar day interval, billing for recurring charges will commence on the Space Ready Date. If <customer\_short\_name> occupies the space prior to the Space Ready Date, the date <customer\_short\_name> occupies the space is deemed the new Space Acceptance Date and billing for recurring charges will begin on that date.

8.5 <customer\_short\_name> shall continue the payment of all monthly fees to BellSouth until the date that <customer short name>, and if applicable <customer\_short\_name>'s Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. Billing for monthly recurring charges will cease on the date that <customer\_short\_name> and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that <customer short name> signs off on the Space Relinquishment Form and sends this form to BellSouth, if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. In the latter case, if subsequent inspection by BellSouth within fifteen (15th) calendar days of its receipt of the Space Relinquishment Form, does reveal discrepancies, billing for monthly recurring charges will cease on the date that BellSouth and <customer\_short\_name> jointly conduct an inspection, which confirms that <customer\_short\_name> has corrected all of the noted discrepancies. A Subsequent Application Fee will not apply for the termination of occupancy.

# 8.6 [Parties Disagree]

Space Preparation. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications assessed per arrangement, per square foot and common systems modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. <customer\_short\_name> shall remit payment of the nonrecurring firm order processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event

<customer\_short\_name> opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to <customer\_short\_name> as prescribed in this Section. The Space preparation fees provided for in this Attachment shall not apply when <customer\_short\_name> has paid space preparation charges through previously billed ICB or nonrecurring space preparation charges.

[BellSouth Version] Space Preparation. Space preparation fees consist of a nonrecurring charge for firm order processing and monthly recurring charges for central office modifications assessed per arrangement, per square foot and common systems modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. <customer\_short\_name> shall remit payment of the nonrecurring firm order processing fee coincident with submission of a BFFO. The charges recover the costs associated with preparing the Collocation Space, which includes survey, engineering of the Collocation Space, design and modification costs for network, building and support systems. In the event <customer\_short\_name> opts for cageless space, the space preparation fees will be assessed based on the total floor space dedicated to <customer\_short\_name> as prescribed in this Section. The Space preparation fees provided for in this Attachment shall not apply when <customer\_short\_name> has paid all space preparation charges in full through previously billed ICB or nonrecurring space preparation charges.

- 8.7 Floor Space. Billing for floor space, if applicable, will begin on the Space Acceptance Date. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the Premises but does not include any expenses for power supplied to <customer short name> for its equipment. When the Collocation Space is enclosed, <customer short name> shall pay floor space charges based upon the number of square feet so enclosed. When the Collocation Space is not enclosed, <customer\_short\_name> shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) +  $(0.5 \times \text{maintenance aisle depth}) + (0.5 \times \text{wiring})$ aisle depth) X (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event <customer\_short\_name>'s equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, <customer\_short\_name> shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.8 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of <customer\_short\_name>'s BFFO.
- 8.9 <u>Security Escort</u>. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one half (1/2) hour after the scheduled time for such an escort and

<customer\_short\_name> shall pay for such half hour charges in the event
<customer\_short\_name> fails to show up.

8.10 <u>Cable Record charges</u>. These charges apply for work required to build cable records in BellSouth systems. The VG/DS0 cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of ninety-nine (99) records. These nonrecurring fees will be billed upon receipt of <customer\_short\_name>'s BFFO.

# 8.11 Parties Disagree

[Scustomer\_short\_name] Power Rates. Rates for power are as set forth in Exhibit B of this Attachment. Applicable rates shall vary depending on whether scustomer\_short\_name elects to be billed on a "fused amp" basis, by electing to remain (or install new collocations or augments) under the traditional collocation power billing method, or on a "used amp" basis, by electing to convert collocations to (or install new collocations or augments under) the power usage metering option set forth in Section 9 below. Under either billing method, there will be rates applicable to grandfathered collocations for which power plant infrastructure costs have been prepaid under a ICB pricing or non-recurring charge arrangement and there will rates applicable where such grandfathering does not apply and power plant infrastructure is instead recovered via recurring charges.

[BellSouth Version] Power Rates. Rates for power are as set forth in Exhibit B of this Attachment. Recurring charges for -48V DC power will be assessed per amp per month based upon the BellSouth Certified Supplier engineered and installed power feed fused ampere capacity. In Tennessee, applicable rates shall vary depending on whether <customer\_short\_name> elects to be billed on a "fused amp" basis, by electing to remain (or install new collocations or augments) under the traditional collocation power billing method or on a "used amp" basis, by electing to convert collocations to (or install new collocations or augments under) the power usage metering option set forth in Section 9 below. Under either billing method, there will be rates applicable to grandfathered collocations for which power plant infrastructure costs have been prepaid under a ICB pricing or non-recurring charge arrangement and there will rates applicable where such grandfathering does not apply and power plant infrastructure is instead recovered via recurring charges.

#### 8.11.1 [Parties Disagree]

\*customer\_short\_name> Version\*] Under the fused amp billing option,
\*customer\_short\_name> shall be billed at the Commission's most recently approved fused amp recurring rate for DC power. However, if the Parties either previously agreed to "grandfather" such arrangements or such arrangements are grandfathered as a result of \*customer\_short\_name> having provided documentation to BellSouth demonstrating that \*customer\_short\_name> paid installation costs under an ICB or nonrecurring rate schedule for the collocation arrangement power installation,
\*customer\_short\_name> will only be billed the recurring rate for the DC power in

effect prior to the Effective Date of this Agreement, or, if such grandfathered rates had not been incorporated into the Parties' most recent Agreement, the most recent Commission approved rate that does not include an infrastructure component shall apply.

[BellSouth Version] In Tennessee, under the fused amp billing option, <a href="customer\_short\_name">customer\_short\_name</a> shall be billed at the Commission's most recently approved fused amp recurring rate for DC power. However, if the Parties either previously agreed to "grandfather" such arrangements or such arrangements are grandfathered as a result of <customer\_short\_name> having provided documentation to BellSouth demonstrating that <customer\_short\_name> paid installation costs under an ICB or nonrecurring rate schedule for the collocation arrangement power installation, <customer\_short\_name> will only be billed the recurring rate for the DC power in effect prior to the Effective Date of this Agreement, or, if such grandfathered rates had not been incorporated into the Parties' most recent Agreement, the rates contained in Exhibit B of this Attachment.

# 8.11.2 [Parties Disagree]

[scustomer\_short\_name> Version] Under the power usage metering option, recurring charges for DC power are subdivided into a power infrastructure component and an AC usage component (based on DC amps consumed). However, if the Parties either previously agreed to "grandfather" such arrangements or such arrangements are grandfathered as a result of <customer\_short\_name> having provided documentation to BellSouth demonstrating that <customer\_short\_name> paid installation costs under an ICB or nonrecurring rate schedule for the collocation arrangement power installation, <customer\_short\_name> will only be billed a recurring rate for the AC usage based on the most recent Commission approved rate and the DC power infrastructure component exclusive of the costs previously paid through the ICB or NRC pricing (as set by the Commission).

[BellSouth Version] In Tennessee, Under the power usage metering option, recurring charges for DC power are subdivided into a power infrastructure component and an AC usage component (based on DC amps consumed). However, if the Parties either previously agreed to "grandfather" such arrangements or such arrangements are grandfathered as a result of <customer\_short\_name> having provided documentation to BellSouth demonstrating that <customer\_short\_name> paid installation costs under an ICB or nonrecurring rate schedule for the collocation arrangement power installation, <customer\_short\_name> will only be billed a recurring rate for the AC usage based on the most recent Commission approved rate and the DC power infrastructure component exclusive of the costs previously paid through the ICB or NRC pricing.

- 8.11.3 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.
- 8.12 Grandfathered Rates.

- 8.12.1 The rates for the recurring charges for grandfathered CCXC will be the rates in effect before the Effective Date of this Agreement, if any, and such rates shall be set forth in Exhibit B of this Attachment.
- 8.12.2 The grandfathered POT Bay rates are pursuant to state ordered rates for particular POT Bay elements.
- 8.12.3 Additional grandfathering provisions regarding collocation power charges are set forth in Section 8.11 of this Attachment.
- 8.12.4 Additional grandfathering provisions regarding space preparation charges are set forth in Section 8.6 of this Attachment.

#### 9. Central Office Power

9.1 BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for <customer\_short\_name>'s Collocation Space at a BellSouth Battery Distribution Fuse Bay (BDFB). If <customer\_short\_name> was previously served off BellSouth's main power board pursuant to <customer\_short\_name>'s previous Interconnection Agreement, that arrangement shall be grandfathered. Recurring charges for -48V DC power will be assessed as set forth in Section 8.11 above.

# 9.1.1 [Parties Disagree]

charges for -48V DC power will be assessed per fused amp per month in a manner consistent with Commission orders and as set forth in Section 8 of this Attachment. Nonrecurring charges for -48V DC power distribution, will be as set by the Commission.

[BellSouth Version] Fused Amp Billing. Monthly recurring charges for -48V DC power will be assessed per fused amp per month based upon the engineered and installed power feed fused ampere capacity in a manner consistent with Commission orders and as set forth in Section 8 of this Attachment. Nonrecurring charges for -48V DC power distribution will be based on the costs associated with collocation power plant investment and the associated infrastructure.

# 9.1.2 Parties Disagree

Constoner short name Version Power Usage Metering Option. Monthly recurring charges for -48V DC power will be assessed based on a consumption component and, if applicable, an infrastructure component, as set forth in Section 8 of this Attachment. Nonrecurring charges for -48V DC power distribution will be as set by the Commission.

[BellSouth Version] <u>Tennessee Power Usage Metering Option</u>. In Tennessee, monthly recurring charges for -48V DC power will be assessed based on a consumption component and, if applicable, an infrastructure component, as set forth in

Section 8 of this Attachment. Nonrecurring charges for -48V DC power distribution will be based on the costs associated with collocation power plant investment and the associated infrastructure.

# 9.1.3 [Parties Disagree]

[<customer\_short\_name> Version] When <customer\_short\_name> selects the power usage metering option for power billing, the following terms shall apply.

[BellSouth Version] In Tennessee, <customer\_short\_name> may select the power usage metering option for power billing, in which case the following terms shall apply.

9.1.3.1 BellSouth will arrange for all metering activities, which will include providing the necessary ammeter measurement device, to measure the actual power usage being drawn by <customer\_short\_name>'s collocation equipment on both the A and B power feeds. The AC usage component of the DC power charge will be based upon the sum of either the instantaneous or busy hour average electrical current readings, depending on the capabilities of the ammeter-measuring device. <customer\_short\_name> may, at its sole cost and expense, install its own meters on the BDFBs located in its collocation space, for the purposes of measuring actual power usage. <customer\_short\_name> will submit a Subsequent Application for each location that <customer short name> wants to convert to the metered power usage measurement option and agrees to include in the Comments Section of the Subsequent Application the following comments: "This Subsequent Application is <customer\_short\_name>'s certification that <customer\_short\_name> is opting to convert to the power usage measurement option and will permit BellSouth or a BellSouth Certified Supplier to use an ammeter-measuring device to measure its actual power usage or has installed a meter on its own BDFB, located in <customer\_short\_name>'s collocation space, to measure actual power usage on all power feeds." BellSouth will bill <customer\_short\_name> a Power Reconfiguration Application Fee, as set forth in Exhibit B of this Attachment, on the date that BellSouth provides an Application Response to the Subsequent Application. BellSouth shall then arrange, in coordination with <customer short name>, for the measurement of <customer\_short\_name>'s actual power usage on each power feed (all A and B feeds) once each quarter at each of <customer\_short\_name>'s collocation arrangements (i.e. quarterly metered reading service), for which <customer\_short\_name> has initially implemented the power usage metering option or submitted a Subsequent Application to convert arrangements to metered power usage. After the actual power usage measurements have been completed, these measurements will be used to calculate the AC Usage charge on <customer\_short\_name>'s bill for the following three (3) months or until the next measurement is taken. A minimum of ten (10) amps of -48V DC power usage, per A&B pair of power feeds (i.e., a 10 amps sum for both the A and B feeds combined), is required by BellSouth for <customer\_short\_name> to operate equipment in its collocation space. BellSouth shall bill <customer\_short\_name> for its monthly AC Usage for the following quarter based upon the sum of customer short name 's actual metered usage for each power feed (the A and B feeds), or at least ten (10) amps of -48V DC power for each A and

B pair of power feeds at the applicable -48V DC amp AC Usage rate as set forth in Section 8 of this Attachment.

- 9.1.3.2 Either Party, within fifteen (15) calendar days of notice of the usage measurement established by the scheduled meter reading, may challenge the accuracy of that reading by requesting a new reading. If <customer\_short\_name> requests that an unscheduled (prior to the next scheduled quarterly power reading date) power usage reading be taken, then <customer\_short\_name> will be responsible for paying the "Additional Meter Reading Trip Charge" contained in Exhibit B of this Attachment. If BellSouth requests a power usage reading be taken in this instance, then <customer\_short\_name> will not be charged the "Additional Meter Reading Trip Charge" for the unscheduled meter reading. If the readings vary by more than ten (10) % or five (5) Amps, whichever is greater, the Parties shall work cooperatively to reconcile such discrepancies and establish the appropriate usage figure in a reasonable and expeditious manner. If the readings do not vary outside these ranges, the initial reading will be used to calculate <customer\_short\_name>'s AC Usage charge for the next three (3) months.
- 9.1.3.3 BellSouth shall assess <customer\_short\_name> a monthly recurring charge as set forth in Exhibit B of this Attachment for BellSouth's power plant infrastructure investment component of the DC power charges based upon <customer\_short\_name>'s requested fused amperage capacity, as reflected by <customer\_short\_name> on its Initial Application, as well as any Subsequent Applications (i.e., augment applications) and Power Reduction Forms, for the particular collocation arrangement being converted to the power usage metering option within the specified central office.
- 9.1.3.4 <customer\_short\_name> agrees to submit a Subsequent Application to BellSouth for notification when <customer short name> has removed or installed telecommunications equipment in <customer short name>'s collocated space. If there is no change in the size of the collocation space and no change in the requested fused amperage capacity, BellSouth will assess < customer\_short\_name > an Administrative Only Application fee for processing an application to remove or install telecommunications equipment. If there any changes in the size of the collocation space, the requested fused amperage capacity, or any other activities requested in the Subsequent Application, BellSouth will assess < customer short name > the Subsequent Application fee contained in Exhibit B of this Attachment. An associated change in power usage will be reflected in the billing cycle associated with the next regularly scheduled quarterly power measurement reading, unless either Party requests a reading of the power usage prior to this date. If <customer\_short\_name> requests that an unscheduled (prior to the next scheduled quarterly power reading date) power usage reading be taken when telecommunications equipment has been removed or installed or requested another reading for any other purpose in <customer\_short\_name>'s collocation space then <customer\_short\_name> will be responsible for paying the "Additional Meter Reading Trip Charge" contained in Exhibit B of this Attachment. If BellSouth requests a power usage reading be taken in this instance, then <customer\_short\_name> will not be charged the "Additional Meter

Reading Trip Charge" for the unscheduled meter reading. Any changes in the existing power usage will become effective on the first (1<sup>st</sup>) day of the month following the date of the requested meter reading.

- 9.1.3.5 BellSouth will bill <customer\_short\_name> a monthly recurring charge per site in accordance with Exhibit B of this Attachment for <customer\_short\_name>'s collocation arrangements in Tennessee, which represents the costs for BellSouth and/or a BellSouth Certified Supplier to provide the clamp-on ammeter or other measurement device, perform the task of measuring the actual power usage at each requested collocation site, record the usage measurements and submit these measurements to the billing systems including any associated administrative expenses and applicable taxes.
- 9.1.3.6 BellSouth, at any time and at its own expense, shall have the right to verify the accuracy of <customer\_short\_name>'s BDFB meter(s) by performing its own meter reading(s) via an alternate method, such as, but not limited to, a clamp-on ammeter. If the meter readings vary significantly, the Parties agree to perform a joint investigation. If <customer\_short\_name>'s BDFB meter(s) is (are) found to be in error, then <customer\_short\_name> agrees to recalibrate, repair, or replace its meter as required. The Parties recognize that the meter readings discussed in this Attachment are generally instantaneous readings that can experience minor fluctuations due to usage traffic, voltage fluctuations, and the calibration of the meters themselves. The readings must vary by more than ten (10) % or five (5) Amps, whichever is greater, before any recalibration, repair, or replacement will be required. If the BellSouth reading is substantiated, then BellSouth has the right to adjust <customer\_short\_name>'s billing to reflect BellSouth's reading retroactive to the beginning of the quarter for which the last meter reading was taken.
- 9.1.3.7 If required, BellSouth and/or a BellSouth Certified Supplier hired by BellSouth to perform the meter reading activity, must be given access to <customer\_short\_name>'s collocation space if the arrangement is a physical caged collocation arrangement. BellSouth and/or a BellSouth Certified Supplier shall provide <customer\_short\_name> with sufficient notification that access is required, defined herein as a minimum of forty-eight (48) hours. Once the date and time of access has been agreed upon, <customer\_short\_name> and BellSouth and/or a BellSouth Certified Supplier shall adhere to the agreed upon date and time, or provide sufficient notification, defined herein as a minimum of three (3) hours, to the other party if the original appointment will be missed or must be canceled and rescheduled. If <customer short name> fails to provide access to its caged collocation space or fails to provide BellSouth and/or a BellSouth Certified Supplier with sufficient notification of the necessity to cancel and/or reschedule the initial agreed-upon appointment, then <customer short name> will be assessed for each additional meter reading trip, as set forth in Exhibit B of this Attachment, that must be rescheduled due to <customer short name>'s failure to provide sufficient notice as described above. BellSouth will bill <customer\_short\_name> an "Additional Meter Reading Trip Charge" that BellSouth incurs, either from its own work forces or from a BellSouth Certified Supplier.

<customer\_short\_name> and BellSouth and/or a BellSouth Certified Supplier may jointly agree to less stringent notification requirements, as convenience and practical business needs dictate, on a central office-by-central office basis. Both Parties agree that "practical business needs" may include any service interruption or restoration of service situation.

9.2 When obtaining power from the BDFB, fuses and power cables (A&B) must be engineered (sized) and installed by <customer\_short\_name>'s BellSouth Certified Supplier. <customer\_short\_name> is responsible for contracting with a BellSouth Certified Supplier for power distribution feeder cable runs from a BellSouth BDFB to <customer\_short\_name>'s equipment. The BellSouth Certified Supplier contracted by <customer\_short\_name> must provide BellSouth with a copy of the engineering power specifications prior to the day on which <customer\_short\_name>'s equipment becomes operational. BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB and <customer\_short\_name>'s Collocation Space. <customer\_short\_name> shall contract with a BellSouth Certified Supplier who will be responsible for the following: dedicated power cable support structure within <customer\_short\_name>'s Collocation Space, power cable feeds, and terminations of cable.

# 9.3 [Parties Disagred]

٠

seustomer short name Version If < customer\_short\_name > elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed <customer short name>'s DC Power Plant. Charges for AC power will be assessed in the same manner as charges for DC power are assessed, as set forth in Section 9.1 (including subsections above). When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by <customer\_short\_name>'s BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. <customer\_short\_name>'s BellSouth Certified Supplier must also provide a copy of the engineering power specifications prior to the day on which <customer\_short\_name>'s equipment becomes operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At <customer\_short\_name>'s option, <customer\_short\_name> may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

[BellSouth Version] If <customer\_short\_name> elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed <customer\_short\_name>'s DC Power Plant. Charges for AC power will be assessed per breaker ampere. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by <customer\_short\_name>'s BellSouth Certified Supplier, with the exception that BellSouth shall engineer and install protection devices and power cables for Adjacent

Collocation. <customer\_short\_name>'s BellSouth Certified Supplier must also provide a copy of the engineering power specifications prior to the day on which <customer\_short\_name>'s equipment becomes operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At <customer\_short\_name>'s option, <customer\_short\_name> may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

- 9.4 <customer\_short\_name> has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested BellSouth Premises. Under such an option, <customer\_short\_name> is responsible for contracting with the electric utility company for its own power feed and meter, and is financially responsible for purchasing all equipment necessary to accomplish the conversion of the commercial AC power to DC power, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by <customer\_short\_name>. <customer\_short\_name>'s BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in installing this power arrangement, just as BellSouth is required to comply with these codes. <customer short name> must submit an application to BellSouth for the appropriate amount of collocation space that <customer\_short\_name> requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of <customer\_short\_name>'s power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charge that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement so as to purchase power directly from an electric utility company as provided herein. <customer\_short\_name> shall be responsible for the recurring charges associated with the central office space needed for collocation of this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office. BellSouth may seek a waiver of these requirements from the state Commission for the central office requested. <customer\_short\_name> would still have the option to order its power needs directly from BellSouth.
- 9.5 BellSouth will revise monthly recurring power charges to reflect a power upgrade, upon notification of the completion of the upgrade by <customer\_short\_name>'s

  BellSouth Certified Supplier. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from <customer\_short\_name> certifying the completion of the power reduction including

- the removal of the power cabling by <customer\_short\_name>'s BellSouth Certified Supplier.
- 9.6 If <customer\_short\_name> requests a reduction in the amount of power that BellSouth is currently providing, <customer\_short\_name> must submit a Subsequent Application. If no modification to the Collocation Space is requested other than the reduction in power, the Power Reconfiguration Application Fee as set forth in Exhibit B will apply. If modifications are requested in addition to the reduction of power, the Subsequent Application Fee will apply. BellSouth will bill this nonrecurring fee on the date that BellSouth provides an Application Response.
- 9.7 If <customer\_short\_name> has grand-fathered power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, <customer\_short\_name> must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and a Subsequent Application fee will apply for this reconfiguration to a BellSouth BDFB.
- 9.7.1 In Alabama and Louisiana, if <customer\_short\_name> has grandfathered power configurations currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB, in a specific central office, <customer\_short\_name> must submit a Subsequent Application. BellSouth will respond to such application within seven (7) calendar days and no application fee will apply [BST clarification] for this one time only power reconfiguration to a BellSouth BDFB. For any power reconfigurations thereafter, <customer\_short\_name> will submit a Subsequent Application and the appropriate application fee will apply.
- 9.8 Remote Site Power. BellSouth shall make available –48 Volt (-48V) DC power for <a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="customer\_short\_name"><a href="cust
- 9.9 Remote Site Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by <customer\_short\_name>'s BellSouth Certified Supplier, with the exception that

BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. <customer\_short\_name>'s BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At <customer\_short\_name>'s option, <customer\_short\_name> may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.

#### 10. Insurance

- 10.1 <ustomer\_short\_name> shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 10.2 <customer\_short\_name> shall maintain the following specific coverage:
- 10.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 10.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- All policies purchased by <customer\_short\_name> shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to Premises and shall remain in effect for the term of this Attachment or until all <customer\_short\_name>'s property has been removed from BellSouth's Premises, whichever period is longer. If <customer\_short\_name> fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from <customer\_short\_name>.
- 10.4 <ustomer\_short\_name> shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. <customer\_short\_name> shall arrange for BellSouth to receive thirty (30) calendar days' advance notice of cancellation from <customer\_short\_name>'s insurance company.
  <customer\_short\_name> shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Office - Finance 17F54 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 10.5 <ustomer\_short\_name> must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 10.6 Self-Insurance. If <customer\_short\_name>'s net worth exceeds five hundred million dollars (\$500,000,000), <customer short name> may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2 above. <customer\_short\_name> shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to <customer short name> in the event that self-insurance status is not granted to <customer\_short\_name>. If BellSouth approves <customer\_short\_name> for self-insurance, <customer\_short\_name> shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of <customer short name>'s corporate officers. The ability to self-insure shall continue so long as the <customer\_short\_name> meets all of the requirements of this Section. If <customer\_short\_name> subsequently no longer satisfies this Section, <customer\_short\_name> is required to purchase insurance as indicated by Sections 10.2.1 and 10.2.2 above.

## 11. Mechanics Liens

11.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or <customer\_short\_name>), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

#### 12. Inspections

12.1 BellSouth may conduct an inspection of <customer\_short\_name>'s equipment and facilities in the Collocation Space(s) prior to the activation of facilities between <customer\_short\_name>'s equipment and equipment of BellSouth. BellSouth may

conduct an inspection if <customer\_short\_name> adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide <customer\_short\_name> with a minimum of seventy-two (72) hours or three (3) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

## 13. Security and Safety Requirements

- Unless otherwise specified, <customer short name> will be required, at its own 13.1 expense, to conduct a statewide investigation of criminal history records for each <customer short name> employee hired in the past five years being considered for work on the Premises, for the states/counties where the <customer\_short\_name> employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. <customer short name> shall not be required to perform this investigation if an affiliated company of <customer\_short\_name> has performed an investigation of the <customer short name> employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if <customer\_short\_name> has performed a pre-employment statewide investigation of criminal history records of the <customer\_short\_name> employee for the states/counties where the <customer\_short\_name> employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 13.2 <customer\_short\_name> will be required to administer to its personnel assigned to the
  Premises security training either provided by BellSouth, or meeting reasonable and
  nondiscriminatory criteria defined by BellSouth.
- 13.3 <ustomer\_short\_name> shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the Premises. The photo identification card shall bear, at a minimum, the employee's name and photo and <customer\_short\_name>'s name. BellSouth reserves the right to remove from its Premises any employee of <customer\_short\_name> not possessing identification issued by <customer\_short\_name> or who has violated any of the reasonable and nondiscriminatory criteria outlined in BellSouth's CLEC Security Training documents. <customer\_short\_name> shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Premises.
- 13.4 <ustomer\_short\_name> shall not assign to the Premises any personnel with records of felony criminal convictions. <ustomer\_short\_name> shall not assign to the Premises any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any <ustomer\_short\_name> personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that

- <customer\_short\_name> chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, <customer\_short\_name> may, in the alternative, certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 13.4.1 <customer\_short\_name> shall not knowingly assign to the Premises any individual
   who was a former employee and whose employment with BellSouth was terminated
   for a felony for which they were convicted..
- 13.4.2 <customer\_short\_name> shall not knowingly assign to the Premises any individual
  who was a former supplier of BellSouth and whose access to a Premises was revoked
  due to a felony for which they were convicted.
- For each <customer\_short\_name> employee or agent hired by <customer\_short\_name> within five years of being considered for work on the Premises, who requires access to a Premises pursuant to this Attachment, <customer\_short\_name> shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, <customer\_short\_name> will disclose the nature of the convictions to BellSouth at that time. In the alternative, <customer\_short\_name> may certify to BellSouth that it shall not assign to the Premises any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 13.5.1 For all other <customer\_short\_name> employees requiring access to a Premises pursuant to this Attachment, <customer\_short\_name> shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 13.5 above and that security training was completed by the employee.

# 13.6 [Parties Disagree]

shall promptly remove from BellSouth's Premises any employee of <customer\_short\_name> BellSouth does not wish to grant access to its premises pursuant to any investigation conducted by BellSouth or prior to the initiation of an investigation if an employee of <customer\_short\_name> is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier in a significant and material way. Such investigation shall be commenced and completed by BellSouth as promptly and expeditiously as possible. The Parties shall cooperate and communicate, to the extent circumstances permit, to ensure that the Parties may take appropriate remedial measures and so that

<customer\_short\_name> personnel are not denied access for activity that does
not have a significant and material impact and that would be more suitably

addressed through disciplinary measures less likely to have a significant impact on <customer\_short\_name>'s daily operations.

[BellSouth Version] At BellSouth's request, <customer\_short\_name> shall promptly remove from BellSouth's Premises any employee of <customer\_short\_name> BellSouth does not wish to grant access to its premises pursuant to any investigation conducted by BellSouth or prior to the initiation of an investigation if an employee of <customer\_short\_name> is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier. Such investigation shall be commenced and completed by BellSouth as promptly and expeditiously as possible. The Parties shall cooperate and communicate, to the extent circumstances permit, to ensure that the Parties may take appropriate remedial measures.

- Security Violations. Each Party reserves the right to interview the other Party's 13.7 employees, agents, or suppliers in the event of wrongdoing in or on BellSouth's property, or <customer short name>'s Collocation Space, or involving BellSouth's, <customer short name>'s, or another collocated telecommunications carrier's property or personnel, provided that the Party shall provide reasonable notice to the other Party's designated security representative of such interview. Each Party and its suppliers shall reasonably cooperate with the other Party's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving such Parties' employees, agents, or suppliers. Additionally, each Party reserves the right to bill the other Party for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that such Parties' employees, agents, or suppliers are responsible for the alleged act. Each Party shall bill the other Party for the replacement or repair of property, as appropriate, which is stolen or damaged where an investigation determines the culpability of the other Party's employees, agents, or suppliers and where the other Party agrees, in good faith, with the results of such investigation. Each Party agrees that it shall notify the other Party in writing immediately in the event that it discovers one of its employees working on the Premises is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section.
- 13.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- Use of Official Lines. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the Premises.
   Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.

- 13.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.
- 13.11 BellSouth will use its best efforts to adequately secure the area which houses <customer\_short\_name>'s equipment to prevent unauthorized entry. BellSouth will immediately notify <customer\_short\_name>'s emergency contact of any actual or attempted security breaches to the <customer\_short\_name>'s collocation space to the extent BellSouth becomes aware of such breaches.

#### 14. Destruction of Collocation Space

In the event a Collocation Space is wholly or partially damaged by fire, windstorm, 14.1 tornado, flood or by similar Acts of God or force majeure circumstances beyond a Party's reasonable control to such an extent as to be rendered wholly unsuitable for <customer\_short\_name>'s permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for <customer short name>'s permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to <customer\_short\_name>, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. <customer short name> may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If <customer\_short\_name>'s acceleration of the project increases the cost of the project. then those additional charges will be incurred by <customer\_short\_name>. Where allowed and where practical, <customer\_short\_name> may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, <customer\_short\_name> shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for <customer\_short\_name>'s permitted use, until such Collocation Space and access to necessary power is fully repaired and restored and <customer short name>'s equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where <customer short name> has placed an Adjacent Arrangement pursuant to Section 3.4 above, <customer\_short\_name> shall have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

#### 15. Eminent Domain

15.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day, or the day upon which the Collocation Space can no longer be used for interconnection and access to unbundled network elements, whichever is earlier, with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and <customer\_short\_name> shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

## 16. <u>Nonexclusivity</u>

16.1 <ustomer\_short\_name> understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

# 17. Notice of Non-Emergency Work

BellSouth shall provide <customer\_short\_name> with written notice three (3) business days prior to those instances where BellSouth or its subcontractors may be performing non-emergency work that has a substantial likelihood of directly affecting the Collocation Space occupied by <customer\_short\_name>, or that is directly related to circuits that support <customer\_short\_name> equipment. BellSouth will inform <customer\_short\_name> by telephone of emergency related activity that BellSouth or its subcontractors may be performing that has a substantial likelihood of directly affecting the Collocation Space occupied by <customer\_short\_name>, or is directly related to circuits that support <customer\_short\_name> equipment. Notification of any emergency related activity shall be made as soon as practicable after BellSouth learns that such emergency activity is necessary so that <customer\_short\_name> can take any action required to monitor or protect its service.

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Collocation arrangements.

#### 1. GENERAL PRINCIPLES

- Compliance with Applicable Law. BellSouth and <customer\_short\_name> agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- Notice. BellSouth and <customer\_short\_name> shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. <customer\_short\_name> should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for <customer\_short\_name> to follow when working at a Premises (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. <customer\_short\_name> will require its suppliers, agents and others accessing the Premises to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by <customer\_short\_name> when operating in the Premises.
- 1.4 Environmental and Safety Inspections. BellSouth reserves the right to inspect the <a href="customer\_short\_name">customer\_short\_name</a> space with proper notification. BellSouth reserves the right to stop any <a href="customer\_short\_name">customer\_short\_name</a> work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the Premises by <customer\_short\_name> are owned by <customer\_short\_name>. <customer\_short\_name> will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without

prior written BellSouth approval, no substantial new safety or environmental hazards can be created by <customer\_short\_name> or different hazardous materials used by <customer\_short\_name> at Premises. <customer\_short\_name> must demonstrate adequate emergency response capabilities for its materials used or remaining at the Premises.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a Premises, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by <customer\_short\_name> to BellSouth.
- Coordinated Environmental Plans and Permits. BellSouth and 
  <ustomer\_short\_name> will coordinate plans, permits or information required to be 
  submitted to government agencies, such as emergency response plans, spill prevention 
  control and countermeasures (SPCC) plans and community reporting. If fees are 
  associated with filing, BellSouth and <customer\_short\_name> will develop a cost 
  sharing procedure. If BellSouth's permit or EPA identification number must be used, 
  <customer\_short\_name> must comply with all of BellSouth's permit conditions and 
  environmental processes, including environmental "best management practices 
  (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and 
  disposal sites.
- 1.8 Environmental and Safety Indemnification. BellSouth and <customer\_short\_name> shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Premises.

### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, <customer\_short\_name> agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. <customer\_short\_name> further agrees to cooperate with BellSouth to ensure that <customer\_short\_name>'s employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by <customer\_short\_name>, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from <customer\_short\_name>'s BellSouth Regional Contract Manager (RCM) (f/k/a Account Team Collocation Coordinator ATCC).

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material (e.g., batteries, fluorescent tubes, solvents & cleaning materials)	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance  EVET approval of supplier	Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on Premises)
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Premises (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations  Performance of services in accordance with BST's environmental M&Ps  Insurance	Std T&C 450  Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.)  Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance  EVET approval of supplier	Std T&C 450 Fact Sheet Series 17000 Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative)
Maintenance/operations work which may produce a waste  Other maintenance work	Compliance with all applicable local, state, & federal laws and regulations  Protection of BST employees	Std T&C 450 29CFR 1910.147 (OSHA

	and equipment	Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and Waste	Fact Sheet Series 17000
	Asbestos notification and protection of employees and equipment	GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

# 3. **DEFINITIONS**

Generator. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical

hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a Premises which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

#### 4. ACRONYMS

RCM - Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

**EVET** - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

COLLO	CATI	ON - Alabama												Attach	ment: 4	Exhi	bit: B
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
-+				┼	-	<del>                                     </del>	Rec	Nonrec First	Add'i	First	g Disconnect Add'i	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
				┼──	· · · · · · · · · · · · · · · · · · ·	<del> </del>	·	11107	Audi	Lust	Audi	SOMEO	SUMAN	SOMAN	JOINAN	JOHAN	JOHNIN
PHYSICA	T CO	LOCATION		i													
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	<u> </u>	<b>├</b> ─	UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44			ļ			ļ
		Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.03	12.30	11.80	6.03	5.44			ŀ		ļ	
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		<del> </del> -	DLI GI	T C II C	J	12.00	11.00	0.00	3,44		<del> </del>	<del> </del>		<del> </del>	<del> </del>
		Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.03	12.30	11.80	6.03	5.44	ļ				l	
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		├	UEPSB	PE1R2	0.03	12.30	11.80	6.03	5.44		<del> </del>	<del> </del>			<del></del>
		Wire ISDN		1	UEPSX	PE1R2	0.03	12.30	11.80	6.03	5.44						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		†								1	<del>                                     </del>	1	<del></del>	1	
		Wire ISDN		<u> </u>	UEPTX	PE1R2	0.03	12.30	11.80	6,03	5.44						
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73			1			ŀ
PHYSICA		LOCATION		<u> </u>	UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73	-	<del> </del>	l	<del>                                     </del>	-	<del></del>
		Physical Collocation - Initial Application Fee			CLO	PE1BA		1,879.48		0.51		<del>                                     </del>		<del>  -                                   </del>	1	<del>                                     </del>	
		Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,566.60				İ	_				
		Physical Collocation Administrative Only - Application Fee		$\vdash$	Cro	PE1BL		742,15									
		Physical Collocation - Space Preparation - Firm Order Processing			CLO	PE1SJ		600.71					1			1	
		Physical Collocation - Space Preparation - C.O. Modification per		1	100	PEIO	<del>                                     </del>	600.71	<del></del>			<del> </del>	<del> </del>	<del> </del>		-	<del> </del>
		square ft.		1	CLO	PE1SK	1.96					1				ļ	
		Physical Collocation - Space Preparation, Common Systems												Í			
		Modifications-Cageless, per square foot		<u> </u>	Cro	PE1SL_	2.62					<u></u>		ļ		ļ	<u> </u>
		Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage		l	CLO	PE1SM	88.86					1				i	
		Physical Collocation - Cable Installation, Pricing, non-recurring		H	0.00	LEIGIN	00.00			<del></del>	<del> </del>	1		<del> </del>			<del>  -                                   </del>
		charge, per Entrance Cable			CLO	PE1BD		859.71		22.49						ł	
		Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	3.22				L						
		Physical Collocation - Cable Support Structure, per Entrance Cable		İ	CLO	PE1PM						1	1	ļ			ł
_		Cable		<del>                                     </del>		PEIPM	17,11			<del> </del>		<del> </del>	<del> </del>	<u> </u>	·	<del> </del>	<del> </del>
		Physical Collocation - Power, -48V DC Power - per Fused Amp			Cro	PE1PL	7.83					1		ì			
		Physical Collocation - Power Reconfiguration Only, Application		$\Box$								i		ì			
	_	Fee	1	ļ	CLO	PE1PR		398.76		ļ		ļ	<u> </u>	ļ <u> </u>		ļ	ļ
		Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amo		İ	CLO	PE1FB	4.91					1		Ì			
		Physical Collocation - Power, 240V AC Power, Single Phase,		$\vdash$	0.0	FLIID	4.51			-				<del> </del>		<del> </del>	<b>†</b>
		per Breaker Amp		<u></u>	CLO	PE1FD	9.84				L		L	L		<u> </u>	<u></u>
		Physical Collocation - Power, 120V AC Power, Three Phase, per			a. o		i <u>.</u>										
		Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per		<del></del>	cro	PE1FE	14.74			<del> </del>	<del>                                     </del>	ļ		<del> </del>	ļ	<del> </del>	ļ
- 1		Breaker Amp		1	CLO	PE1FG	34.06				1			1			
					UEANL,UEQ,		3			1	1	t		† ·	<u> </u>	<b> </b>	T
1	]				UNLDX, UNCNX,							1	1				
					UEA, UCL, UAL, UHL, UDC, UDN,	1			!								
- 1		Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.03	12.30	11.80	6.03	5.44						-
					UEA, UHL, UNCVX,	<del> </del>	<u> </u>	12.00	11.50	0.30	· · · · · · · · · · · · · · · · · · ·	†	<u> </u>	<del>                                     </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>
		Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.05	12.39	11,87	6.39	5.73	<u> </u>		<u> </u>			
- 1					WDS1L,WDS1S,												
1					UXTD1, ULDD1, USLEL, UNLD1,					1	ļ						
					UEPEX UEPDX	1								1	1		
- 1		Physical Collocation -DS1 Cross-Connect for Physical			USL, ULC, UTTD1,												Ī
- 1	1	Collocation, provisioning			UNC1X	PE1P1	1.11	22.03	15.93	6.40	5.79	<u></u>				<u> </u>	L

COLLOCAL	ION - Alabama												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
	· · · · · · · · · · · · · · · · ·	<b>!</b>	├		<del> </del>	Rec		urring		Disconnect				Rates (\$)		T -221111
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	14.16	20.89	15.20	7.38	5.92						<u> </u>
	Physical Cottocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.81	20,89	15.20	7,38	5.92						
	Physical Collocation - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,	DE4E4	4.00	05.55	40.00	0.71							
	Physical Collocation - 4-Fiber Cross-Connect  Physical Collocation - Space enclosure, welded wire, first 100	$\vdash$	<del> </del>	UDF	PE1F4	4.99	25.55	19.88	9.71	8,25	<del> </del>	<del>                                     </del>	<b> </b>			<b>├-</b>
	square feet Physical Collocation - Space enclosure, welded wire, each		<u> </u>	ao	PE1BW	156.33		-		· · · · · · · · · · · · · · · · · · ·					<u>.</u>	
	additional 50 square feet			CLO	PE1CW	15.34			1					İ		1
	Physical Collocation - Security Access System - Security System															
<del></del>	Physical Collocation -Security Access System - New Card			CLO	PE1AX	45.70										
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.05	27.79									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.79									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		22.78					İ		l		1
	Physical Collocation - Security Access - Initial Key, per Key		$\vdash$	CLO	PETAK		13.10			<del></del>				l		<del> </del>
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			cro	PE1AL		13.10									
$\neg$	Physical Collocation - Space Availability Report, per Central		$\vdash$	000	FEIAL	<del></del>	13.10					<del></del>		<del> </del>		<del>                                     </del>
_	Office Requested Physical Collocation - CFA Information Resend Request, per		ļ	cro	PE1SR		1,075.17									4
	premises, per request			CLO	PE1C9		77.58									1
	Physical Collocation - Cable Records, per request			CLO	PE1CR		759.29	488.11	133.00							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		326.92		189.12							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			cro	PE1CO		4.81		5.90							
-	Physical Collocation, Cable Records, DS1, per T1 TIE		_	GLO CLO	PE1C1	-	2.25		2.76				<del></del>	<del></del>		<del></del>
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.88		9.66		<u> </u>		<del>                                     </del>	<del> </del>		<b>——</b>
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			ĊſŎ	PE1CB		84.49		77.13							
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO _	PE1BT		16.93	10.73								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.05	13.86							-	
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.17	16.98			-					
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			Cro	PE1BV		33,00	10.98					-			
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			aro	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			cro	PE1B1		52.00									

COLLOCAT	ION - Alabama												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	înteri m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-		Incremental Charge -	Incrementa Charge -
													1st	Add'l	Disc 1st	Disc Add'i
						Rec		uning		Disconnect				Rates (\$)		
	Physical Collocation - Virtual to Physical Collocation Relocation.	<u> </u>					First	Add'I	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per DS3 Circuit			CITO	PE1B3		52.00							_		
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23.00									İ
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE18S		33.00		_							
	Physical Collocation - Virtual to Physical Collocation in-Place,	-					00.00	-								
	per DS3 Circuit			CLO	PE18E		37.00							_		
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation															
	Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592,00			į						
	Physical Collocation - Co-Carrier Cross Connects/Direct			0.0			552.00								<del> </del>	
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0011									L	
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per lin. ft.			CLO	DC400	0.0040										
	Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	PE1DS	0,0016				<b></b>			-			
	Connect, Application Fee, per application		1	CLO	PE1DT		584.22									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,196.424	42.721								
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs			CLO	PE1EB		18.103									
	Physical Collocation - Fiber Entrance Cable per Cable (CO													<u> </u>		
	manhole to vault splice) Physical Collocation - Fiber Entrance Cable Installation, per			CLO	PE1EC		1,000.913	42,721		-		-		·		
	Fiber Physical Collocation - Application Cost, Simple Augment		L_	CLO	PE1ED		7.241			ļ						
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS PE1KM		594.41 833.47		1.21						<del> </del>	
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,058.00		1.21							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable	1		cro	PE1DU		535.37					-		·	<del></del>	
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -					- 1			-					†	<del></del>	
DJACENT CO	Copper/Coax Cable Support Structure, per cable	!		cro	PE1DV		535.37									
DJACENI CO	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.14				<del></del>				ļ		
_	Adjacent Collocation - Electrical Facility Charge per Linear Ft.				PE1JC	5.41				<u> </u>				<del></del>		
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.02	12.30	11.80	6.03	5.44				-		
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.04	12.39	11,87	6.39	5.73						
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL UEA,UHL,UDL,UCL		1.03 13.95	22.03	15.93	6.40	5.79						
	Adjacent Collocation - 2-Fiber Cross-Connect				PE1F2	2.36	20.89 20.89	15.20 15.20	7.38 7.38	5.92 5.92					<del>                                     </del>	
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.52	25.55	19.86	9.71	8.25				·	<del> </del>	<del></del>
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,576.69		0.51						<del>                                     </del>	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PE1F8	4.91					<u> </u>					
-	per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate		$\vdash$	CLOAC	PE1FD	9.84									<del>                                     </del>	-
	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate		$\vdash$	CLOAC	PE1FE	14,74				<del> </del>				<del> </del>	<del> </del>	-
HVSICAL COL	per AC Breaker Amp		$\square$	CLOAC	PE1FG	34.06				L						
A TOICAL COL	LOCATION IN THE REMOTE SITE Physical Collocation in the Remote Site - Application Fee		$\vdash$	CLORS	PE1RA		307.70		400.00	ļ	<u> </u>					ļ
	Cabinet Space in the Remote Site - Application Fee		<b></b>	CLORS	PE1RA PE1RB	201,42	307,70		168.22	<del>                                     </del>				<del>                                     </del>		-
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD	201,42	13.10							· · · · · · · · · · · · · · · · · · ·		
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested				PE1SR		115.87			<del> </del>					-	<del> </del>

COLLOCAT	ION - Alabama												Attach	ment: 4	Exhi	bit: 8
CATEGORY	RATE ELEMENTS	Interi m	Zone	BC <b>S</b>	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i
			<b></b>	ļ	ļ	Rec	Nonrec		Nonrecurring					Rates (\$)		
	Physical Collocation in the Remote Site - Remote Site CLLI		<del>-</del> -				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Code Request, per CLLI Code Requested			CLORS	PE1RE	1	37.56									İ
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	1	$\vdash$	CLORS	PEIRR	t	233.38				<del> </del>		<del> </del>	<b>i</b>	<del> </del>	
	Physical Collocation - Security Escort for Basic Time - normally		$\vdash$													i
	scheduled work, per half hour			CLORS	PE1BT		16.93	10.73					l			<u> </u>
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour Physical Collocation - Security Escort for Premium Time -			CLORS	PE1OT_		22.05	13,86								
	outside of scheduled work day, per half hour			CLORS	PE1PT		27.17	16.98			ļ			ŀ		
PHYSICAL CO	LLOCATION IN THE REMOTE SITE - ADJACENT	_	t -	020110	· - " ·	<del> </del>	21.17	10.50	<del> </del>		<del>                                     </del>				<b>———</b>	<b></b>
			1												T	
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	1	<u></u>	CLORS	PE1RS	6.27					L				<b></b>	
	D				L											
	Remote Site-Adjacent Collocation - Real Estate, per square foot	<u> </u>	ļ	CLORS	PE1RT	0.134	255.00	200.00			ļ					<del></del>
NOTE:	Remote Site-Adjacent Collocation-Application Fee If Security Escort and/or Add'l Engineering Fees become nec	essant'		CLORS	PE1RU	vill pagetists o	755.62	755.62	<del>                                     </del>				ļ	-	<del> </del>	<del> </del>
VIRTUAL COL	LOCATION	essary .	loi rem	I	Ule Parties 1	Will Hegodale a	ppropriate rate	a.		-	<del> </del>		<b> </b>	<del></del>	<del> </del>	<del> </del>
1	Virtual Collocation - Application Fee	<del> </del>	<del>                                     </del>	AMTES	EAF		1.205.26		0.51		<del>                                     </del>					<b>—</b>
	Virtual Collocation Administrative Only - Application Fee	1	1	AMTFS	VE1AF		742.15									1
	Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX		859,71	_	22.49							
	Virtual Collocation - Floor Space, per sq. ft.			AMTES	ESPVX	3.22										
	Virtual Collocation - Power, per fused amp		<u> </u>	AMTFS	ESPAX	7.83										<del> </del>
	Virtual Collocation - Cable Support Structure, per entrance cable		1	AMTES	ESPSX	14.97								1		1
	Virtual Collocation - 2-wire Cross Connects (loop)			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, UNCVX, UNCDX, UNCNX UEA, UHL, UCL, UDL,		0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation - 4-wire Cross Connects (toop)			UAL, UDN, UNCVX, UNCDX	UEAC4	0.05	12.39	11.87	6,39	5.73						
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.84	20.89	15.20	7,38	5,92						
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4E	5.69	25.55	19.86	9.71	8.25						
<del></del>		<del>                                     </del>	<del> </del>	USL,ULC, ULR,	<u> </u>	5.09	20.00		7,71	0.20					<u> </u>	$\vdash$
	Virtual collocation - Special Access & UNE, cross-connect per DS1			UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1,	CNC1X	1.11	22.03	15.93	6.40	5.79						
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USE, UE3, UTD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.16	20.89	15.20	7.38	5.92						
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable	l		ALTTE	WEACH	0,000								1	l	ĺ
	Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	<del>                                     </del>	$\vdash$	AMTES	VE1CB	0.0026									<del>                                     </del>	<del>                                     </del>
	Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		_	AMTES	VE1CD	0.0038					ļ <u>.</u>	ļ		ļ		<del> </del>
	Support Structure, per cable	<u> </u>		AMTES	VE1CC		535.37				1					<u> </u>

OLLOCA	TION - Alabama													ment: 4		bit: B
							-				Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
	-	l									Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Interi			·						Elec	Manualty	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	m	Zone	BC\$	USOC			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order va
		""			- 1								Electronic-	Electronic-	Electronic-	Electroni
		l	1								l .		1st	Add'l	Disc 1st	Disc Add
			L								l				5.55 .5.	5.007
						Rec	Nonrec			Disconnect				Rates (\$)		
	<u> </u>		<u> </u>			1	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Virtual Collocation - Co-Cerrier Cross Connects - Copper/Coax	l			I							l			1	
	Cable Support Structure, per cable			AMTFS	VE1CE		535.37				ļ	ļ			<u> </u>	ļ
_	Virtual Collocation Cable Records - per request	<b>↓</b>		AMTFS	VE1BA		759.29	488.11	133,00							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable	l			i							1			1	
	record	Ļ		AMTFS	VE1BB	<u> </u>	326,92	326.92	189.12			<b> </b>			<u> </u>	ļ
i	Virtual Collocaiton Cable Records - VG/DS0 Cable, per each	I	1	l	l	l I				1	1	I	1	1	1	İ
	100 pair	Ь—		AMTFS	VE1BC	ļ	4.81		5.90		<u> </u>	ļ			<del> </del>	
	Virtual Collocation Cable Records - DS1, per T1TIE	<u> </u>		AMTES	VE1BD		2.25		2.76		<u> </u>	<u> </u>			ļ <u>.</u>	ļ
	Virtual Collocation Cable Records - DS3, per T3TIE		↓	AMTFS	VE1BE	ļļ	7.88	·	9.66		ļ				ļ	<u> </u>
1	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	l										l				1
	records			AMTFS	VE1BF		84.49		77.13							<u> </u>
_	Virtual collocation - Security Escort - Basic, per half hour	ـــــ		AMTES	SPTBX		16.93	10.73							ļ	↓
	Virtual collocation - Security Escort - Overtime, per half hour	ļ		AMTES	SPTOX		22.05	13,86						L	<u> </u>	L
	Virtual collocation - Security Escort - Premium, per half hour	↓	ļ	AMTFS	SPTPX		27.17	16.98							i	
	Virtual collocation - Maintenance in CO - Basic, per half hour		ļ	AMTFS	CTRLX		27.93	10.73			<u> </u>				<del> </del>	
	Material college Market and a second college of the second college		i	l	l							l			1	
	Virtual collocation - Maintenance in CO - Overtime, per half hour	Ь——		AMTFS	SPTOM		36.47	13.86								
i	Material authorities Malatanana to CO. Deserting and Milatana		i							l	i	Į.				i
<u> </u>	Virtual collocation - Maintenance in CO - Premium per half hour	<u> </u>		AMTFS	SPTPM		45.02	16.98		L	ļ					ļ
	Virtual Collocation - Request Resend of CFA Information, per CLLI	ł	l	l		l i						l				1
771141 00	LLOCATION	Ь—	├	AMTFS	VE1QR		77,56			ļ		ļ				-
TUAL CU			↓													<del> </del>
- 1	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-	i	1	l						l						
	Wire Analog - Res Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-		↓	UEP\$R	VE1R2	0.03	12.30	11.80	6.03	5.44	<del>  </del>					
			1			ا ـــا		44.55		l		ŀ			Ĭ	
	Wire Line Side PBX Trunk - Bus	ļ	Ь	UEPSP	VE1R2	0.03	12.30	_11.80	6.03	5.44					<del></del>	<del> </del>
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire									l						1
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.03	12.30	11.80	6.03	5.44					ļ	ļ
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire				l					l						1
	Analog Bus	L	<u> </u>	UEPSB	VE1R2	0.03	12.30	11.80	6,03	5.44					ļ	1
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire			l	1					1			l			l .
	ISDN			UEPSX	VE1R2	0.03	12.30	11,80	6.03	5.44	<b></b> _	L			<u> </u>	ļ
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	l		l	l						I		l	l		
-	ISDN		<b>—</b>	UEPTX	VE1R2	0.03	12.30	11,80	6.03	5.44	<del> </del>		ļ		L	<b></b>
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire	1				1								l		
<u> </u>	ISDN DS1	<u> </u>		UEPEX	VE1R4	0.05	12.39	11.87	6.39	5.44	J		L	ļ	<u> </u>	<u> </u>
(Note:	Rates displaying an "R" in Interim column are interim and sub	iect to	rate tru	e-up as set forth	in General Tem	is and Conditio	ns.		I	1	1	I	1	1	1	1

COLL	OCAT	ON - Florida												Attach	ment: 4	Exhi	bit: B
ATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Svi Order vs.
	·		m									<b>J</b>	<b>,</b>	Electronic- 1st	Electronic- Add'i	Electronic- Disc 1st	Electronic- Disc Add'i
	<del></del>			<del> </del>		-	Rec	Nonrec First	urring Add'i	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
			<del>                                     </del>	┰				Pirst	Addi	FIISt	Augi	SUMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
HYSIC	CAL CO	LLOCATION							_								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Analog - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	├	├—	UEPSR	PE1R2	0.0276	8.22	7.22		ļ						
		Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0276	8.22	7.22								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOR												
	<del>                                     </del>	Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	├	<del> </del>	UEPSE	PE1R2	0.0276	8.22	7.22			<del> </del>					<del></del>
		Wire Analog - Bus		1	UEPSB	PE1R2	0.0276	8.22	7.22						Į.	1	l
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	<u> </u>	Wire ISDN	<b>↓</b>	<u> </u>	UEPSX	PE1R2	0.0276	8.22	7.22					ļ		ļ	<b>└</b>
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN		l	UEPTX	PE1R2	0.0276	8.22	7.22			1		ł		1	
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-	<b>!</b>									i e					
utveir	AL CO	Wire ISDN DS1	<u> </u>	<b>_</b>	UEPEX	PE1R4	0.0552	8.42	7.36					ļ		ļ	
- n roit	I CO	Physical Collocation - Initial Application Fee	<del>├</del>	-	CLO	PE1BA		2,597.00						<b></b>			<del> </del>
		Physical Collocation - Subsequent Application Fee		<del>                                     </del>	CLO	PE1CA		2,236.00				+		ļ		<u> </u>	<del>                                     </del>
		Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.00						<b></b>			İ
		Physical Collocation - Space Preparation - Firm Order Processing			cro	PE1SJ		288.93									_
		Physical Collocation - Space Preparation - C.O. Modification per	<del>                                     </del>	┝──	CLO	PEIO		200.93				+		-	<del>                                     </del>		
	ļ	square ft.			CLO	PE1SK	2.38										
		Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	92.55										
		Physical Collocation - Cable Installation, Pricing, non-recurring		1	i							1		<u> </u>			
	<del> </del>	charge, per Entrance Cable Physical Collocation - Floor Space, per sq feet	-	_	ao	PE1BD PE1PJ	7.86	1,750.00		45.16		ļ	<b></b>				<del> </del>
_		Physical Collocation - Cable Support Structure, per Entrance	<del>                                     </del>	$\vdash$	<u> </u>	FEIFS	7.00					+	-		<del></del>		<del>                                     </del>
		Ceble			cro	PE1PM	18.96										
		Physical Collocation - Power, -48V DC Power - per Fused Amp			cro	PE1PL	7.80						1				ł
		Physical Collocation - Power Reconfiguration Only, Application Fee	١.					200.40			1			<u> </u>			
	_	Physical Collocation - Power, 120V AC Power, Single Phase,	<del>- '-</del>		CLO	PE1PR_		399.43				1		ļ	-	<del> </del>	<del> </del>
	L	per Breaker Amp			cro	PE1FB	5.38										
		Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	10.77										
		Physical Collocation - Power, 120V AC Power, Three Phase, per						····						<del> </del>			
		Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per			cro	PE1FE	16.15										<u> </u>
		Breaker Amp			cro	PE1FG	37.30										
					UEANL,UEQ,												
	i				UNLDX, UNCNX, UEA, UCL, UAL,								1	1			
					UHL, UDC, UDN.									1			
		Physical Collocation - 2-wire cross-connect, loop, provisioning		ŀ	UNCVX	PE1P2	0.0276	8.22	7.22	5.74	4.58			ł			İ
					UEA, UHL, UNCVX,												
		Physical Collocation - 4-wire cross-connect, loop, provisioning		<u> </u>		PE1P4	0.0552	8.42	7.36	5.90	4.66			ļ		<u> </u>	ļ <u> </u>
					WDS1L,WDS1S, UXTD1, ULDD1,								1				
					USLEL, UNLD1,								1				1
				1	UEPEX, UEPDX,									1			
		Physical Collocation -DS1 Cross-Connect for Physical	1		USL, ULC, U1TD1,								!				1
		Collocation, provisioning			UNC1X	PE1P1	1.32	27,77	15.52	5.93	4.77	1	L	L	L	<u> </u>	L

COLLOCAT	TION - Florida													ment: 4		bit: B
												Svc Order			Incremental	Incremental
		1										Submitted	Charge -	Charge -	Charge -	Charge -
04TF00DV	DATE EL CAPACA	Interi	l					DATES (8)			Elec	Manually	Manual Svc		Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	l m	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											l .		Electronic-	Electronic-	Electronic-	Electronic-
		l									Ĭ		ist	Add'i	Disc 1st	Disc Add'i
	<del></del>		<del> </del>			<del></del>	<b>N</b>	<del></del>		61			000	D-4 (\$)	l	<u> </u>
	<del></del>	<del>├</del>	<u> </u>	<u> </u>	ļ	Rec		urring	Nonrecurring		601150			Rates (\$)	SOMAN	SOMAN
		<del> </del>		UE3,U1TD3,			First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SUMAN	SUMAN	SUMAN
		ì		UXTD3, UXTS1,	1						1	1				
- 1		l	ł	UNC3X, UNCSX,							1	l			!	1
1		i		ULDD3.	1										1	i
			1	U1TS1,ULDS1.	l i				l		1				}	i
	Physical Collocation - DS3 Cross-Connect, provisioning		1	UNLD3	PE1P3	16.81	25,48	14.05	7.77	5.01					l	l
	1 Type of the stat	<del>                                     </del>	<del>-</del>	CLO, ULDO3.	12.70		20.70	14.00		0.01	<b>†</b>	<del> </del> -	<del></del>	· · · · · · · · · · · · · · · · · · ·		
1		1		ULD12, ULD48,							i					l .
		ļ		U1TO3, U1T12,	1	1			l i							1
		l		U1748, UDLO3,		1							ŀ			
1	Physical Collocation - 2-Fiber Cross-Connect	l		UDL12, UDF	PE1F2	3.34	41.94	30.52	13.91	11.16	1					
		T -	$\vdash$	ULDO3, ULD12,	<u> </u>				12.201		<del> </del>	<del> </del>		<u> </u>		1
1		l	1	ULD48, U1TO3,		l l									i	1
1		l	1	U1T12, U1T48,							1	1		l		1
ĺ				UDLO3, UDL12,		l !			1				ļ	İ		
	Physical Collocation - 4-Fiber Cross-Connect		l	UDF	PE1F4	5.92	51.30	39.87	18.29	15.54	l		1	l		
	Physical Collocation - Space enclosure, welded wire, first 100							_								1
	square feet		l	CLO	PE1BW	189,45								·		
	Physical Collocation - Space enclosure, welded wire, each		Ī			I I	,		i -					1		
	additional 50 square feet			CLO	PE1CW_	18.58		_			<u> </u>		<u> </u>	l		ļ
	Physical Collocation - Security Access System - Security System	ıl .														
	per Central Office	ــــــ	ļ	Cro	PE1AY	0.0105					1	ļ	<b></b>	<b></b>		<b>!</b>
	Physical Collocation -Security Access System - New Card												1	i		1
	Activation, per Card Activation (First), per State	<b>├</b> ─-	ļ	CLO	PE1A1	0,0577	55.80				ļ			ļ		
	District College Co. D. Assess C. d. Al. Lin B.				l i	1 1			1					Į.		
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card		ł	CLO		ł l	45.05		į.				1	1		
<del></del>	Physical Collocation - Security Access System - Replace Lost or	├	-	CLO	PE1AA		15.65				<del> </del>	<del> </del>	<del> </del>			
1	Stolen Card, per Card			cro	PE1AR	1 1	45.75					1				
	Physical Collocation - Security Access - Initial Key, per Key	<del>                                     </del>	├	CLO	PETAK	<b>—</b>	26.30					<del> </del>	<del> </del>	<del>                                     </del>	-	
-	Physical Collocation - Security Access - Key, Replace Lost or	<del>                                     </del>	├	OLO .	I LIA		20.50				ļ		<del>                                     </del>	<del> </del>		<del> </del>
	Stolen Key, per Key	l	ŀ	CLO	PE1AL	1 1	26.30									l .
	Physical Collocation - Space Availability Report, per Central	├──	╁──	000	i circ		20.00				<del> </del>		<del> </del>	<del></del>		<del></del>
	Office Requested			CLO	PE1SR		2,159.00		i							
	Physical Collocation - CFA Information Resend Request, per	<b></b>	<b>†</b>		1										-	
I	premises, per request	I		cro	PE1C9		77.54							!		1
	Physical Collocation - Cable Records, per request			CLO	PE1CR		1,525.00	980.22	267.08							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable															
	record (maximum 3600 records)	<u></u>	<u></u>	cro	PE1CD		656.50		379.78			<u></u>		1		L
	Physical Collocation, Cable Records, VG/DS0 Cable, per each													1		
	100 pair	Щ.		CLO	PE1CO		9.66		11.84		ļ	L	ļ		L	<b>└</b>
	Physical Collocation, Cable Records, DS1, per T1 TIE		$\Box$	CLO	PE1C1		4.52		5.54			L		ļ		<b></b>
	Physical Collocation, Cable Records, DS3, per T3 TIE	L	ļ	CLO	PE1C3		15.82		19.40				<b></b>	1	<b></b>	<b> </b>
ı	Physical Collocation - Cable Records, Fiber Cable, per cable	I	]	l	l=====				ا ــــا	l		1		1	ł	1
	record (maximum 99 records)	-		CLO	PE1CB	ļI	169.67		154.89		<del> </del>	ļ	<b></b>	<del> </del>	ļ	<del> </del>
ı	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour		1	cro	PE18T		16.52	10.83			1	1		1	1	1
	Physical Collocation - Security Escort for Overtime - outside of	<del> </del>	├	loro.	PE 18 [	ļ———	16.52	10.83	ļ		<del> </del>	<del> </del>	<del> </del>	<del></del>	<del> </del>	<del> </del>
	normally scheduled working hours on a scheduled work day.								[		1		ł	1		ļ.
ı	per half hour		1	CLO	PE1OT		21.92	14.19	ŀ	I	1	1		1	I	1
	Physical Collocation - Security Escort for Premium Time -	<del> </del>	<del>                                     </del>	1-2-	<del>  </del>		21.02	1-7.13		-	<del>                                     </del>	<del> </del>	f	<del>                                     </del>	<del> </del>	<del>                                     </del>
I	outside of scheduled work day, per half hour	1	1	CLO	PE1PT	[	27.31	17.55		I	1	1		1	I	
<del></del>	Physical Collocation - Virtual to Physical Collocation Relocation,		<del> </del>	<del> </del>	<del>  -:: : -  </del>	<del> </del>	2.,01				<del>                                     </del>	<del> </del>	<del>                                     </del>	1		1
İ	per Voice Grade Circuit			CLO	PE1BV	i I	33.00		ļ	I	1	1		1	I	
	Physical Collocation - Virtual to Physical Collocation Relocation,	<u> </u>	t		T						1	<del>                                     </del>	1	1	1	
	per DSO Circuit	1	1	Cro	PE1BO	) I	33.00				ŀ			1	L	
	Physical Collocation - Virtual to Physical Collocation Relocation,								T			T -	-	1		
1	per DS1 Circuit	1 . i	i	ICLO	PE1B1	1	52.00	l		ļ .	ŀ	I	I	1	I	1

COLLOCA	rion - Florida		,											ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonre	urring		Disconnect				Rates (\$)		
						Kec	First	Addil	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit	<u></u>		cro	PE183		52,00									
	Physical Collocation - Virtual to Physical Collocation tn-Place, Per Voice Grade Circuit	ı		cro	PÉ1BR		23.00	_								
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit	1		cro	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation in-Place, Per DS1 Circuit	1		CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit	1		CLO	PE1BE		37.00			_						
	Physical Collocation - Virtual to Physical Collocation In-	<del></del>		020			0,,00									
	Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable pairs or fraction thereof	,		CLO	PE187		592.00								ļ	
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear ft.			cro	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect- Copper/Coax Cable Support Structure, per lin. ft.			cro	PE1DS	0.0014										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			cro	PE1DT		584,11									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,169.133	42.712		_						
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs			CLO	PE1EB		18.009									
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC		973.681	42,712								
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.24									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable	1		CLO	PE1DU		535.54									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per cable			Cro	PE1DV		535.54							-		Ŀ
ADJACENT C	OLLOCATION	<del>-</del>		<u>ULU</u>					<del>  -</del>		i i		1			T
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0,1635										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.				PE1JC	5.11							<u> </u>		<u> </u>	
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.0213	24.69	23.69	11.77	10.62			<u> </u>			₩
<del> </del>	Adjacent Collocation - 4-Wire Cross-Connects Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL UEA,UHL,UDL,UCL		0,0426 1,22	24.88 44.24	23.83 31.98	12.04 12.07	10.80		<del> </del>	<del> </del>	<del> </del>	<del> </del>	+
	Adjacent Collocation - DS1 Cross-Connects	<del>                                     </del>		UEAUHLUDLUCL		16.56	41.94	30.52		11.15			<del> </del>	<u> </u>	<del> </del>	+
<del></del>	Adjacent Collocation - 2-Fiber Cross-Connect		-	CLOAC	PE1F2	2.81	41,94	30.52		11.16					1	<del> </del>
	Adjacent Collocation - 4-Fiber Cross-Connect	<del></del>		CLOAC	PE1F4	5.36	51.30	39.87		15.54			<b>†</b>	† <del>" -</del>	1	1
1	Adjacent Collocation - Application Fee			CLOAC	PE1JB		2,785.00		1		1			1	1	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.38										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.77										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.30										
	Adjacent Collocation - Cable Support Structure per Entrance Cable			CLOAC	PE1PM	18.96										
PHYSICAL CO	OLLOCATION IN THE REMOTE SITE	<del></del>	<b></b>			12320			1		1	<u> </u>	1		<del> </del>	T
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		617,91		328.81	r	T.	T	I	I	I	
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	219.49					1 -					
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.30									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.69									

COLLOCA	TION - Florida												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge -	incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
- T. T						Rec	Nonrec			g Disconnect				Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI	1					75.44			i			ļ	1		
<del>  </del>	Code Request, per CLLI Code Requested Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	<b>├</b>	<del></del>	CLORS	PE1RE PE1RR		75.41 233,51			<b></b>	-	<b>-</b>	<b> </b>			<del> </del>
	Physical Collocation - Security Escort for Basic Time - normally	┼	+-	OLONG	FLIM		200,01			<del> </del>		<del>                                     </del>	<u> </u>			
1	scheduled work, per half hour	l		CLORS	PE1BT		16.52	10.83		i						
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT		21,92	14.19								
1	Physical Collocation - Security Escort for Premium Time -				l									ļ		
PHYSICAL C	outside of scheduled work day, per half hour OLLOCATION IN THE REMOTE SITE - ADJACENT	├	<del>!                                    </del>	CLORS	PE1PT	<del> </del>	27,31	17,55	<del></del>	<del> </del>	+	<del> </del>	<del> </del>	<del></del>	<del> </del>	<del></del>
I	VELOVATION IN THE REMOTE SHE - AWAVER!	<del> </del>	+	<del>                                     </del>	<del> </del>	<del> </del>			<del> </del>	†	1		t		t	
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27			<del> </del>	<u> </u>	<u> </u>			ļ		
-	Remote Site-Adjacent Collocation - Real Estate, per square foot		<del> </del>	CLORS	PE1RT_	0.134				ļ	<b></b>	ļ	ļ	ļ	ļ	<b>_</b>
H-	Remote Site-Adjacent Collocation-Application Fee E: If Security Escort and/or Add'l Engineering Fees become nec	<u> </u>	<u> </u>	CLORS	PE1RU		755.62	755.62	ļ	ļ	<del> </del>			<b>-</b>	<del> </del>	<del> </del> -
	e: ir Security Escort and/or Add i Engineering Fees become nec PLLOCATION	essary	LOL LEW	iote site collocation,	the Parties	wiii negotiate a	ppropriate rate	15.	<del>                                     </del>	<del> </del>	1		<del> </del>	<del> </del>	<del> </del>	<del> </del>
1	Virtual Collocation - Application Fee	<b>†</b>	1	AMTES	EAF	1	4,122.00	1,249.00		<del> </del>	1	<del></del>	<del> </del>			
	Virtual Collocation Administrative Only - Application Fee	1		AMTES	VE1AF		742.00									
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX	12.45	965,00								<b>└</b>	ļ
	Virtual Collocation - Floor Space, per sq. ft.	ļ	<del>↓</del>	AMTES	ESPVX	4.25					-			<del> </del>	ļ	<del> </del>
<del></del>	Virtual Collocation - Power, per fused amp  Virtual Collocation - Cable Support Structure, per entrance	╁	+	AMTES	ESPAX	6.95		-		<del></del>	1		1	<del> </del>		<del> </del>
	cable			AMTES	ESPSX	13.35								ł		
	Virtual Collocation - 2-wire Cross Connects (Icop)			UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U EQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0502	11.57									
	Virtual Collocation - 4-wire Cross Connects (loop)			UEĄUHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC4	0,0502	11.57									
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	6.71	2,431.00									
				UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3,												
<del></del>	Virtual Collocation - 4-Fiber Cross Connects	<del> </del>	+	ULD12, ULD48, UDF USL,ULC, ULR,	CNC4F	6.71	2,431.00		+	<del> </del>	+	<del> </del>	<del>                                     </del>	<del>                                     </del>	+	<del> </del>
	Virtual collocation - Special Access & UNE, cross-connect per DS1			UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	7.50	155.00	14.00								
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83								
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable				VE405					]	1					
	Support Structure, per linear foot  Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax  Cable Support Structure, per linear ft			AMTFS AMTFS	VE1CB	0,0028				<del>                                     </del>	<del>                                     </del>	<b></b>		-	1	
<del></del>	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable	<b>-</b>		AMTES	VE1CC	0.0041	535.54		<del> </del>				1			

OLLOCAT	rion - Florida													ment: 4		ibit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	į		RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs Electroni Disc Add
		⊢—	├	<del></del>			Nonrec	urdna	Nonneumine	Disconnect			OSS	Rates (\$)	L	ь
	<del></del>	<del> </del>	┼		<del></del>	Rec	First	Addil	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	<del> </del>	1		<del></del>	i	11101	Auu	• 11.41	- Aug I	100,,,,,,	COMPAN	COMPAC		<del></del>	<del></del>
l l	Cable Support Structure, per cable		ı	AMTES	VE1CE		535.54									
	Virtual Collocation Cable Records - per request	<del>                                     </del>	-	AMTFS	VE1BA		1,525,00		267.08		†	1				1
$\neg$	Virtual Collocation Cable Records - VG/DS0 Cable, per cable		_		1		.,,				1					1
	record		ı	AMTES	VE1BB	l	656.50		379.78	ł	1					
$\neg$	Virtual Collocation Cable Records - VG/DS0 Cable, per each		<b></b> -			1					1					
- 1	100 pair		ı	AMTFS	VE1BC		9.66		11.84		J					
$\neg$	Virtual Collocation Cable Records - DS1, per T1TIE	$\overline{}$	1	AMTFS	VE1BD		4.52		5.54		1					
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.82		19.40							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber													1		İ
1	records		1	AMTFS	VE1BF	il	169.67		154.89							
	Virtual collocation - Security Escort - Basic, per quarter hour			AMTES	SPTBQ		10.89				ļ. <u></u>	ļ				
		1							1	[	1	Ì				ļ
	Virtual collocation - Security Escort - Overtime, per quarter hour	1		AMTFS	SPTOQ		13.64				.	ļ		<u> </u>		
											[		i	ł	l	
	Virtual collocation - Security Escort - Premium, per quarter hour	<u> </u>		AMTES	SPTPQ		16,40		ļ		<b>-</b>	ļ				┿
	Virtual Collocation - 2-wire Cross Connects (loop), per ckts		<b></b>	AMTES	VE1R2	0.05	11.57				<del></del>	<b>!</b>			<del> </del>	┼
_	Virtual Collocation - 4-wire Cross Connects (loop), per ckts	ــــــ	<del> </del>	AMTES	VE1R4	0.05	11.57				<b>!</b>				<del> </del>	+
	Virtual Collocation - DS-1/DCS Cross Connects, PER CKTS	<del>                  _       _     _</del>	—	AMTFS	VE11S	8.09	69.64									
	Virtual Collocation - DS-1.DSX Cross Connects, PER CKTS	<u> </u>		AMTES	VE11X	0.41	69.64		ļ <u>.                                    </u>		-					+
_	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT		<b>↓</b>	AMTFS	VE13S	59.67	528.00				-				ļ	+
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT	<b>└</b>	<b>├</b>	AMTFS	VE13X	10.06	528.00					<del></del>	<del> </del>		<del>                                     </del>	+
		ł					40.00								i	
_	Virtual collocation - Maintenance in CO - Basic, per quarter hour Virtual collocation - Maintenance in CO - Overtime, per quarter	—	₩	AMTFS	SPTRE	-	10.89				+			ł	<del>                                     </del>	+
	hour		1	AMTES	SPTOE		13.64									i .
<del></del>	Virtual collocation - Maintenance in CO - Premium per guarter	1	╌	PMIFO	JOF TOE	<del></del>	10.04					l · · · · · ·		<del>                                     </del>	<del>                                     </del>	+
	hour		1	AMTES	SPTPE	l i	16,40		l					ł		
_	Virtual Collocation - Request Resend of CFA Information, per	1	+	AMIT O	JOI II L	1	10.40				+	<del> </del>	-	<del> </del>		
1	CLLI		1	AMTES	VE1QR		77.54					l				
TUAL COL	LLOCATION	<del>                                     </del>	<del>1 -</del>	1	1.2.2						1	<del>                                     </del>	i	1	1	1
1	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-	<del>                                     </del>	_	<del> </del>		t					1					
	Wire Analog - Res		1	UEPSR	VE1R2	0.0502	11.57	11.57	į.			1		ľ		
$\dashv$	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-	<del>                                     </del>	1													
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0502	11.57	11.57	l					<u> </u>	l .	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		<b>1</b>		- <del> </del>										1	
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0502	11.57	11.57							<u> </u>	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire														1	
	Anatog Bus			UEPSB	VE1R2	0.0502	11.57	11.57					1	<u> </u>	<u> </u>	↓
T	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire												1			1
	ISDN		<u></u>	UEPSX	VE1R2	0.0502	11.57	11.57	L					ļ	ļ <u> </u>	<u> </u>
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0,0502	11.57	11.57								
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire	1	T									1				
	ISDN DS1		1	UEPEX	VE1R4	0.0502	11.57	11.57			L	<u> </u>	L	L	<u> </u>	
	Rates displaying an "R" in Interim column are interim and sul	•	• • •			<del></del>							1			1

COLLOCAT	ON - Georgia													ment; 4		bit: B
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC	RATES (\$)						Svc Order Submitted Manually per LSR	Charge - Char Manual Svc Manual Order vs. Orde Electronic- Electr	Incremental Charge - Manual Svo Order vs. Electronic- Add'i	harge - nual Svc rder vs. ectronic- Add'i Charge - Manual Svc Order vs. Electronic- Disc 1st	
						Rec	Nonrecurring		Nonrecurring		001450	SOMAN			SOMAN	SOMAN
		<b></b>	-				First	Add'l	First	Add'l	SUMEG	SUMAN	SUMAN	SOMAN	SUMAN	JOWAN
PHYSICAL CO	LLOCATION								-				l			
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res	1		UEPSR	PE1R2	0.30	12.60	12.60								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus	ı		UEPSP	PE1R2	0,30	12.60	12.60								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res	1		UEPSE	PE1R2	0.30	12.60	12,60								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus	1		UEPSB	PE1R2	0,30	12.60	12.60								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN	ı		UEPSX	PE1R2	0.30	12.60	12.60							<u> </u>	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN	ı		UEPTX	PE1R2	0.30	12.60	12.60								ļ
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	0.50	12,60	12.60							ļ	<u> </u>
PHYSICAL CO							1.005.00		0.50							——
<del></del>	Physical Collocation - Initial Application Fee Physical Collocation - Subsequent Application Fee	<del> </del>		CLO	PE1BA PE1CA	<del> </del>	1,285.98 1.085.48		0,59 0,59							+
	Physical Collocation Administrative Only - Application Fee	<del> </del>		CLO	PE1BL		740.83		0.00							†
	Physical Collocation - Space Preparation - Firm Order Processing			Cro	PE1SJ		141.10									
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.01										
	Physical Collocation - Space Preparation, Common Systems Modifications-Cegeless, per square foot			cro	PE1SL	2.23										ļ
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			сго	PE1SM	75.61										
	Physical Collocation - Cable Installation, Pricing, non-recurring charge, per Entrance Cable	<u> </u>		cro	PE1BD	4.50	736.93		21.51							ļ
	Physical Collocation - Floor Space, per sq feet Physical Collocation - Cable Support Structure, per Entrance			aro	PE1PJ	4.52			<del></del>		<del>                                     </del>			<del>                                     </del>		+
	Cable			сго	PE1PM	7,21			-				ļ			<del> </del>
	Physical Collocation - Power, -48V DC Power - per Fused Amp Physical Collocation - Power Reconfiguration Only, Application			сго	PE1PL_	4.78				<u> </u>			-			<del> </del>
	Fee	1		CLO	PE1PR		398.80			]						
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.14										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			cro	PE1FD	10.30					<u> </u>					
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp	L		cro	PE1FE	15.44										1
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp	<u> </u>		CLO	PE1FG	35.65									<b></b>	<u> </u>
				UEANL, UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning		i	UNCVX UEA, UHL, UNCVX,	PE1P2	0.0197				<del>                                     </del>			<del>                                     </del>			+
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL WDS1L,WDS1S,	PE1P4	0.0393					-					-
	Physical Collocation -DS1 Cross-Connect for Physical		l	UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1,												
1	Collocation, provisioning		$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	UNC1X	PE1P1	0,3726			L	l	L	L		<u> </u>	<u> </u>	

COLLOCAT	FION - Georgia													ment: 4		bit: 8
												Svc Order		incremental	Incremental	Incremental
			l i		1 !						Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi		•							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
				į	i l								Electronic-	Electronic-	Electronic-	Electronic-
					L I						1		1st	Add'l	Disc 1st	Disc Add'l
											1				3.00 701	
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
						rec	First	Add'l	First	Add'l	SOMEÇ	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3,										1		
ı				UXTD3, UXTS1,											ľ	
ı				UNC3X, UNCSX,						1	i					ŀ
ı				ULDD3,	1					ĺ	1	1	l			1
ı			ł	U1TS1,ULDS1,	1						1	Ì				1
I	Physical Collocation - DS3 Cross-Connect, provisioning		L	UNLD3	PE1P3	4.06										
				CLO, ULDO3,	1						1					
l				ULD12, ULD48,						l .	Į.		į.		ŀ	
				U1TO3, U1T12,					Į.	Į.				Į	•	1
				U1T48, UDLO3,									i		1	}
	Physical Collocation - 2-Fiber Cross-Connect	l		UDL12, UDF	PE1F2	1.72		_			I					<u> </u>
T		I -	I —	ULDO3, ULD12,										I		
l l		l		ULD48, U1TO3,	1						1	1	1	I	I	1
l		l		U1T12, U1T48,								1	1	1	i	1
		}	l	UDLO3, UDL12,	1			1				I		1		1
	Physical Collocation - 4-Fiber Cross-Connect		<u></u>	UDF	PE1F4	3.30								L		ļ
	Physical Collocation - Space enclosure, welded wire, first 100		1								1	l		1		
	square feet			CLO	PE18W	160.45										
T I	Physical Collocation - Space enclosure, welded wire, each						_									I
	additional 50 square feet		L	Cro	PE1CW	15.74			<u> </u>							
	Physical Collocation - Security Access System - Security System										1	l				
	per Central Office, per Sq. Ft.			CLO	PE1AY	0.0106						<u> </u>	L			
	Physical Collocation -Security Access System - New Card	1								f	i	l				
	Activation, per Card Activation (First), per State			CLO	PE1A1		22.00		1		<u> </u>	<u> </u>	ļ			
	Physical Collocation - Security Access System - New Access								1			Í	1			1
	Card Deactivation, per Card			CLO	PE1A4		8.72	8.72					<u> </u>			ļ
ı				İ	1	i			1		1	İ			1	1
ı	Physical Collocation-Security Access System-Administrative								i		i			l		
	Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		5.38		ļ				<u> </u>	<del>!</del>		
ı	Physical Collocation - Security Access System - Replace Lost or		l					1	1		1				Į.	
	Stolen Card, per Card		<u> </u>	CLO	PE1AR		17.01		ļ	<u> </u>				ļ		<del>                                     </del>
	Physical Collocation - Security Access - Initial Key, per Key		<u> </u>	CLO	PE1AK		13.20	ļ	ļ	ļ	ļ		ļ	<b> </b> -	<u> </u>	<b></b>
ı	Physical Collocation - Security Access - Key, Replace Lost or		l						1	1		1			1	1
	Stolen Key, per Key		<b>!</b>	CLO	PE1AL		13.20	<u> </u>	<del> </del>	<del> </del>		<del></del>	ļ	ļ	ļ	<del></del>
I	Physical Collocation - Space Availability Report, per Central	l	1	0.0	DE465			1	1	1	1		1	1		I
	Office Requested	<u> </u>	├	CLO	PE1SR		248.75	<b></b>	<del>                                     </del>	<del>                                     </del>			<del>                                     </del>	<del> </del>	<del>                                     </del>	<del> </del>
I	Physical Collocation - CFA Information Resend Request, per	1	1	la o	DE400	l l	<b>44</b> /0	1	1	1			1	ŀ		1
	premises, per request		$\vdash$	CLO	PE1C9		77.42	470.00	405 75	<del>                                     </del>	<del>-</del>	-	<del>├</del>	$\vdash$	<del>                                     </del>	<del> </del>
<del></del>	Physical Collocation - Cable Records, per request	<del> </del>	├	Cro	PE1CR		743.65	478.06	125.75	<del> </del>	<del></del> -		<del> </del>	-	<del> </del>	+
I	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)		1	CLO	PE1CD		317.60	l	177.77	1	1		1	1	1	1
	Physical Collocation, Cable Records, VG/DS0 Cable, per each	<del>-</del>	₩	LCLU	PETCO		317.60		111.11	├──	<del> </del>		<del>                                     </del>	<del> </del>	<del>                                      </del>	+
l	Physical Collocation, Cable Records, VG/DSU Cable, per each	l		CLO	PE1CO		4.48	l	5.30	1		1	1	1	ŀ	1
<del></del>	Physical Collocation, Cable Records, DS1, per T1 TIE	<del>                                     </del>	├	CLO	PE1C0		2,22	<del>                                     </del>	2.63		+	<del> </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>	+
	Physical Collocation, Cable Records, US1, per 11 TIE  Physical Collocation, Cable Records, DS3, per T3 TIE	<del></del>	├	ICLO	PE1C3		7.76	<del> </del>	9,19		+	<del>                                     </del>	<del> </del>	<del>                                     </del>	<del> </del>	+
<del></del>	Physical Collocation - Cable Records, Dss, per 13 fig.	$\vdash$	$\vdash$	,	1, 1, 103		1.10	<del> </del>	+ ····	<del> </del>	+	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>
I	record (maximum 99 records)		l	CLO	PE1CB		83.45	l	73.57	1			1	1	1	1
	Physical Collocation - Security Escort for Basic Time - normally	<del>-</del>	<del>                                     </del>	-	1. = 100		00.40	<del>                                     </del>	1 ,0.07	<del> </del>			<del> </del>	<del>                                     </del>	t	1
- 1	scheduled work, per half hour	l	l	CLO	PE1BT		16.52	10.83		1		1	1	i	1	1
	Physical Collocation - Security Escort for Overtime - outside of	<del> </del>	$\vdash$	<del> </del>	7 = 101		10.02	.3.03	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del>1</del>	1	1
' I	normally scheduled working hours on a scheduled work day,	l	1	l	I			I		1		1	1	1		1
- 1	per half hour	l	1	CLO	PE1OT		21.92	14.19		1		1		1		1
	Physical Collocation - Security Escort for Premium Time -	<del> </del>	<del>                                     </del>	<del> </del>	1 10.		21,02	17.15	<del>                                     </del>	<del>                                     </del>	-	<b>†</b>	<del>                                     </del>	<del> </del>	<del>                                     </del>	1
- 1	outside of scheduled work day, per half hour	l	1	CLO	PE1PT		27.31	17.55		1		1	1	1		1
<del></del>	Physical Collocation - Virtual to Physical Collocation Relocation,	<del> </del>	<del>                                     </del>		<del> </del>	<del>                                     </del>	21.01	17.55	<del>                                     </del>	†	+	<del>                                     </del>	<del>                                     </del>	1	<u> </u>	i -
- 1	per Voice Grade Circuit			CLO	PE1BV		33.00					1		1	į.	1
<del>-  -</del>	Physical Collocation - Virtual to Physical Collocation Relocation,		$\overline{}$	<del></del>	+	1		<del>                                     </del>	1	<del></del>	1		1	1	† <u>-</u> -	T
			1	CLO	PE1BO		33.00			1		1	1	1	1	

COLLOCA	TION - Georgia												Attach	ment: 4	Exhi	bit: B
		<u> </u>				1					Svc Order	Svc Order	Incremental		Incremental	
		]	1 1								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	li								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	""	1								1	Ι΄.	Electronic-	Electronic-	Electronic-	Electronic-
			1								i	1	1st	Add'l	Disc 1st	Disc Add'i
		ļ	L						·		ļ	L				l
			$\vdash$			Rec		curring		Disconnect	L			Rates (\$)	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,		ļ				First	Addil	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
	per DS1 Circuit			cro	PE1B1		52.00			1	1					
	Physical Collocation - Virtual to Physical Collocation Relocation.	<b>.</b>	┝	<u>cto</u>	PEIDI	<del></del>	52.00			<del> </del>	+	<b></b>			<del></del>	
	per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,		$\vdash$	<del></del>	1 2:50											
	Per Voice Grade Circuit			CLO	PE1BR		23.00		i	l		<b> </b>				1
	Physical Collocation Virtual to Physical Collocation In-Place, Per	ĺ	1								<del>                                     </del>					1
L_	DSO Circuit			CLO	PE1BP		23.00	L								
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit			CLO	PE1BS	1	33.00									l
Ì	Physical Collocation - Virtual to Physical Collocation in-Place,		1		L			İ	1		1		1			1
	per DS3 Circuit	<u> </u>	$\vdash$	CLO	PE1BE	ļ	37.00	<b> </b>	ļ	ļ	ļ	<b> </b>	ļ	ļ	<del></del>	<del>├</del>
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation	l			1	1		l			1	l	l	l	1	
	Space, per 700 cable pairs or fraction thereof	1		cro	PE187		592.00			:	i		i		l	1
	Physical Collocation - Co-Carrier Cross Connects/Direct		-		PEIBI		592.00				1	<del></del>			<del>                                     </del>	<del>                                     </del>
	Connect - Fiber Cable Support Structure, per linear ft.	1		CLO	PE1ES	0.001					1		!			
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		i	0.0	1 -1-0	- 0.001		_	<b>-</b>		<del> </del>					<u> </u>
ı	Copper/Coax Cable Support Structure, per lin. ft.		1 (	CLO	PE1DS	0.0015			ŀ		į.					
	Physical Collocation - Co-Carrier Cross Connects/Direct		$\vdash$		12.55	0.00.0									i	h
	Connect, Application Fee, per application		1 1	CLO	PE1DT		583.18		l							l
1	Physical Collocation - Copper Entrance Cable per Cable (CO											1				
	manhole to vault splice)			CLO	PE1EA		1,198.43	42.645			l		<u> </u>			<u> </u>
1	Physical Collocation - Copper Entrance Cable Installation, per								1					I		
	100 Pairs		$\sqcup$	CLO	PE1EB		18.071						ļ			<u> </u>
	Physical Collocation - Fiber Entrance Cable per Cable (CO			a. a			4 000 000					ŀ				ł
<del></del>	manhole to vault splice)  Physical Collocation - Fiber Entrance Cable Installation, per		$\vdash$	CLO	PE1EC		1,003.267	42.645			<del> </del>				<b>-</b>	<del> </del>
	Fiber Entrance Cable Installation, per		1	CLO	PE1ED	1	7.228									ŀ
<del></del>	Physical Collocation - Application Cost, Simple Augment	<del> </del>		CLO	PE1KS		594.05		1,21		+				<del> </del>	<del>                                     </del>
<del></del>	Physical Collocation - Application Cost, Minor Augment		╁──┤	CLO	PE1KM		832,95	<del></del>	1,21	<b></b>	1				<del> </del>	<del> </del>
	Physical Collocation - Application Cost, Intermediate Augment		<del> </del>	CLO	PE1K1		1,057.00	· · · · · · · · · · · · · · · · · · ·	1,21		1	<del> </del>	_	<del></del> -		<b>†</b>
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	<b>!</b>					.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				† · · · · · ·					<b></b>
	Fiber Cable Support Structure, per cable	1	] ]	CLO	PE1DU		553.43		1		1					l
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	-							l						1	
	Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		553.43				J				l	<u> </u>
	Physical Collocation, Entrance Cable Support Structure,													l	1	1
	Copper, per each 100 pairs or fraction thereof (CO Manhole to	Ι.			İ			l						í	1	1
	Frame)	<del></del>		cro	PE1EE	0.2629					<del>↓</del>		<b>├</b>	<del></del>	<del>                                     </del>	<del> </del>
	Physical Collocation, Entrance Ceble Installation, Copper, per Cable (CO Manhole to Frame)	١.		CLO	PE1EF		755.15	l	21.51					1	1	I
	Physical Collocation, Entrance Cable Installation, Copper, per	⊢-		ш	reitr	<b></b>	/00.15	<del> </del>	21.51	-	<del> </del>			<del></del>	<del> </del>	<del> </del>
	each 100 pairs or fraction thereof (CO Manhole to Frame)	Ι.		CLO	PE1EG		9.12	l	l		1				1	I
ADJACENT C	COLLOCATION	<del> '</del>		<u> </u>		<del>                                     </del>	3.12	<del> </del>	<del>                                     </del>		+		<b>†</b>		<del> </del>	1
1	Adjacent Collocation - Space Charge per Sq. Ft.	<del> </del>	$\vdash$	CLOAC	PE1JA	0.164		<del> </del>		t	1		i e		i	i —
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.	i	1	CLOAC	PE1JC	4.01		i	·		1		1	[	Î	1
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.0172										
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.0344										ļ
	Adjacent Collocation - DS1 Cross-Connects			UEAUHLUDLUCL		0.3608						L				I
	Adjacent Collocation - DS3 Cross-Connects	L	]	UEAUHLUDLUCL		4.73					<u> </u>			<b></b>	<b> </b>	<b></b>
	Adjacent Collocation - 2-Fiber Cross-Connect	L	╙	CLOAC	PE1F2	1.68		ļ <u>.</u>	<b> </b>		<b> </b>		ļ	ļ	ł	
	Adjacent Collocation - 4-Fiber Cross-Connect	<u> </u>	$oldsymbol{\sqcup}$	CLOAC	PE1F4	3.24	4 666 75	L	V0.55	<del></del>	<del> </del>		<del>                                     </del>	<del></del>	ļ	<del>                                     </del>
<del></del>	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate	—		CLOAC	PE1J8		1,382.19	<del> </del>	0.50	<del></del>	<del>- </del>	<del> </del>		<del> </del>	<del> </del>	<del> </del>
1	per AC Breaker Amp	l		CLOAC	PE1FB	5.14		l	ĺ					1		1
<del></del>	Adjacent Collocation - 240V, Single Phase Standby Power Rate	<del> </del>	<del>  </del>	<u>ULUNU</u>	FEIFD	0,14		<del></del>	$\vdash$	<del>                                     </del>	+	<del> </del>	<del>                                     </del>	<del>-</del>	<del> </del>	<del> </del>
	per AC Breaker Amp	l		CLOAC	PE1FD	10.30		l	l		1			1	1	1
<del>-  </del>	Adjacent Collocation - 120V, Three Phase Standby Power Rate	<del>                                     </del>	Н	02010		10.50		<del>                                     </del>	<b> </b>	t	+	<del> </del>		<del>                                     </del>	<del>                                     </del>	<del> </del>
	per AC Breaker Amp	ı	. 1	CLOAC	PE1FE	15.44		ı	i	I	1	1	I	ı	1	1

COLLOCAT	ION - Georgia												Attach	ment: 4		ibit: 8
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		ļ	<u> </u>			Rec	Nonrec		Nonrecurring		ļ			Rates (\$)		T
	Adianal Caller No. 0771 The Charles On the Caller		ļ			1.00	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	35.65										ļ
	Adjacent Collocation - 240V, Three Phase Standby Power Rate per AC Breaker Amp	١.		CLOAC	PE1JD	25.05				l						
PHYSICAL CO	XLOCATION IN THE REMOTE SITE	<del> </del> !	┼	CLUAL	PEIJU	35.65			<u> </u>	<del>                                     </del>	-				<del> </del>	<del>                                     </del>
I IIIOIOAL OC	Physical Collocation In the Remote Site - Application Fee	<del> </del> -	<del> </del>	CLORS	PE1RA		300,61		132.62		1	-	<del>                                     </del>		<b>-</b>	
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	143.23	000.01		102.02		1	<del>                                     </del>		1	<del> </del>	<u> </u>
		1		020110		1,5,22		_		·	<del>                                     </del>				<u> </u>	
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability			CLORS	PE1RD	<del> </del>	13.20			<u> </u>					_	<del> </del>
	Report per Premises Requested			CLORS	PE1SR		109.94					L	l			<u> </u>
	Physical Collocation in the Remote Site - Remote Site CLLI												1			
	Code Request, per CLLI Code Requested	L	<b> </b>	CLORS	PE1RE	<b>↓</b>	36.04		<u> </u>	<b> </b>		ļ	ļ	ļ	<b> </b>	<del></del>
<del></del>	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	⊢—	$\vdash$	CLORS	PE1RR	ļ	116.64		ļ	<b> </b>		<del>  </del>	ļ			+
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour	l	1	CLORS	PE1BT	j	16.52	10.83	1	Ì		1	1		į	1
<del>                                     </del>	Physical Collocation - Security Escort for Overtime - outside of	<del>                                     </del>	<del> </del>	OLOKO	LE 101	<del>                                     </del>	10.52	10.83	<del>                                     </del>		+	<del> </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>	+
i	normally scheduled working hours on a scheduled work day,	1	1		1							1			1	
	per half hour		1	CLORS	PE1OT		21.92	14.19		i		1			1	
	Physical Collocation - Security Escort for Premium Time -		1			<del> </del>				i	·	<b>†</b>			1	
	outside of scheduled work day, per half hour			CLORS	PE1PT	l	27.31	17,55								l
PHYSICAL CO	ALLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		<u> </u>	CLORS	PE1RS	6.27						ļ			ļ	<u> </u>
	Remote Site-Adjacent Collocation - Real Estate, per square foot		l	CLORS	PE1RT	0.134				i		ì			1	
<del></del>	Remote Site-Adjacent Collocation-Application Fee	_	+		PE1RU	0.134	755.62	755.62	<del>                                     </del>	<del> </del>	<del>1</del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del></del>
NOTE	If Security Escort and/or Add'l Engineering Fees become nec	essary i				will necotiate a			<del> </del>		<b>—</b>	<del> </del>	1	<del></del>	†	<del></del>
VIRTUAL COL	LOCATION								j	1	1	1	1			
	Virtual Collocation - Application Fee			AMTES	EAF		609.52		0.59				L	l	I	
	Virtual Collocation Administrative Only - Application Fee	1			VE1AF		609.52									
	Virtual Collocation - Cable Installation Cost, per cable	ļ	ļ	AMTES	ESPCX		736.93		21.51	<b>.</b>	1	<u> </u>	ļ. <u></u>	ļ		<del></del>
	Virtual Collocation - Floor Space, per sq. ft.	ļ		AMTES	ESPVX	4.52			ļ				ļ	ļ		<del> </del>
<del></del>	Virtual Collocation - Power, per fused amp Virtual Collocation - Cable Support Structure, per entrance			AMTES	ESPAX	4.78			<del> </del>		+	<del> </del>	<del> </del>	<del></del>	<del>-</del>	<del> </del>
	cable		<u></u> .	AMTES	ESPSX	7.57		- · · · -							<b></b>	ļ
				UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX		]									1	
	Virtual Collocation - 2-wire Cross Connects (loop)			UNCDX, UNCNX	UEAC2	0.0188							ļ			<u> </u>
<b> </b>		l		UEA,UHL,UCL,UDL, UAL, UDN, UNCVX,	1	i I				1		1	1	I	1	
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCDX	UEAC4	0.0375				<u> </u>	ļ					<u> </u>
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	1.73										
				UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3,												
	Virtual Collocation - 4-Fiber Cross Connects	ļ		ULD12, ULD48, UDF	CNC4F	3.45						<b>↓</b>	ļ	<b></b>	<b></b>	1
	Virtual collocation - Special Access & UNE, cross-connect per			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1,												
l	DS1			UEPEX, UEPDX	CNC1X	0.3726						<u></u>	]	L	<u> </u>	

ATTOORY  RATE BLEMENTS  RATE SLEMENT	COLLOCAT	ION - Georgia													ment: 4		bit: B
USLUEX.UTTD3,   USLUEX.UTTD3	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge -
SALUEX UTIDS,   NACKE   SOMAN   SOMA			├─~	<del> </del>		<del>                                     </del>		Nonrec	urdag	Nonrecurring	Disconnect		L	OSS	Rates (\$)		L
Metal colicotion - Special Access & URE, cross-connect per   UREST, UNITS, UN				<b></b>			Rec					SOMEC	SOMAN			SOMAN	SOMAN
Support Structure, per linear foot					UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX,	CND3X	4.06										
Withte Collocation - O-Carter Cross Connects - Copperitional Carlot Segrent Students, per lines of the What Collocation - O-Carter Cross Connects - Fiber Cable   AAITS   VETCC   S53.43					AMTER	VE1CB	0.0023										
Cable Support Structure, per linear if   AMTES   VEICO   0,0094			<del>                                     </del>	<del> </del>	Milit O	VETOD	0.0020					+		<del></del>		<del> </del>	<del>                                     </del>
Without Collocation - Co-Currier Cross Connects - Fiber Cable   Support Structura, per and Structura, per			1	ŀ	AMTES	VE1CD	0.0034					1					İ
Virtual Collocation - Co-Carrier Cross Connects - Copper(Cocx Carrier Cross Connects - Copper(Cocx Carrier Cross Connects - Copper(Cocx Carrier Cross Connects - Copper(Cocx Carrier Cross Connects - Copper(Cocx Carrier Cross Connects - Copper(Cocx Carrier Cross Connects - Copper(Cocx Carrier Cross Connects - Copper(Cocx Carrier Cross Connects - Copper(Cocx Carrier Cross Connects - Copper(Cocx Carrier Cross Connects - Copper(Cocx Carrier Cocx Carrier Cocx Copper(Cocx Carrier Cocx C		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable												1			
Cable Support Structure, per cable   AATT'S   VEIRA   78.485   478.06   125.75				<u> </u>	AMTFS	VE1CC		553.43			<u> </u>						
Virtual Collocation Cable Records - year oguest   AMT'RS   VE'IBB   317,50   177,77				1										1			1
Wrust Collocation Cable Records - VGD/SD Cables, per each			<u> </u>						470.00	405.75	ļ	ļ	ļ				
Fecord   MATES   VE1BC   37,00   177,77			$\vdash$	$\vdash$	AWIFS	VETBA		/43.65	478.06	125,/5	<del> </del>	<del> </del>	ļ	<del></del>	ļ	<del> </del>	<del>                                     </del>
100 pair		record	L		AMTES	VE1BB		317,60		177.77		ļ					
Withst Collocation Cable Records - DSI, per TITIE	1		1	1						,		1	1				
Virtual Collocation Cubin Records - DSI, per TSTIE			├	<del> </del>								<del> </del>			<b></b>	ł	
Virtual Collocation Cable Records - Fiber Cable, per 99 fiber   AMTES   VE18F   83.45   73.57			<del>                                     </del>	$\vdash$							<del>                                     </del>	+	<del></del>	<del>                                     </del>	<u> </u>	-	-
Proceeds				-	AVIII O	AF IDC		7.70		3.13		+					
Writual collocation - Security Easort - Overtime, per half hour   AMTES   SPTOX   21,92   14,19				1	AMTES	VE1BF		83.45		73.57		1					1
Virtual collocation - Security Escort - Premium, per half hour   AMTFS   SPTPX   27.31   17.55									10.83								
Minus collocation - Maintenance in CO - Basic, per half hour				<u></u>												<u> </u>	
Virtual collocation - Maintenance in CO - Overtime, per half hour   AMTFS   SPTOM   35.44   14.18				_							ļ	<u> </u>				ļ	ļ
Virtual collocation - Maintenance in CO - Premium per half hour   AMTFS   SPTPM   44.34   17.55		Virtual collocation - Maintenance in CO - Basic, per hair nour		-	AMIFS	CIRLX		26.54	10.83			+		<u> </u>	ļ	<del> </del>	
Virtual Collocation, Entrance Cable Support Structure, Copper, per each 10D pairs or fraction thereof (CO Manhole to Frame)   1		Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPŤOM		35.44	14.19		ļ			ļ			
CLLI		Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		44.34	17.55								
Virtual Collocation, Entrance Cable Support Structure, Copper, per each 100 pairs or fraction thereof (CO Manhole to Frame)  Virtual Collocation, Entrance Cable Installation, Copper, per Cable (CO Manhole to Frame)  Virtual Collocation, Entrance Cable Installation, Copper, per I AMTFS VE1EF 755.15  Virtual Collocation, Entrance Cable Installation, Copper, per I AMTFS VE1EF 755.15  Virtual Collocation, Entrance Cable Installation, Copper, per I AMTFS VE1EF 755.15  Virtual Collocation, Entrance Cable Installation, Copper, per I AMTFS VE1EG 9.12  Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res Ve1re2 0.30 12.60 12.60  Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus Ve1re2 0.30 12.60 12.60  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Institute Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Institute Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Institute Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Institute Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Institute Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Institute Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Institute Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Institute Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Institute Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Institute Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Cross Connect, Exchange Port 2-Wire Institute Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Cross Connect, Exchange Port 2-Wire Cross Connect, Exchange Port 2-Wire Cross Connect, Exchange Port 2-Wire Cross Connect, Exchange Port 2-Wire Cross Connect, Exchange Port 2-Wire Cross Connect, Exchange Port 2-Wire Cross Connect, Exchange Port 2-Wire Cross Connect, Exchange Port 2-Wire Cross Connect, Exchange Port 2-Wire Cross Connect, Exchange Po										i		1					
Der each 100 pairs or fraction thereof (CO Manhole to Frame)   AMTFS   VE1EE   0.23		CLLI		-	AMTES	VE1QR		77.42				<del></del>					<del> </del>
Cable (CO Manhole to Frame)   I   AMTFS   VE1EF   755.15   21.51		per each 100 pairs or fraction thereof (CO Manhole to Frame)	1		AMTFS	VE1EE	0.23										
Virtual Collocation, Entrance Cable Installation, Copper, per		Virtual Collocation, Entrance Cable Installation, Copper, per Cable (CO Manhole to Frame)	1		AMTFS	VE1EF		755.15		21.51			}				
VIRTUAL COLLOCATION  Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Slide PBX Trunk - Bus  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Volce Grade PBX Trunk - Res  VE1R2  UEPSP  VE1R2  UEPSP  VE1R2  UEPSP  VE1R2  UEPSE  VE1R2  UEPS		Virtual Collocation, Entrance Cable Installation, Copper, per														ļ	
Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-Wire Analog - Res		each 100 pairs or fraction thereof (CO Manhole to Frame)		<b>└</b>	AMTFS	VE1EG		9.12				<u> </u>				<u> </u>	Ļ
Wire Analog - Res	VIKTUAL COL		1								<u> </u>	<del> </del>	ļ			-	<del> </del>
Wire Line Side PBX Trunk - Bus		Wire Analog - Res			UEPSR	VE1R2	0.30	12.60	12.60								ļ <u> </u>
Voice Grade PBX Trunk - Ree		Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	12.60	12.60								
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN  UEPSX  VE1R2  0.30  12.60  12.60  12.60  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN  UEPSX  VE1R2  0.30  12.60  12.60  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN  UEPTX  VE1R2  0.30  12.60  12.60  Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire					UEPSE	VE1R2	0,30	12,60	12.60								
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN  UEPSX  VE1R2  0.30  12.60  12.60  12.60  12.60  Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire  Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire	·	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN  UEPTX VE1R2 0.30 12.60 12.60 12.60		Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire										<del> </del>	l				
Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	<u> </u>	T	· · · · · · · · · · · · · · · · · · ·					· · · · · · · · · · · · · · · · · · ·	-	†	†	l	<del> </del>	<del>                                     </del>	<del></del>
		1		<del> </del>	UEPTX	VE1R2	0.30	12.60	12.60		<u> </u>	-	<del> </del>	<b> </b>	<del> </del>	<del> </del>	<del>                                     </del>
Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.	Mater	ISDN DS1	1		UEPEX	VE1R4	0.50	12.60	12.60		ļ	ļ	ļ			ļ	<del>  </del>

COLLOCA	ATION - Kentucky												Attach			bit: B
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sy Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring		001150	SOMAN	OSS	Rates (\$) SOMAN	SOMAN	SOMAN
	<del></del>	+	├─				First	Add'i	First	Add'l	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
HYSICAL	COLLOCATION	1-	╁						·		-					
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0333	24.68	23,68	12,14	10.95						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.0333	24.68	23.68	12.14	10.95					<u></u> _	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.0333	24.68	23.68	12.14	10.95						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.0333	24.68	23.68	12.14	10,95						
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	1.48	44.23	31.98	12.81	11.57						
IYSICAL (	COLLOCATION	1		0.0	DE 40 4				ļ	ļ	ļ					<del></del>
	Physical Collocation - Initial Application Fee Physical Collocation - Subsequent Application Fee	+	$\vdash$	CLO	PE1BA PE1CA		3,773.54 3,145.35						ļ			<del></del>
	Physical Collocation Administrative Only - Application Fee	┼──	<b>├</b> ─	CLO	PE1BL		742.12		<del></del>	-	-					<del> </del>
$\dashv$	Physical Collocation - Space Preparation - Firm Order	<del> </del>	╁	000	,		174.16				<u> </u>				-	
+	Processing  Physical Collocation - Space Preparation - C.O. Modification per	ļ	<del> </del>	CLO	PEISJ		1,206.07				-					<del>                                     </del>
-	square ft. Physical Collocation - Space Preparation, Common Systems		-	CLO	PE1SK	2,32										ļ <u>-</u>
+	Modifications-Cageless, per square foot Physical Collocation - Space Preparation - Common Systems	<del> </del>	-	CLO	PE1SL	3.26							<u> </u>	<u> </u>		ļ
	Modifications-Caged, per cage Physical Collocation - Cable Installation, Pricing, non-recurring	<del> </del>		CLO	PE1SM	110,57					<u> </u>		<u> </u>			<del>                                     </del>
	charge, per Entrance Cable	ļ		CLO	PE1BD		1,729.11		45.16		ļ		ļ			<u> </u>
	Physical Collocation - Floor Space, per sq feet		Ь_	cro	PE1PJ	7.99								ļ		<b>├</b>
	Physical Collocation - Cable Support Structure, per Entrance Cable	<u> </u>	L	cro	PE1PM	19.86										<u> </u>
	Physical Collocation - Power, -48V DC Power - per Fused Amp Physical Collocation - Power Reconfiguration Only, Application			CLO	PE1PL	8.06										
	Fee	Li		cro	PE1PR		399,50		1							ĺ
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			cro	PE1FB	5.44		_		_						
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			cro	PE1FD	10.88										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp	l		cro	PE1FE	16.32										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp			cro	PE1FG	37.68										
				UEANL,UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning	<del>                                     </del>	_	UNCVX UEA, UHL, UNCVX,	PE1P2	0.0333	24,68	23,68	12,14	10.95			ļ			<del>                                     </del>
+	Physical Collocation - 4-wire cross-connect, loop, provisioning	<del>                                     </del>	├	UNCDX, UCL, UDL WDS1L,WDS1S,	PE1P4	0,0665	24.88	23.82	12.77	11.46	-					
	Physical Collocation -DS1 Cross-Connect for Physical			UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1,												
1	Collocation, provisioning			UNC1X	PE1P1	1.48	44.23	31.98	12,81	11.57	<u>!</u>		L	<u> </u>	<u> </u>	<u> </u>

COLLOCAT	ION - Kentucky		_										Attachi	nent: 4	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'i
			_			Rec	Nonrec		Nonrecurring		60450	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
<del></del>		├─		UE3,U1TD3,	<del>                                     </del>		First	Add'l	First	Addʻl	SOMEC	SOMAN	SUMAN	SUMAN	SUMAN	SUMAN
			1	UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
-i $-$	Physical Collocation - DS3 Cross-Connect, provisioning	—		UNLD3 CLO, ULDO3,	PE1P3	18.89	41.93	30.51	14.75	11.83	1					<del></del>
	Physical Collocation - 2-Fiber Cross-Connect			ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	3.75	41.93	30.51	14.76	11.84	<u> </u>				i	
	Physical Collocation - 4-Fiber Cross-Connect			ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	6.65	51.29	39.87	19,41	16.49						
	Physical Collocation - 4-riber cross-conflect  Physical Collocation - Space enclosure, welded wire, first 100	<del>                                     </del>	<del>                                     </del>	1001	P 12 11 4	0.03	51,29	38.0/	19.41	10,49		-				
	square feet			CLO	PE1BW	184.97										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	18.14										
	Physical Collocation - Security Access System, Security System, per Central Office	1	1	CLO	PE1AX	76.10					1					i
	Physical Collocation -Security Access System - New Card		$\vdash$	0.0	FEIM	70.10					<del> </del>					<del> </del>
	Activation, per Card Activation (First), per State	L		CLO	PE1A1	0.058	55.79									<b></b>
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			cro	PE1AA		15.64									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		45,74									1
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.29				<u> </u>					
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.29									
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		2,158.67		[						ł	
	Physical Collocation - CFA Information Resend Request, per premises, per request			Cro	PE1C9		77.55							-		
	Physical Collocation - Cable Records, per request	$\vdash$		Cro	PE1CR		1,524.45	980.01	267.02		<del> </del> -					
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO .	PE1CD		656.37		379.70							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			ao	PE1CO		9.65		11.84		1					
	Physical Collocation, Cable Records, DS1, per T1 TIE	$\vdash$		CLO	PE1C1		4.52		11.84 5.54		┼──	<del>                                     </del>	-		<del>                                     </del>	<del> </del>
	Physical Collocation, Cable Records, DS3, per T3 TIE			Cro	PE1C3		15.81		19.39							
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			cro	PE1CB		169.63		154,85							
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			cro	PE1BT		33.98	21.53			<u> </u>					<u> </u>
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			cro	PE1OT		44.26	27.81								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		54.54	34.09								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			cro	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00						ļ		<u> </u>	
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									

COLLOCAT	ION - Kentucky												Attachi			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'i
						Rec		curring	Nonrecurring					Rates (\$)		
—— <del> </del> —						1,00	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			cro	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			cro	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			cro	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation in-Place, Per DS1 Circuit			cro	PE1BS		33.00									<u> </u>
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			Cro	PE1BE		37,00									
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities essigned to Collocation Space, per 700 cable pairs or fraction thereof			cro	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear ft.			cro	PE1ES	0.0012									<u> </u>	
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect- Copper/Coax Cable Support Structure, per lin. ft.	<u> </u>		cro	PE1DS	0.0018			<u></u>							
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			cro	PE1DT		584.20									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			cro	PE1EA		1,224.485	42.719								ļ
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs			CLO	PE1EB		18.102									
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC		1,028.981	42.719								
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			cro	PE1ED		7.241									
	Physical Collocation - Application Cost, Simple Augment	<u> </u>			PE1KS		594.98	ļ	1.21		<u> </u>			ļ		<del> </del>
	Physical Collocation - Application Cost, Minor Augment Physical Collocation - Application Cost, Intermediate Augment	<b></b>		Cro	PE1KM PE1K1		834.26 1,059.00		1,21 1,21				ļ	<del></del>		<del></del>
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	<del> </del>	┝──	ao	PEIKI		1,059.00		1.21		<del>                                     </del>		-	-	<del> </del>	<del> </del>
	Fiber Cable Support Structure, per cable  Physical Collocation - Co-Carrier Cross Connect/Direct Connect	ı		cro	PE1DU		535.55			_						ļ
AD IACENT C	Copper/Coax Cable Support Structure, per cable	_!		cro	PE1DV		535.55		-							<b></b>
ADUACENT C	Adjacent Collocation - Space Charge per Sq. Ft.	<del>                                     </del>		CLOAC	PE1JA	0.0173		<del> </del>	<del> </del>		-	<del></del>		<del></del>		+
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5,35			<u> </u>							†
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.0258	24.68	23.68		10.95		L		L	L	
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0515	24.88	23.82		11.46		L				<u> </u>
	Adjacent Collocation - DS1 Cross-Connects	$\vdash$	<u> </u>	UEA,UHL,UDL,UCL		1,37	44.23	31.98		11.57		<b></b>	<b>!</b>		ļ	<del> </del> -
<del></del> -	Adjacent Collocation - DS3 Cross-Connects	<b> </b>	_	UEA,UHL,UDL,UCL		18.61	41.93	30.51		11.83	ļ	Ь——				┼
<del></del>	Adjacent Collocation - 2-Fiber Cross-Connect  Adjacent Collocation - 4-Fiber Cross-Connect	<b>-</b>	$\vdash$	CLOAC CLOAC	PE1F2 PE1F4	3.15 6.02	41.93 51.29	30.51 39.87		11.84 16.49	<del> </del>	ļ <u> </u>		<del> </del>	<del> </del>	+
<del></del> -	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee	├	├—	CLOAC	PE1F4 PE1JB	6.02	3,165.50	39.87	19.41	10.49	-	<b>-</b>	<del></del>	<del></del>	<del>                                     </del>	<del> </del>
<del></del>	Adjacent Colocation - Application Fee  Adjacent Collocation - 120V, Single Phase Standby Power Rate	$\vdash$	$\vdash$	CLOAG	FEIVE	<del>                                     </del>	3, 103.50	<del>                                     </del>	<del> </del>	ļ	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>		<del> </del>	+
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PE1FB	5.44		l i				ļ	<u> </u>	-		1
	per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate		├—	CLOAC	PE1FD	10.88	-									<del> </del>
	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate		ļ	CLOAC	PE1FE	16.32					ļ	-	<b></b>		<u> </u>	<del> </del>
PHYSICAL CO	per AC Breaker Amp  LLOCATION IN THE REMOTE SITE		ļ	CLOAC	PE1FG	37.68										<del> </del>
	Physical Collocation in the Remote Site - Application Fee	<del></del>	├	CLORS	PEIRA	<del></del>	617.78	· -	338.89		<del> </del>		<del> </del>	<del> </del>	t	+
	Cabinet Space in the Remote Site per Bay/ Rack		-	CLORS	PEIRB	219.67	017.10	<del>                                     </del>	- 555.03		<del> </del>	t	t	<del> </del>	l	<b>†</b>
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD	2.5.57	26.29									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.64									

COLLOCAT	ION - Kentucky												Attachi	ment: 4	Exhil	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svo Order vs. Electronic- Disc 1st	
			ļ			Rec	Nonrec		Nonrecurring			0011411		Rates (\$)	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI		-			1	First	Add'l_	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SUMAN	SUMAN
	Code Request, per CLLi Code Requested		ĺ	CLORS	PE1RE		75.40									1 '
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		T	CLORS	PE1RR		233.42									
	Physical Collocation - Security Escort for Basic Time - normally															1
	scheduled work, per half hour  Physical Collocation - Security Escort for Overtime - outside of	<u> </u>	-	CLORS	PE1BT		33.98	21.53								<b></b> _
	normally scheduled working hours on a scheduled work day,															ł
	per half hour			CLORS	PE1OT		44.26	27.81	ĺ		·					L
	Physical Collocation - Security Escort for Premium Time -															
BUVEICAL CO	outside of scheduled work day, per half hour DLLOCATION IN THE REMOTE SITE - ADJACENT		₩	CLORS	PE1PT		54.54	34.09								<del> </del>
PHISICAL CO	ALLOCATION IN THE REMOTE SITE - ADJACENT	_	$\vdash$		<del> </del>	<del> </del>										<del></del>
	Remote Site-Adjacent Collocation - AC Power, per breaker amp	<u> </u>		CLORS	PE1RS	6.27										L
	Remote Site-Adjacent Collocation - Real Estate, per square foot Remote Site-Adjacent Collocation-Application Fee	ļ	ļ	CLORS CLORS	PE1RT PE1RU	0.134	755.62	755.62								<b></b>
NOTE	: If Security Escort and/or Add'I Engineering Fees become nec	essary i	for rem			will negotiate a									-	<del> </del>
VIRTUAL COL	LOCATION					l gourne		·-							• •	
	Virtual Collocation - Application Fee			AMTES	EAF _		2,419.86		1.01							
	Virtual Collocation Administrative Only - Application Fee Virtual Collocation - Cable Installation Cost, per cable	1	ļ	AMTES AMTES	VE1AF ESPCX		742,12 1,729,11		45.16							<del></del>
<del></del>	Virtual Collocation - Floor Space, per sq. ft.		-	AMTES	ESPVX	7,99	1,729.11		45, 16							-
	Virtual Collocation - Power, per fused amp	_		AMTFS	ESPAX	8.06										
	Virtual Collocation - Cable Support Structure, per entrance	l														
	Virtual Collocation - 2-wire Cross Connects (loop)			AMTFS UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX, UNCDX, UNCNX UEA,UHL,UCL,UDL,	UEAC2	0.0309	24.68	23.68	12.14	10.95				_		
	Virtual Collocation - 4-wire Cross Connects (loop)			UAL, UDN, UNCVX, UNCDX	UEAC4	0.0619	24.88	23.82	12.77	11.46						
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDL03, U1T48, U1T12, U1T03, ULD03, ULD12, ULD48, UDF UDL12, UDL03.	CNC2F	3.80	41.94	30.51	14.76	11.84						
	Virtual Collocation - 4-Fiber Cross Connects			U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	7.59	51,29	39.87	19.41	16.49						
	Virtual collocation - Special Access & UNE, cross-connect per DS1				CNC1X	1.48	44.23	31.98	12.81	11,57					_	
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL, UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83						
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot		1	AMTFS	VE1CB	0.003									1	
	Support Structure, per linear root Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMITES	VE1CB	0.003										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		535,55									

OLLOCATI	ON - Kentucky													ment: 4		ibit: B
															Incremental	
											Submitted			Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			ner I SR	perLSR	Order vs.	Order vs.	Order vs.	Order vs.
		m	l l		l l							<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic
			ŀ		l l								1st	Add'i	Disc 1st	Disc Add
												ļ	, , ,	Aug.	Disc ist	Dist Add
					1	Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
					1 .	Rec	First	Add'i	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable	1	l	AMTES	VE1CE		535.55						L	l		l
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,524,45	980.01	267.02			1				
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable				<b>-</b>							1				1
	record	l		AMTES	VE1BB		656.37		379,70		1		1		1	1
	Virtual Collocation Cable Records - VG/DS0 Cable, per each	$\vdash$	<del>                                     </del>		<del>-  </del>	<del></del>				1	<b>†</b>		i		†	
	100 pair	ŀ	l	AMTFS	VE1BC		9.65		11.84		i	l	1		1	1
<del></del>	Virtual Collocation Cable Records -DS1, per T1TIE	$\vdash$	├	AMTES	VE1BD	<del></del>	4.52		5.54		<del>                                     </del>	<del> </del>	<del>                                     </del>	<del></del>	<del> </del>	$\overline{}$
	Virtual Collocation Cable Records - DS3, per T3TIE	├	├	AMTES	VE1BE	-	15.81		19.39			<del>                                     </del>	<del>                                     </del>			+
		├─	-	MM1F3	ACIDE	<del></del>	15.01		19.39		<del></del>	<del> </del>	<del></del>		<del>                                     </del>	<del>                                     </del>
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	l	l	41.0750	VE1BF	j f	169.63		154.85	I	1	l	{		1	1
	records	<b> </b>	ļ	AMTFS					154.85	ļ	ļ	<b></b>				<del></del>
	Virtual collocation - Security Escort - Basic, per half hour			AMTES	SPTBX		33.98	21,53			<b></b>	ļ				<b>├</b>
	Virtual collocation - Security Escort - Overtime, per half hour		1	AMTFS	SPTOX		44.26	27.81				L	ļ <u>-</u>			<del> </del>
	Virtual collocation - Security Escort - Premium, per half hour			AMTES	SPTPX		54.54	34.09		<u> </u>			ļ			
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	CTRLX		56.07	21.53			ļ		ļ			ļ
		ļ	1											ı		
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTES	SPTOM		73.23	27.81		<u> </u>						<b>_</b>
			ì													
	Virtual collocation - Maintenance in CO - Premium per half hour	L	ļ	AMTFS	SPTPM		90.39	34.09								
	Virtual Collocation - Request Resend of CFA Information, per											1				
	CTT	l	l	AMTES	VE1QR		77.55				l					
IRTUAL COL	LOCATION															J
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-											l				1
	Wire Analog - Res	l	1	UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95		1	l			
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-												i -			
	Wire Line Side PBX Trunk - Bus	l	1	UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95		l	l		1	
1	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire									1	1	T -				T
ı	Voice Grade PBX Trunk - Res	l	1	UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95	1	I	1			1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	$\vdash$	1		<del></del>			==:00		1	1		1	1	1	
1	Analog Bus	l	1	UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95	1	I	I	1	1	
i	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire	<del>                                     </del>	<del>                                     </del>		<del> </del>	3.5555			,	1 1319.5	<del> </del>	<b> </b>	1		T	1
1	ISDN	l	1	UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95	1	ı	1	I	I	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	├──	<del>                                     </del>	<u> </u>	1021175	0.0000	24,00			13.33	+ -	<del>                                     </del>	1		<del> </del>	
- 1	ISDN	l	1	UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95	.I		1	I		1
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		₩-	UEP IA	VEIR	0.0309	24,00	۵.00	14. 4	10.95	1	<del> </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>	+
	ISDN DS1	l	1	UEPEX	VE1R4	أمييا	44.23	31.98	12.81	11.57	1	l	1	l	1	
1	ISDN DS1 Rates displaying an "R" in Interim column are interim and sub	l	1			1.48		31.98	12.81	11.5/	<u> </u>		<del> </del>	<b></b>	<del> </del>	+

COLLOCAT	ION - Louisiana										<b>.</b>		Attachi			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sve Order vs. Electronic Disc Add'l
		_	├	·		Rec	Nonrec First	Add'l	Nonrecurring First	g Disconnect Add'l	SOMEC	SOMAN		Rates (\$)	SOMAN	SOMAN
			├		<del></del>		Liler	Auui	First		SOMEG	JOHAN	OUMAIN	COMAIL	OOMAN	OOMAN
HYSICAL CO			$\vdash$		<del></del>						<del></del>	· · · · · ·				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.0318	11.94	11.46								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0318	11.94	11,46								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0318	11.94	11.46								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.0318	11.94	11.46								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.0318	11.94	11,46								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.0318	11.94	11.46								
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	0.0638	12,04	11,53								
HYSICAL CO	LLOCATION															
	Physical Collocation - Initial Application Fee			CFO	PE1BA		1,837.24									
	Physical Collocation - Subsequent Application Fee			aro .	PE1CA	ļ	1,533.41			ļ	<u> </u>			!		
-	Physical Collocation Administrative Only - Application Fee		<u> </u>	cro	PE1BL		741.97				ļ					
	Physical Collocation - Space Preparation - Firm Order Processing			cro	PE1SJ		583.33								ļ	
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.31										
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			cro	PE1SL	2.70										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			cro	PE1SM	91.60										
	Physical Collocation - Cable Installation, Pricing, non-recurring charge, per Entrance Cable			cro	PE1BD		841.54									
	Physical Collocation - Floor Space, per sq feet		<u> </u>	cro	PE1PJ	5.30				<b> </b>	ļ			ļ		
	Physical Collocation - Cable Support Structure, per Entrance Cable			сго	PE1PM	18.31										
	Physical Collocation - Power, -48V DC Power - per Fused Amp	<u>'</u>		CLO	PE1PL	8.32	_		ļ						ļ	
	Physical Collocation - Power Reconfiguration Only, Application Fee	١,		CLO	PE1PR		398.76									
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp	<u> </u>	$\vdash$	cro	PE1FB	5,45	390.70				<del>                                     </del>					
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp	<u> </u>		CLO	PE1FD	10.92										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp			Cro	PE1FE	16.37										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp		T	cro	PE1FG	37.80				1						
				UEANL, UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN,		37.30										
	Physical Collocation - 2-wire cross-connect, loop, provisioning		<u> </u>		PE1P2	0.0318	11.94	11.46						<b>_</b>		
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0636	12.04	11.53								
	Physical Collocation -DS1 Cross-Connect for Physical			WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1,												
	Collocation, provisioning		L		PE1P1	1.04	21.39	15.47	L	<u> </u>		L	L	<u></u>		<u> </u>

TOLLOW	TION - Louisiana													ment: 4		bit: B
												Svc Order		Incremental	Incremental	Incremental
											Submitted		Charge -	Charge -	Charge - Manual Svc	Charge - Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc Order vs.	Order vs.	Order vs.
	10112	m			5555			101120 (4)			per LSR	perLSR	Order vs. Electronic-	Electronic-	Electronic-	Electronic-
	i												1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>								<u> </u>	L	1	l		1
		ļ			<del>                                     </del>	Rec	Nonred First	curring Add'l	Nonrecumn First	g Disconnect Add'i	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	<del> </del>	$\vdash$		UE3.U1TD3.	1		Filst	Addi	First	Aug 1	JOHEC	SUMAN	JOHAN	SUMAN	30/11/214	JOHAN
i I		Į.		UXTD3, UXTS1,	1				1			l		1		i
				UNC3X, UNCSX,										1		
ı I				ULDD3,							1			1		
ı İ	Ph			U1TS1,ULDS1,										1		
	Physical Collocation - DS3 Cross-Connect, provisioning	-		UNLD3 CLO, ULDO3,	PE1P3	13,21	20.28	14.76		<del></del>	<del> </del>				<u> </u>	<del> </del>
ı I				ULD12, ULD48.	1					Į.	1			1		
ı I				U1TO3, U1T12,	]				1		l				<u> </u>	
ı I				U1T48, UDLO3,	1							1		ł	1	
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.62	20.28	14.76								l
				ULDO3, ULD12,					1			1				
				ULD48, U1TO3, U1T12, U1T48,	1				1			1	i			l
		ļ		UDLO3, UDL12,								1				
.	Physical Collocation - 4-Fiber Cross-Connect	l		UDF	PE1F4	4.65	24.81	19.29				1	1			
	Physical Collocation - Space enclosure, welded wire, first 100	<u> </u>								1	1	<b></b>	<u> </u>			<u> </u>
	square feet			CLO	PE1BW	184.50										
.	Physical Collocation - Space enclosure, welded wire, each										ļ					
	additional 50 square feet   Physical Collocation - Security Access System - Security System	<b>-</b>	-	cro	PE1CW	18.10					<del> </del>		<del></del>			<del>                                     </del>
. 1	per Central Office, per Sq. Ft.			cro	PE1AY	0.0224					ł					1
	Physical Collocation -Security Access System - New Card				<del>   </del>	0,022,7			1	<del> </del>	-					<del>                                     </del>
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.0579	27.50			<u> </u>				1		ļ <u>-</u>
.												1				
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		7.74		l							
	Physical Collocation - Security Access System - Replace Lost or	-		GL0	PEIAA		1.74	<u> </u>	-	1	<del> </del>					<del>                                     </del>
	Stolen Card, per Card			CLO	PE1AR		22.64		l					]		
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.01			ļ		1				1
	Physical Collocation - Security Access - Key, Replace Lost or				L											
$\longrightarrow$	Stolen Key, per Key Physical Collocation - Space Availability Report, per Central			cro	PE1AL		13.01				ļ					
	Office Requested	1		CLO	PE1SR		1,044.07					1		]		
	Physical Collocation - CFA Information Resent Request, per		$\vdash$	020	I LIGIT		1,011.01	<del></del>	l	<del> </del>	<del> </del>	<del> </del>				<del> </del>
	premises, per request			CLO	PE1C9		77.43									
	Recurring Collocation Cable Records - per request			CLO	PE1CU	10.97										
	Recurring Collocation Cable Records - VG/DS0 Cable, per cable record	l		cro	PE1CE	5.29			1	1						1
-+-	Recurring Collocation Cable Records - VG/DS0 Cable, per each	<del>                                     </del>	$\vdash$	<u> </u>	PEICE	5.∠9			<del>                                     </del>	+	+	<del></del>		<del> </del>		<del>                                     </del>
	100 pair	1		cro	PE1CT	0.08		1			1				l .	
	Recurring Collocation Cable Records - DS1, per T1TIE			CLO	PE1C2	0.04					T					<u> </u>
	Recurring Collocation Cable Records - DS3, per T3TIE			Cro	PE1C4	0.13										
	Recurring Collocation Cable Records - Fiber Cable, per 99 fiber records	l		CLO	PE1CG					1					i	
$\longrightarrow$	Physical Collocation - Security Escort for Basic Time - normally	$\vdash$	$\vdash$	CLO	PEICE	1.37		<u> </u>	ļ	+	<del> </del>	<del> </del>	<del> </del>	<del> </del> -	<del>                                     </del>	<del>                                     </del>
	scheduled work, per half hour	1		cro	PE1BT		16.44	10.42			1			}		
	Physical Collocation - Security Escort for Overtime - outside of								ľ	1		1				1
1	normally scheduled working hours on a scheduled work day,	l			L I						1			1		
-+-	per half hour		$\vdash$	CLO	PE1OT		21.41	13.45		<del> </del>	<del></del>	ļ				<del> </del>
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		26.38	16.49	1							
	Physical Collocation - Virtual to Physical Collocation Relocation,	_	$\vdash$	<u> </u>	F G IF 1		20.30	10.49	<del> </del>	<del>                                     </del>	+	<del>                                     </del>	<del>                                     </del>	<del> </del>		1
	per Voice Grade Circuit			CLO	PE1BV_		33.00		L	1	1		<u> </u>			L
	Physical Collocation - Virtual to Physical Collocation Relocation,				1				I							T
$-\!$	per DSO Circuit			CLO	PE1BO		33,00		<b>_</b>	<del> </del>	ļ		<u> </u>			ļ
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit	l		cro	PE1B1		52.00		1		1	1	I			ŀ

COLLOCAT	ION - Louisiana													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Efectronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'i
			<u> </u>			ļ			T	<u>.</u>	<u> </u>			D-1 (\$)	L	1
		-			<b></b>	Rec		curring		Disconnect	FONES	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation.	├─	<u> </u>		<del> </del> -		First	Add'l	First	Add'l	SUMEC	SUMAN	SUMAN	SOMAN	SUMAN	SUMAN
	per DS3 Circuit	1		CLO	PE1B3		52.00						1			ı
	Physical Collocation - Virtual to Physical Collocation In-Place,		-	7=7							<del>                                     </del>	<u> </u>			i	
	Per Voice Grade Circuit	l		CLO	PE1BR		23.00									<u> </u>
	Physical Collocation Virtual to Physical Collocation In-Place, Per															
	DSO Circuit Physical Collocation - Virtual to Physical Collocation In-Place,	<u> </u>		cro	PE1BP	ļ	23.00	ļ			<b>-</b>	ļ	ļ	<del></del>		
	Prysical Collocation - Virtual to Physical Collocation in-Place,	1		cro	PE1BS		33.00								ì	ĺ
<del></del>	Physical Collocation - Virtual to Physical Collocation In-Place.	<del> </del>		<u> </u>	FE 100	<del> </del>	33.00	<del> </del>		<del> </del>	<del> </del>		<del></del>	<del>-</del>	<b>—</b>	·
	per DS3 Circuit	l		CLO	PE1BE	1	37.00				1					1
	Physical Collocation - Virtual to Physical Collocation In-	i														
	Place/Relocation, space cable facilities assigned to Collocation	l			l						Ì	1				i
l	Space, per 700 cable pairs or fraction thereof	<u> </u>		cro	PE1B7	ļ	592.00				ļ	<u> </u>	<b> </b>	<u> </u>		ļ
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear ft.	l		cro	PE1ES	0.001							ł	Į.		l
· · · · · · · · · · · · · · · · · · ·	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	<del> </del>	<del> </del> -	CLO	PETEO	0.001		<del></del>		-	<del> </del>	<del> </del>	<u> </u>	<del> </del>	<del></del> -	<del>                                     </del>
	Copper/Coax Cable Support Structure, per lin. ft.	1		CLO	PE1DS	0.0015							ļ			l
	Physical Collocation - Co-Carrier Cross Connects/Direct					<del>                                     </del>					1				1	
	Connect, Application Fee, per application			Cro	PE1DT	l	583.30						L			l
	Physical Collocation - Copper Entrance Cable per Cable (CO															l
<del></del>	manhole to vault splice)	<b>├</b> ──		cro	PE1EA	<del> </del> -	1,358,81	42.653			<b></b>	ļ		ļ		ļ
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs	l		cro	PE1EB		18.074				1					j
<del>                                     </del>	Physical Collocation - Fiber Entrance Cable per Cable (CO	<del></del>		<u> </u>	PEIED	<del>                                     </del>	10,074	<del> </del>	<del>                                     </del>	<del></del>	<del>├</del>		<del>                                     </del>	<del> </del>		-
	manhole to vault splice)	ľ		CLO	PE1EC		1,163.609	42.653							}	1
	Physical Collocation - Fiber Entrance Cable Installation, per					f	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						T	1		
	Fiber			Cro	PE1ED		7.23							L		<u> </u>
igwdot	Physical Collocation - Application Cost, Simple Augment			Cro	PE1KS	ļ	596.35		1,22		<u> </u>				L	ļ
	Physical Collocation - Application Cost, Minor Augment Physical Collocation - Application Cost, Intermediate Augment	<u> </u>	├─	CLO	PE1KM PE1K1	ļ	836,18 1,061.00	<b></b>	1,22	-	<u> </u>		ļ	ļ		<del> </del>
<del>                                     </del>	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	<del></del>	-	<u> </u>	PEIKI	<del> </del>	1,001.00		1.22		<del> </del>	<del> </del>		<del> </del>		<del> </del>
l i	Fiber Cable Support Structure, per cable	lı		CLO	PE1DU		534.79		j	1	ļ					
i i i i i i i i i i i i i i i i i i i	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -					T	***************************************	i	<del>                                     </del>		1					<del></del>
	Copper/Coax Cable Support Structure, per cable	į		CLO	PE1DV		534.79	_						l		
ADJACENT CO						l										
<b>—</b>	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552		-			ļ					<del> </del>
<del></del>	Adjacent Collocation - Electrical Facility Charge per Linear Ft.  Adjacent Collocation - 2-Wire Cross-Connects			CLOAC UEA,UHL,UDL,UCL	PE1JC	5.61 0.0245	11.94	11.46	1		<del> </del>		-	<b></b>		<del>                                     </del>
	Adjacent Collocation - 4-Wire Cross-Connects			UEAUHL,UDL,UCL		0.0491	12.04	11.53	<del>                                     </del>				<b>†</b>		<del></del>	<del> </del>
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL		0.9605	21.39	15.47	<b>-</b>	<del></del>	<del> </del>					$\vdash$
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL		13.01	20.28	14.76								T
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.20	20.28	14.76								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.21	24.81	19.29					ļ	<del> </del>	<u> </u>	<del></del>
<del></del>	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate		_	CLOAC	PE1JB	ļ	1,543.20				-	<b></b>		<del> </del>	1	<del> </del>
	per AC Breaker Amp			CLOAC	PE1FB	5.45						ļ		ļ		
<del></del>	Adjacent Collocation - 240V, Single Phase Standby Power Rate	_		CLOAC		0,43					···	<del> </del>	<del>                                     </del>	<del> </del>		<del>                                     </del>
	per AC Breaker Amp			CLOAC	PE1FD	10.92						i	i	1	1 .	I
	Adjacent Collocation - 120V, Three Phase Standby Power Rate							I	1							
	per AC Breaker Amp		Ь	CLOAC	PE1FE	16.37		ļ			<u> </u>	<u> </u>	L	ļ		<b></b>
	Adjacent Collocation - 277V, Three Phase Standby Power Rate	l		2.0.0	DE450			i		i			I		1	
DHYSICAL CO	per AC Breaker Amp LLOCATION IN THE REMOTE SITE	├—		CLOAC	PE1FG	37.80		<del></del>	-	<del>                                     </del>	+	├──	<del> </del>		-	
FITTSICAL CO	Physical Collocation in the Remote Site - Application Fee	$\vdash$	$\vdash$	CLORS	PE1RA	<del> </del>	298.80	<del> </del>		<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del></del>	<del>                                     </del>	<del>                                     </del>
	Cebinet Space in the Remote Site per Bay/ Rack		$\vdash$	CLORS	PE1RB	225.39	2,50,50	t	<del>                                     </del>	1	<del>†                                      </del>	†	<del> </del>	<b></b>	<del> </del>	<b>†</b>
				-		1			· · · · · · · · · · · · · · · · · · ·			1	1			T
	Physical Collocation in the Remote Site - Security Access - Key		Щ	CLORS	PE1RD		13.01				<u> </u>	<u> </u>	Ļ	ļ		<b></b>
	Physical Collocation in the Remote Site - Space Availability				L								I		1	
	Report per Premises Requested			CLORS	PE1SR	1	112.52			1		L	<u> </u>	1	J	<u> </u>

COLLOCA	TION - Louisiana												Attach	ment: 4	Exhi	bit: B
			1	I	I							Svc Order			Incremental	
											Submitted		Charge -	Charge -	Charge -	Charge -
		Interi				1					Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		"			1						l -		Electronic-	Electronic-	Electronic-	Electronic-
		l			İ	1							1st	Add'i	Disc 1st	Disc Add'l
		├	┼		ļ	<del> </del>	l Nonm	curring	Nonrogenin	Disconnect	<del> </del>		066	Rates (\$)	l	L
<del></del>	<del>                                     </del>	<del> </del>	+		<del> </del>	Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI	<del>                                     </del>	<del>                                     </del>		<del> </del>	<del> </del>	7	Augi	11141	Addi	- COINE	COMPAR	COMPAN	00		
- 1	Code Request, per CLLI Code Requested	l .		CLORS	PE1RE		36.47								1	
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	1	1	CLORS	PE1RR		233.21									_
	Physical Collocation - Security Escort for Basic Time - normally					<del>                                     </del>					<u> </u>		i			
	scheduled work, per half hour			CLORS	PE1BT		16.44	10.42								
Ī	Physical Collocation - Security Escort for Overtime - outside of			1												
	normally scheduled working hours on a scheduled work day,						i			l.			1			
	per half hour	<b> </b>	↓	CLORS	PE1OT		21.41	13.45						_		
	Physical Collocation - Security Escort for Premium Time -		1					l					1		1	
DUVEICAL C	outside of scheduled work day, per half hour COLLOCATION IN THE REMOTE SITE - ADJACENT	<b></b> -	-	CLORS	PE1PT		26.38	16.49	ļ	<b></b>			-			
PHISICAL C	COLLOCATION IN THE REMOTE SITE - ADJACENT	<u> </u>	┼—		<del> </del>	ļ										
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		1	CLORS	PE1RS	6.27		1	l				l		1	i
	promote energiates in confederation - No Fewer, per breaker amp	<del>                                     </del>	+	OLONO	FEIRO	0.27	<del> </del>		<del> </del>				<del></del>	<del> </del>	<del></del>	<del> </del>
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PEIRT	0.134			1	1				ļ		
	Remote Site-Adjacent Collocation-Application Fee	<del>                                     </del>	+	CLORS	PETRU	0.134	755.62	755.62	h	<b></b>	t		<b>-</b>	<del> </del>	t	
NOT	E: If Security Escort and/or Add'I Engineering Fees become nec	essarv	for rem			will negotiate a			i	<u> </u>		<b>—</b>		<del> </del>		
VIRTUAL CO	DLLOCATION	1	T		T	T		T					·			Ì
	Virtual Collocation - Application Fee		1	AMTES	EAF	<u> </u>	1,770.40		· · · · · · · · · · · · · · · · · · ·	1						
	Virtual Collocation Administrative Only - Application Fee		]	AMTES	VE1AF		741,97									
	Virtual Collocation - Cable Installation Cost, per cable		1	AMTFS	ESPCX		841.54									
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8.32				ļ						
	Virtual Collocation - Cable Support Structure, per entrance	1			l			!	1							
	cable	<u> </u>	₩-	AMTFS	ESPSX	16,02		<b></b>							-	
		1	1	UEANL,UEA,UDN,U	1			İ	1					Į.		
			i	DC,UAL,UHL,UCL,U EQ, UNCVX	i			ŀ	1							ļ
	Virtual Collocation - 2-wire Cross Connects (loop)	!	1	UNCDX, UNCNX	UEAC2	0.0296	11.94	11.46				,				
	Visidal Collocation - 2-Wile Cross Contracts (100p)	╁	<del>                                     </del>	UEAUHLUCLUDL.	UEAUZ	0.0290	11,54	11,40			<del>                                     </del>	<del>                                     </del>		<del> </del>	<del></del>	<del></del>
		1	ł	UAL, UDN, UNCVX					1							l
ļ	Virtual Collocation - 4-wire Cross Connects (loop)	i	1	UNCDX	UEAC4	0.0591	12.04	11,53								l
		<del>                                     </del>	+		1					<del></del> -	<del> </del>	· · · · · · · · · · · · · · · · · · ·		<del>                                     </del>		<del></del>
1		1	1	UDL12, UDLO3,										1		1
ì		1		U1T48, U1T12,	ł							ł		1		1
1		1		U1T03, ULDO3,	l						1	ŀ				ì
	Virtual Collocation - 2-Fiber Cross Connects		<u> </u>	ULD12, ULD48, UDF	CNC2F	2.65	20.29	14.76				<u> </u>		l		<u></u>
"																
-		I	1	UDL12, UDLO3,		ŀ	1	1	l .	I		1	1			1
		l	1	U1T48, U1T12,				1	1			1		l		1
- 1	Virtual Collocation - 4-Fiber Cross Connects	1	1	U1T03, ULDO3, ULD12, ULD48, UDF	CNC4E	5.31	24.81	19.29				l	1	l		1
<del> </del>	TANAMA CONOCRUOI - 4-LIDAL CLOSS CONDECTS	$\vdash$	+	USL,ULC, ULR,	UNU4P	5.31	24.81	19.29	<del> </del>	<del> </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>		<del> </del>	<del> </del>
- 1			1	UXTD1, UNC1X,				1					I	l		1
- 1		i	1	ULDD1, U1TD1,		1	1	1	1	I		l	I			1
- 1	Virtual collocation - Special Access & UNE, cross-connect per			USLEL, UNLD1.								l	l			
- 1	DS1	l		UEPEX, UEPDX	CNC1X	1.04	21.39	15.47		1		1				
		1	<b>†</b>	USL,UE3, U1TD3,	T	1	1	1	1				1	1		<del>                                     </del>
- 1		1	1	UXTS1, UXTD3,		1	ļ	1	1			l	1			1
		1	1	UNC3X, UNCSX,		Ī	1	1	1			l	ł			1
ı		1	1	ULDD3, U1TS1,		1	l	1	1			l	1			1
					1	1	1	1	1			l	1	I		1
	Virtual collocation - Special Access & UNE, cross-connect per			ULDS1, UDLSX,												1
	DS3			ULDS1, UDLSX, UNLD3	CND3X	13.21	20.28	14.76		ļ. <u>.</u>	l					
	DS3 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		1	UNLD3			20.28	14.76		<del></del>						·
	DS3 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot				CND3X VE1CB	13.21 0.0024	20.28	14.76								
	DS3 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax			UNLD3  AMTFS	VE1CB	0.0024	20.28	14.76			!					
	DS3 Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			UNLD3			20.28	14.76								

JULLOCAT	ON - Louisiana													ment: 4		ibit: B
		1											Incremental		Incremental	
		l									Submitted	Submitted	Charge -	Charge -	Charge -	Charge
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	: Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order va
		1 m									<b>PG: 2011</b>		Electronic-		Electronic-	Electroni
		ł									1		1st	Add'I	Disc 1st	Disc Add
													131	Addi	DISC ISL	DISC AGG
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable		l	AMTES	VE1CE	l l	534.79						l			1
	Virtual Collocation Cable Records - per request		1	AMTFS	VE1BA	10.97								i ·		T
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable	1														1
1	record			AMTES	VE1BB	5.29				1	1		1	ł		
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			·	1 "		1				† -					
i	100 pair	I	i	AMTES	VE1BC	0.08	1				1	İ	I	I	1	1
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD	0.04									1	1
	Virtual Collocation Cable Records - DS3, per T3TIE		$\overline{}$	AMTES	VE1BE	0,13					· · · · · · · · · · · · · · · · · · ·				1	1
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	····	${}^{\dagger}$					_	-	-	†					<del>                                     </del>
ı	records			AMTES	VE1BF	1.37	1			l	i		1	l		1
<u> </u>	Virtual collocation - Security Escort - Basic, per half hour	<del></del>	<del> </del>	AMIFS	SPTBX	****	16,44	10.42			1					<b>†</b>
<del>- i</del>	Virtual collocation - Security Escort - Overtime, per half hour	$\vdash$		AMTES	SPTOX		21.41	13.45			<del>                                     </del>		<u> </u>			<del>                                     </del>
	Virtual collocation - Security Escort - Premium, per half hour	<del></del>	<b>†</b>	AMTES	SPTPX	· · · · · · · · · · · · · · · · · · ·	26.38	16,49		<del>                                     </del>	1			<del>                                     </del>		+
	Virtual collocation - Maintenance in CO - Basic, per half hour		_	AMTES	CTRLX		27.12	10.42			1		i	<u> </u>		<del> </del>
		<del>                                     </del>	1	74	- 0.11.25											<del></del>
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTES	SPTOM		35.42	13.45					ŀ	1		
			<del> </del>		15. 15						· · · · · · · · · · · · · · · · · · ·			·		
	Virtual collocation - Maintenance in CO - Premium per half hour		1	AMTES	SPTPM	ĺ	43,72	16.49								
	Virtual Collocation - Request Resend of CFA Information, per	<del>                                     </del>	$\vdash$	74MTO	- Or 11 III		70,12	10.40		<del>                                     </del>	<del> </del>					
ı	ICILI		í	AMTES	VE1QR		77.43				ł		ļ	l		
RTUAL COL		<del>                                     </del>	<del>                                     </del>	TAINIT O	VEIGH						+					+
1	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-	├	<del>                                     </del>		_		-			<del>                                     </del>	<del>†</del>		-	-	1	+
	Wire Analog - Res		ŀ	UEPSR	VE1R2	0.0296	11.94	11.46					i	1	Ì	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-	-	-	i caron	VLINZ	0.0250	11,54	. 13.40			+				<del>                                     </del>	+
- 1	Wire Line Side PBX Trunk - Bus	l		UEPSP	VE1R2	0.0296	11.94	11.46							i	
<del></del>	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	├	├	OLF-SF	VEINE	0.0250	11.54	11,40		<del></del>	1	-			_	+
	Voice Grade PBX Trunk - Res	ŀ		UEPSE	VE1R2	0.0296	11.94	11.46								1
<del></del>	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	-	<del></del>	OLFOL	VEINZ	0.0250	11.54	11.40		<del> </del>	+					+
- 1	Analog Bus			UEPSB	VE1R2	0.0296	11,94	11.46			i					
<del>- 1</del>	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire	<del> </del>	<del> </del>	ULPOD	AE ILE	0.0280	11.94	11,40			+	<del> </del>	<del></del>	<del> </del>	<del> </del>	+
i	ISDN		1	UEPSX	VE1R2	0.0296	11.94	11.46			1		l	l		1
<del></del>	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	<del> </del>	<del> </del>	UEPOA	AE ILC	0.0296	11.94	11.40		-		ļ	<b>-</b>	<b></b>		+
I	ISDN		l	UEPTX	VE1R2	0.0296	11,94	11.46			1		l	l		I
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire	⊢	├	UCPIA	VEIRE	0.0296	11.84	11.40		ļ-	<del> </del>	<del> </del>	<b></b>		<del> </del>	+
- 1	Virtual Collocation 4-vvire Cross Connect, Exchange Port 4-vvire		l	UEPEX	VE1R4	0.0591	12.04	44 50			1		l	l		
1	pode use Rates displaying an "R" in Interim column are interim and sub	L						11.53		I						

COLL	OCATI	ON - Mississippi													ment: 4		bit: B
												Submitted	Svc Order Submitted	Charge -	Incremental Charge -	Incremental Charge -	Incrementa Charge -
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Svo Order vs. Electronic- Disc Add'l
							Rec		curring		Disconnect				Rates (\$)		~
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		1001700		Ļ		ļ											
HYSIC		LOCATION	<u> </u>	<b></b>		<b></b> _				ļ							
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEP\$R	PE1R2	0.0288	12.37	11.87	6.04	5.45						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2						1					
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSP	PE1RZ	0.0288	12.37	11.87	6.04	5.45	1			<u> </u>		
		Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0.0288	12.37	11.87	6.04	5.45	ļ					
		Wire Analog - Bus		<u></u>	UEPSB	PE1R2	0,0288	12.37	11.87	6.04	5.45	İ					
ı		Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.0288	12.37	11.87	6.04	5.45						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire ISDN Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			UEPTX	PE1R2	0.0288	12.37	11.87	6.04	5.45			<del></del>	-		
- I		Wire ISDN DS1			UEPEX	PE1R4	0.0576	12.47	11.94	6.59	5,91						
PH 1SIC.		Physical Collocation - Initial Application Fee			01.0	DE4D4		1 000 00						ļ <u>-</u>			
		Physical Collocation - Subsequent Application Fee	<del>                                     </del>		CLO	PE1BA PE1CA	<del></del>	1,890.38 1,575.69			<u> </u>			<del></del>			<b></b>
		Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.76		<del>                                     </del>	<b>-</b>	ļ	ļ	<del> </del>			
	$\neg$	Physical Collocation - Space Preparation - Firm Order	<del></del>		020	FEIDL		740.70		-	<del></del>	<del>├</del> ──		-	-		<del></del>
		Processing			CLO	PE1SJ		604.19				j				_	
		Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.30							_			
Î		Physical Collocation - Space Preparation, Common Systems Modifications-Cegeless, per square foot			CLO	PE1SL	2.52						_				_
		Physical Collocation - Space Preparation - Common Systems	<b>'</b>									<del> </del>		<u> </u>		-	<u> </u>
		Modifications-Caged, per cage Physical Collocation - Cable Installation, Pricing, non-recurring	Į.		cro	PE1SM	85.67					<del> </del>					
		charge, per Entrance Cable			cro	PE1BD		926.27		22.62		<u> </u>					
		Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5.74										
		Physical Collocation - Cable Support Structure, per Entrance Cable			cro	PE1PM	17,42	_									
		Physical Collocation - Power, -48V DC Power - per Fused Amp	,		cro	PE1PL	7.33										
		Physical Collocation - Power Reconfiguration Only, Application								·							
		Fee Physical Collocation - Power, 120V AC Power, Single Phase.			cro	PE1PR		398.76					L.,				
		per Breaker Amp			cro	PE1FB	5.29										
ĺ		Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			cro	PE1FD	10.58										
		Physical Collocation - Power, 120V AC Power, Three Phase, per	<u> </u>			i				<u> </u>				<u> </u>			
$\dashv$		Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per		$\vdash$	cro	PE1FE	15.87			ļ		<del> </del>		ļ	<b>}</b>		
$\rightarrow$		Breaker Amp	!		CLO	PE1FG	36,65					ļ			ļ		
					UEANL,UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN,												34
		Physical Collocation - 2-wire cross-connect, loop, provisioning		LI	UNCVX	PE1P2	0.0288	12.37	11.87	6,04	5.45				<u> </u>		
[		Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0.0576	12.47	11.94	6,59	5.91						
		Physical Collocation -DS1 Cross-Connect for Physical			WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1,		-1,5-10				3.51						
		Collocation, provisioning			UNC1X	PE1P1	1.14	22.16	16.02	8.60	5.97						

COLLOCAT	ION - Mississippi												Attach	ment: 4	Exhl	bit: B
				1	1						Svc Order	Svc Order	Incremental	Incremental	Incremental	Increment
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intest									Elec	Manually	Manual Svc	Manual Svc	Manual Svo	Manual Sy
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m			1			• • •			per core	per con	Electronic-	Electronic-	Electronic-	Electronic
											l.		1st	Addi	Disc 1st	Disc Add'i
					1								181	A001	DISC 180	DISC Add I
							Nonrec	eurring	Nonrecurring	Disconnect	Ì		oss	Rates (\$)		
	1					Rec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3,							1					
				UXTD3, UXTS1,							i					
				UNC3X, UNCSX,							1	İ				
	į i			ULDD3,												ŀ
	1	1		U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	14,49	21,01	15.29	7.61	6.10						1
				CLO, ULDOS,			***********				1	i				
1				ULD12, ULD48,	1	i						1	}			i
l l				U1TO3, U1T12,									ì			
				U1T48, UDLO3,								ŀ				
	Physical Collocation - 2-Fiber Cross-Connect			UDL12, UDF	PE1F2	2.87	21.01	15.29	7.61	6.10		i				
			1	ULDO3, ULD12,												
- 1			1	ULD48, U1TO3,		l					1	1	I			l
ı			l	U1T12, U1T48,		l				1		1	I	1		
				UDLO3, UDL12,					1	l						i
1	Physical Collocation - 4-Fiber Cross-Connect			UDF	PE1F4	5.10	25.70	19.97	10.01	8.50				1		l
	Physical Collocation - Space enclosure, welded wire, first 100			i	1						1	$\overline{}$				1
1	square feet			CLO	PE1BW	183.20			i					1		
	Physical Collocation - Space enclosure, welded wire, each		1		i i						1					1
	additional 50 square feet	1	i	CLO	PE1CW	17.97			i							
	Physical Collocation - Security Access System, Security System,				1					1	1	1				1
. !	per Central Office	1		CLO	PE1AX	75.23			1	i				1		
	Physical Collocation -Security Access System - New Card									1	1	1		Ì		
	Activation, per Card Activation (First), per State	1		CLO	PE1A1	0.0576	27.95									
1										î .	1	1		1		1
- 1	Physical Collocation-Security Access System-Administrative			1					Į.		1					
	Change, existing Access Card, per Request, per State, per Card	1	ļ	CLO	PE1AA		7.84		l							
	Physical Collocation - Security Access System - Replace Lost or					_										1
	Stolen Card, per Card			CLO	PE1AR		22.91		Į.						1	
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK	- "	13,17	·								
1	Physical Collocation - Security Access - Key, Replace Lost or								1		Į.		1		l	þ
	Stolen Key, per Key			CLO	PE1AL		13,17					I	l	1.		i.
	Physical Collocation - Space Availability Report, per Central		1		T						1	T				
	Office Requested	1	<u> </u>	CLO	PE1SR		1,081.40					l	l	l		
	Physical Collocation - CFA Information Resend Request, per		ĺ		1	Ī							f			
	premises, per request		<u> </u>	CLO	PE1C9		77.41						!		L	<u> </u>
	Physical Collocation - Cable Records, per request			CLO	PE1CR		763.69	490.94	133.77							I
I	Physical Collocation, Cable Records, VG/DS0 Cable, per cable								1						l	
	record (maximum 3600 records)		<u> </u>	cro	PE1CD	1	328.81		190.22				l			
I	Physical Collocation, Cable Records, VG/DS0 Cable, per each			I	[				1						l	
	100 pair		Ь	CLO	PE1CO		4.84		5.93			1				
	Physical Collocation, Cable Records, DS1, per T1 TIE		<b></b>	CLO	PE1C1		2.27		2.78		<u> </u>	<u> </u>	_	ļ		↓
!	Physical Collocation, Cable Records, DS3, per T3 TIE			Cro	PE1C3		7.92		9.72		<u> </u>			<u> </u>		<b></b>
- 1	Physical Collocation - Cable Records, Fiber Cable, per cable		I	l	L								l		i	1
<del></del>	record (maximum 99 records)		⊢	cro	PE1CB		84.98		77.58		ļ	<b>└</b>		<b></b>		
- 1	Physical Collocation - Security Escort for Basic Time - normally		I	l		1			İ				l		1	I
	scheduled work, per half hour		<b>├</b>	Cro	PE1BT		17.02	10.79	ļ	ļ	ļ	<b></b>	<b></b>	<b>!</b>		<del> </del>
- 1	Physical Collocation - Security Escort for Overtime - outside of		I	I		l			I				l		i	I
- 1	normally scheduled working hours on a scheduled work day, per half hour		I	مام	55407	1	20.4=	40.04	I				l	1	l	I
-+			₩-	CLO	PE1OT		22,17	13.94	ļ	<b></b>		<b></b>	ļ	<del> </del>		+
1	Physical Collocation - Security Escort for Premium Time -		l	مام	05405			4=	l	I	i		I		I	
	outside of scheduled work day, per half hour		<b>├</b>	CLO	PE1PT	ļ	27.32	17.08	ļ	ļ	<b>├</b>	ļ	ļ	<b></b>	ļ	₩
l	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit		1	مام	DE48:				l				l		l	
<del></del>			├	Cro	PE1BV		33.00		ļ	ļ	ļ	<del> </del>	<b></b>	<b> </b>	ļ	
	Physical Collocation - Virtual to Physical Collocation Relocation,		1	امام	DE480	l			l				l		l	
	per DSO Circuit		├	cro	PE1BO		33.00								ļ	<del> </del>
1	Physical Collocation - Virtual to Physical Collocation Relocation,		1	l	L				1	I	1	1	I	1	I	1
	per DS1 Circuit		ш.	CLO	PE181	<u> </u>	52.00		L		1	<u> </u>	<u> </u>	<u> </u>	L	

COLLOCAI	ION - Mississippi												Attach	ment: 4	Exhi	ibit: B
											Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted		Charge -	Charge -	Charge -
***********	0.4777 (71 2742)	Interi	l_								Elec		Manual Svc			
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		***									l '		Electronic-	Electronic-	Electronic-	Electronic-
												1	1st	Add'l	Disc 1st	Disc Add'I
			1										181	Addi	DISC 1St	DISC AGG I
$\overline{}$	<del></del>				_		Name	pninu	Necessia	Disconnect		ــــــ	OPP	Rates (\$)	<del></del>	
			-			Rec										
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,		1								1		i	i		
	per DS3 Circuit		•	Cro	PE1B3		52.00			l						
	Physical Collocation - Virtual to Physical Collocation In-Place,													1		T
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per		_							<del></del>				<del></del>		
	DSO Circuit			~ ~											1	
				Cro	PE1BP		23.00									
j	Physical Collocation - Virtual to Physical Collocation In-Place,		i								1					
<b>I</b>	Per DS1 Circuit		l	CLO	PE1BS		33.00						1			
	Physical Collocation - Virtual to Physical Collocation In-Place,				-						i e				<del></del>	<u> </u>
	per DS3 Circuit		l	CLO	PE1BE		37.00				1	1	ł			
-	Physical Collocation - Virtual to Physical Collocation in-		$\vdash$	000	F - 10C		37.00				-	<del> </del>	<del>                                     </del>			<del>                                     </del>
ı			1							I	1	]	1	ŀ	l	I
1	Place/Relocation, space cable facilities assigned to Collocation		i :		1					I	I	l	1	I	[	
	Space, per 700 cable pairs or fraction thereof		L !	CLO	PE1B7		592.00			I	1	I	I	j	I	l
	Physical Collocation - Co-Carrier Cross Connects/Direct		1											1		
ı	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001				I	1	1	I	1	I	
<del></del>	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -				0	0,001			l	<del></del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>	+
ı				a. a								i		I		
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015					L					ļ
l l	Physical Collocation - Co-Carrier Cross Connects/Direct										-	1	i	1		
	Connect, Application Fee, per application			CLO	PE1DT		583.13						i	1		
	Physical Collocation - Copper Entrance Cable per Cable (CO							_			-			1	1	
	manhole to vault splice)			CLO	PE1EA		1,265.629	42.641			1			1		
	Physical Collocation - Copper Entrance Cable Installation, per			CLO	FEIEN		1,200,028	42.041						_	<del></del>	<del> </del>
	Physical Collocation - Copper Entrance Cable Installation, per										1			1		
	100 Pairs			CLO	PE1EB		18,069				<u> </u>			1		L
	Physical Collocation - Fiber Entrance Cable per Cable (CO											1			_ ·	1
l l	manhole to vault splice)			CLO	PE1EC	1	1,070,484	42.641			•	!		1		1
	Physical Collocation - Fiber Entrance Cable Installation, per						.,							•		<del>                                     </del>
l l	Fiber			CLO	PE1ED	i l	7.228				ŀ					1
	Physical Collocation - Application Cost, Simple Augment				PE1KS				4.00	ļ						<del> </del>
							597.34		1.22		L		<u> </u>		<u> </u>	1
	Physical Collocation - Application Cost, Minor Augment				PE1KM		837.57		1.22						<u> </u>	
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,063.00		1.22						1	1
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															T
	Fiber Cable Support Structure, per cable	1		CLO	PE1DU		534.65				ŀ				ŧ .	1
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	<u> </u>	_				00 1100						<del> </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>
		,		CLO	DE4D14		504.05				1				ł	1
	Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		534.65								<b></b>	<b></b>
ADJACENT CO	DLLOCATION										<u> </u>			<u> </u>	L	
	Adjacent Collocation - Space Charge per Sq., Ft.			CLOAC	PE1JA	0.0678_									L	1
	Adjacent Collecation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.68				I		i —				1
	Adjacent Collocation - 2-Wire Cross-Connects	$\overline{}$		UEA,UHL,UDL,UCL		0.0223	12.37	11.87	6.04	5.45	<b></b>	<del>                                     </del>	<b> </b>	<del>                                     </del>	1	t
	Adjacent Collocation - 4-Wire Cross-Connects	-		UEAUHL, UDL, UCL		0.0446	12.47	11.94	6.59	5.91	-	<del></del>	-	<del>                                     </del>	<del>}</del>	<del></del>
<del></del>		—									<del> </del>	ļ	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
$-\!-\!-$	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL		1.05	22.16	16.02	6.60	5.97	<del></del>	<b></b>	<b></b>	<del></del>	<del> </del>	<del> </del>
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL		14.27	21,01	15.29	7.61	6,10		<u> </u>	L	l		1
	Adjacent Collocation • 2-Fiber Cross-Connect			CLOAC	PE1F2	2.42	21.01	15.29	7.61	6.10	1		1			
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.62	25.70	19.97	10.01	8,50		ī	1	1	I Total	
	Adjacent Collocation - Application Fee			CLOAC	PE1JB	<del></del>	1.585.83		1,0,0,1	<del></del>	<del> </del>	<del>                                     </del>	<del> </del>	1	1	t
	Adjacent Collocation - 120V, Single Phase Standby Power Rate		-	JEJA	100	<b>——</b>	1,000.00			<del> </del>	-	<del>                                     </del>	<del></del>	<del></del>	<del>                                     </del>	+
				0.040						Ī		İ	I		I	1
	per AC Breaker Amp		$oxed{oxed}$	CLOAC	PE1FB	5.29					L	L		<b></b>		<del></del>
1	Adjacent Collocation - 240V, Single Phase Standby Power Rate									1	1		1		1	1
	per AC Breaker Amp			CLOAC	PE1FD	10.58				l		1	1		I	j
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	$\neg$								Ĭ	T	r	l	1	T	1
	per AC Breaker Amp			CLOAC	PE1FE	15.87			]	f		l	1		I	
	Adjacent Collocation - 277V, Three Phase Standby Power Rate		$\vdash$	orono .	7 - 11 -	10.07				<b>-</b>	-		<del> </del>	<del></del>		<del></del>
J					l	1				l .		l	i		1	
	per AC Breaker Amp			CLOAC	PE1FG	36.65										
HYSICAL CO	LLOCATION IN THE REMOTE SITE									l	1	1	L			
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		309.48		168.63	i ·		·	T		{	Γ
	Cabinet Space in the Remote Site per Bay/ Rack	-		CLORS	PE1RB	210.05		_		i	1	†	1	1	1	1
-						210.00				<b> </b>	1	<del></del>	<del>                                     </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>
- 1	Physical Callegation in the Bounds Site County Account			01.000	ا محمد		40.4-			1	I	I	1	1	I	1
<del></del>	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.17				<b></b>	<b></b> _	ļ	<del></del>	<b></b>	<b>↓</b>
ı	Physical Collocation in the Remote Site - Space Availability				1 1				1	l	1	1	1		İ	1
ı	Report per Premises Requested			CLORS	PE1SR	1	116.54		1	)	1	I	1		I	1

COLLC	CAT	ION - Mississippi												Attach	ment: 4	Exhi	bit: B
CATEGO		RATE ELEMENTS	înteri m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.
														Electronic- 1st	Electronic- Add'i	Electronic- Disc 1st	Electronic- Disc Add'i
							Rec		urring	Nonrecurring	Disconnect			oss	Rates (\$)	<b></b>	<del>'                                    </del>
				<u> </u>			Nec	First	Add'i	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
l l		Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77		İ		1				1	1
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR	<del> </del>	233.14			<u> </u>	<del> </del>		-			
Ť		Physical Collocation - Security Escort for Basic Time - normally			020110		<del> </del>	200.14			<del>                                     </del>	<del>                                     </del>					
		scheduled work, per half hour			CLORS	PE1BT		17,02	10,79			l				L	
1		Physical Collocation - Security Escort for Overtime - outside of															
l		normally scheduled working hours on a scheduled work day, per half hour			CLORS	PE1OT	1	22.17	13.94							1	
<del> i</del>		Physical Collocation - Security Escort for Premium Time -	<del></del>		CLUKS	PETOI	<del> </del>	22.17	13.94		<del>                                     </del>	<del>                                     </del>					
		outside of scheduled work day, per half hour			CLORS	PE1PT	1	27,32	17.08							1	
PHYSIC	AL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
1		D									l						
∤		Remote Site-Adjacent Collocation - AC Power, per breaker amp		├—	CLORS	PE1RS	6.27	_	_	ļ	ļ	<u> </u>	<b> </b>			<del> </del>	ļ
- 1		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0,134								l	i	
		Remote Site-Adjacent Collocation-Application Fee	<del>                                     </del>		CLORS	PE1RU		755.62	755.62		<del>                                     </del>	<del>                                     </del>				t	
		If Security Escort and/or Add'l Engineering Fees become nec	essary f	or rem	ote site collocation,	the Parties v	will negotiate a		5.								
VIRTUA	L COL	LOCATION															
		Virtual Collocation - Application Fee	├		AMTES	EAF	<del> </del>	1,212.25		0.51	<b> </b>	ļ					ļ
-+		Virtual Collocation Administrative Only - Application Fee Virtual Collocation - Cable Installation Cost, per cable	├-		AMTFS AMTFS	VE1AF ESPCX	<u> </u>	740.76 926.27		22.62		ļ			<del></del>	<del>                                     </del>	<del></del>
		Virtual Collocation - Floor Space, per sq. ft.	<del> </del>	<del>                                     </del>	AMTES	ESPVX	5.74	920.27		22.02	<b></b>	<del> </del>					
		Virtual Collocation - Power, per fused amp	-		AMTFS	ESPAX	7.33				<del></del>	<del>                                     </del>		<del></del>	<del>                                     </del>	<del></del>	
		Virtual Collocation - Cable Support Structure, per entrance	1							<b> </b>				1			
		cable			AMTES	ESPSX	15.24		1			l			L	L	
- 1					UEANL, UEA, UDN, U DC, UAL, UHL, UCL, U		1					İ					
					EQ, UNCVX,	ĺ				1							l
ļ		Virtual Collocation - 2-wire Cross Connects (100p)				UEAC2	0.0268	12.37	11.87	6.04	5.45						1
一寸					UEA,UHL,UCL,UDL,												
					UAL, UDN, UNCVX,												
		Virtual Collocation - 4-wire Cross Connects (Icop)			UNCDX	UEAC4	0.0536	12.47	11.94	6.59	5.91						<u> </u>
					UDL12, UDLO3,							1					
					U1T48, U1T12,												
					U1T03, ULDO3,												
		Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	CNC2F	2.91	21.01	15.29	7.61	6.10						<u> </u>
											1						
					UDL12, UDLO3, U1T48, U1T12,		] i			l	Į.						
l i					U1T03, ULDO3,	]	]			l	1	1	1		1		
l		Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	CNC4F	5.82	25.70	19.97	10.01	8.50						
					USL,ULC, ULR,						· · · · · · · · · · · · · · · · · · ·	i		1			
					UXTD1, UNC1X,						,	l					ļ
- 1		North of College tion County Access \$ 100 access access and			ULDD1, U1TD1,							İ					l l
		Virtual Collocation - Special Access & UNE, cross-connect per DS1			USLEL, UNLD1, UEPEX, UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97					1	1
					USL,UE3, U1TD3,	CHCIX_		22.10	10.02	0.00	3.87	<del> </del>					<del> </del>
- 1					UXTS1, UXTD3,		]					ł	1				
J					UNC3X, UNCSX,					l		1					
- 1		North and continue Councied Account 2   1815 against a councied			ULDD3, U1TS1,		]			l		1	1				
		Virtual collocation - Special Access & UNE, cross-connect per DS3			ULDS1, UDLSX, UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10						
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		$\vdash$	UNLLUG	CHDSA	14.49	21.01	15.29	7.01	9,10	<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>	<del>                                     </del>	<del> </del>
		Support Structure, per linear foot			AMTES	VE1CB	0.0025					1	1			1	
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax										i e					
<del></del>		Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0037				ļ	<u> </u>	ļ	L	L	L	ļ
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable					]									1	1
		Support Structure,per cable			AMTES	VE1CC		534.65		l	L	<u> </u>		<u> </u>	L	1	<u> </u>

OLLOCAI	ON - Mississippi													ment: 4		bit: B
		l		l											Incremental	
		l		ł	j l						Submitted	Submitted	Charge -	Charge -	Charge -	Charge
		Interi	1	ļ	1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			ner I SR	per LSR	Order vs.	Order vs.	Order vs.	Order v
		m		1	1						por Lor		Electronic-	Electronic-	Electronic-	Electron
		l		{	1							l	1st	Add'l	Disc 1st	Disc Ad
		l		{							1	l	151	Addi	DISC 15t	DISC AC
						Rec	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax										1				1	
	Cable Support Structure, per cable	<u> </u>		AMTFS	VE1CE		534.65				l	l				
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		763.69	490.94	133.77		T					
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record	i		AMTFS	VE1BB		328.81		190.22		l	i				1
	Virtual Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair	1		AMTES	VE1BC	1	4.84		5.93			i				
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD	· · · · · · · · · · · · · · · · · · ·	2.27		2.78		1				1	<b>—</b>
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VEIBE		7.92		9.72					1	† — — — — — — — — — — — — — — — — — — —	
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	1									i ·			1	1	$\overline{}$
	records	i		AMTES	VE1BF		84.98		77.58							
	Virtual collocation - Security Escort - Basic, per half hour	1		AMTES	SPTBX		17,02	10.79			i e				<u> </u>	
	Virtual collocation - Security Escort - Overtime, per half hour	1		AMTES	SPTOX	- t	22.17	13.94			1	<del>                                     </del>		<del> </del>	1	<del>                                     </del>
	Virtual collocation - Security Escort - Premium, per half hour	<del></del>		AMTES	SPTPX		27.32	17.08			<del> </del>		<del> </del>	· · · · · · · · · · · · · · · · · · ·	<del> </del>	<del>                                     </del>
	Virtual collocation - Maintenance in CO - Basic, per half hour	1		AMTES	CTRLX	i i	28.09	10.79			i e			<del>                                     </del>	1	<del> </del>
		<del>                                     </del>	-										-	<del> </del>	<del>                                     </del>	1
	Virtual collocation - Maintenance in CO - Overtime, per half hour	l		AMTES	SPTOM .		36.69	13.94						1		1
											<del> </del>	<del> </del>		†	†	+
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTES	SPTPM		45.28	17.08							l .	1
	Virtual Collocation - Request Resend of CFA Information, per					<del> </del>					·		<del></del>	<del> </del>	1	<del>†                                      </del>
	au		1	AMTES	VE1QR		77,41								1	1
TUAL COL	LOCATION						'''	-			ł				1	<del>†                                      </del>
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-				_	<b>—</b>					· · · · · · · · · · · · · · · · · · ·	<del></del>	<del> </del>	<del> </del>	1	$\vdash$
1	Wire Analog - Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45	ł					1
1	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-		-	0				11.01	0.07	0.40		<b>†</b>		<del> </del>	<del> </del>	<del> </del>
1	Wire Line Side PBX Trunk - Bus	ŀ		UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45	l					1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire										···		<del> </del>	<del> </del>	<del> </del>	<del> </del>
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45	1					1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire				<del>-   · - · - · - · - · - · - · - · - · - </del>		- 12.07				†	<del></del>		<b>†</b>		-
	Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45	1				1	1
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire			02. 05	<del></del>	0.0200	,2.01		0.07		<b>†</b>	<b>†</b>	1			+
- 1	ISDN			UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45	ł					1
$\neg$	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	<del> </del>			1.2.114	3,0200	12,07	11.07	0.04	5.45	<del> </del>	<del>                                     </del>		<del>                                     </del>	<del> </del>	<del> </del>
- 1	ISDN	1		UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45	1			ì	1	1
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire	<del> </del>	1	- IA	VE II VE	0.0200	12.37	11.07	0.04	3.43			<del> </del>	<del> </del>	<del> </del>	<del> </del>
	ISDN DS1			UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91	ľ	1		I	1	1
	Rates displaying an "R" in Interim column are interim and sub	<del> </del>						11.94	0,59	5.91	ł	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>	<del> </del>

COLL	OCAT	ION - North Carolina													ment: 4		blt: B
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	incremental Charge - Manual Svc Order vs. Electronic- 1st	incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'i
				-			_	Nonre	curring	Nonrecurrin	g Disconnect	1	·	OSS	Rates (\$)	·····	<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	L																
PHYSIC	CAL CO	LLOCATION															
	l	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res	]		UEPSR	PE1R2	0.32	41.78	20.00			1		26.94	12.76	ł	
<b>-</b>	<del> </del>	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	<del>                                     </del>		UEPSK	PEIRZ	0.32	41.70	39,23	-	+	+		20.94	12.70	<del> </del>	
l		Wire Line Side PBX Trunk - Bus	i		UEPSP	PE1R2	0.32	41.78	39.23					26.94	12.76	1	
	1	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				1					1						
		Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.32	41.78	39.23		<u> </u>			26.94	12.76		
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	l												40.50		İ
<u> </u>	<del> </del>	Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	<del> </del>	├	UEPSB	PE1R2	0.32	41.78	39.23					26.94	12.78		
	1	Wire ISDN			UEPSX	PE1R2	0.32	41.78	39.23	1	1		1	26.94	12.76		1
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	$\vdash$	$\vdash$	<del></del>		0.02	71.70	35.23		<b>—</b>	<del>                                     </del>			12.70	<del>                                     </del>	<del>                                     </del>
		Wire ISDN_	L	L	UEPTX	PE1R2	0.32	41.78	39.23		<u> </u>			26.94	12.76		
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-															
01000	1	Wire ISDN DS1	<u> </u>		UEPEX	PE1R4	0,64	41,91	39.25	1	ļ	<u> </u>	<u> </u>	26.94	12.76		ļ
PHYSIC	JAL CO	LLOCATION    Physical Collocation - Initial Application Fee	<del>                                     </del>	├	01.0	PE1BA		n 000 00		1	-			ļ			
<u> </u>	<del> </del>	Physical Collocation - Subsequent Application Fee	⊢-		CLO	PE1BA PE1CA		2,322.00 2,311.00		<del>                                     </del>	+	<del> </del>					<del>                                     </del>
<u> </u>	$\vdash$	Physical Collocation Administrative Only - Application Fee		<b></b>	CLO	PE1BL		741.44		<del> </del>	<del> </del>	<del> </del>		-	<del></del>		ł
		Physical Collocation - Space Preparation - Firm Order				7 - 1 - 1		7-11.11			-	+					<del> </del>
		Processing			cro	PE1SJ		1,196.00			I					t	
ſ		Physical Collocation - Space Preparation - C.O. Modification per	l												ĺ		
		square ft.	<u> </u>		CLO	PE1SK	2,42			<del> </del>	<u> </u>				<u> </u>		ļ
		Physical Collocation - Space Preparation, Common Systems	Ι.							1					İ	1	
<b></b>	-	Modifications-Cageless, per square foot  Physical Collocation - Space Preparation - Common Systems			cro	PE1SL	2.88								-		ļ
<b>!</b>	l	Modifications-Caged, per cage	١,		CLO	PE1SM	97.98										1
	1	Space Preparation Fees - Power Per Nominal -48V Dc Amp	<del>l i</del>	<del>                                     </del>	CLO	PE1FH	5.76					<del>                                     </del>		1	<del>                                     </del>		
		Physical Collocation - Cable Installation, Pricing, non-recurring															
	L	charge, per Entrance Cable	1		CLO	PE1BD		1,701,00		<u> </u>							ļ
	<u> </u>	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	2.30			ļ	ļ				ļ		ļ
		Physical Collocation - Cable Support Structure, per Entrance Cable	١.	ŀ	CLO	PE1PM	20.57								l		
<del></del>		Cable		-	CLO	FEIFM	20.51			<del> </del>	<del> </del>	+		···	<del> </del> -		
l		Physical Collocation - Power, -48V DC Power - per Fused Amp	1		CLO	PE1PL	7.65								1		
	·	Physical Collocation - Power Reconfiguration Only, Application							_		<u> </u>		T				
		Fee			CLO	PE1PR		399.13									
	ľ	Physical Collocation - Power, 120V AC Power, Single Phase,	Ι.		0.0		ا ـ ـ ـ ا			1					l		
	<del></del>	per Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase,	⊢-	$\vdash$	CLO	PE1FB	5.50	<del></del>		<b> </b>	<del> </del>	+	<del>                                     </del>	<del> </del>	<del></del>	ļ	
		per Breaker Amp	1		CLO	PE1FD	11.01				1		1				
	T	Physical Collocation - Power, 120V AC Power, Three Phase, per	r T				151				1		1		<u> </u>	t e	t
		Breaker Amp		L	CLO	PE1FE	16,51			<u> </u>	<u> </u>		<u> </u>				
		Physical Collocation - Power, 277V AC Power, Three Phase, per				l											
	<b></b>	Breaker Amp			CLO	PE1FG	38.12										ļ
					UEANL,UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN.												
	l	Physical Collocation - 2-wire cross-connect, loop, provisioning	1		UNCVX	PE1P2	0.0309	33.53	31.65		I				I	L	L
					UEA, UHL, UNCVX,												
	<u> </u>	Physical Collocation - 4-wire cross-connect, loop, provisioning		L		PE1P4	0.0618	33.67	31.70		<u> </u>	ļ	ļ. <u></u>	ļ		ļ	<b></b>
		Physical Collocation -DS1 Cross-Connect for Physical			WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1,												;
		Collocation, provisioning	1		UNC1X	PE1P1	1,38	52,87	39.86	<u> </u>							<u> </u>

COLLOCAT	FION - North Carolina													ment: 4		bit; B
												Svc Order		Incremental	Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interl	i								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
	1	""	ŀ		1						1	l '	Electronic-	Electronic-	Electronic-	Electronic-
					1								1st	Add'l	Disc 1st	Disc Add'l
		<b></b>	Ь									<u> </u>	,			
			L	ļ	1	Rec	Nonrec			g Disconnect				Rates (\$)		
		ļ			ļ		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3,	1											1
			]	UXTD3, UXTS1,	1		ı		i		1					1
			1	UNC3X, UNCSX,	1		l				1					]
			l	ULDD3, U1TS1,ULDS1,	1	1			İ							1
	Physical Collocation - DS3 Cross-Connect, provisioning	Ι,	ı	UNLD3	PE1P3	17.62	51.97	38.59	l	1						1
-+-	i nysica concentin - Dos cross-connect, provisioning	<del>- '-</del>	⊢	CLO, ULDO3,	PEIPS	17.02	51.97	30,09			+	<b></b>				-
			l	ULD12, ULD48,	1					1						l .
			l	U1TO3, U1T12,	1				ľ							l
			l	U1T48, UDLO3,												
	Physical Collocation - 2-Fiber Cross-Connect	١.		UDL12, UDF	PE1F2	3.50	51.97	38.59						ŀ		1
		<del>-</del>	<del>                                     </del>	ULDÖ3, ULD12,	11114	3.30	31.87	30.59	-	+	+	<b></b>	<b> </b>	<b></b>		
		j		ULD48, U1TO3,							]		l		1	1
		l		U1T12, U1T48.							i	1	ľ	1	1	I
		l		UDLO3, UDL12,	1											1
	Physical Collocation - 4-Fiber Cross-Connect	l ı	1	UDF	PE1F4	6.20	64.53	51,15								1
	Physical Collocation - Space enclosure, welded wire, first 100				1	323	- 000				1					
	square feet	l i		CLO	PE1BW		559.81						1			
- 1	Physical Collocation - Space enclosure, welded wire, each					-				†	†——					<del></del>
	additional 50 square feet	1		CLO	PE1CW		25.37				1		1	ł		1
	Physical Collocation - Security Access System - Security System										T T	i				
	per Central Office, per Sq. Ft.			CLO	PE1AY	0.0135				l	]					
	Physical Collocation -Security Access System - New Card	l				i					1			-		
	Activation, per Card Activation (First), per State	<u> </u>		cro	PE1A1	0.062	15.00				<b>1</b>					L
	District College Co. Co. Co. Co. Co. Co. Co. Co. Co. Co.										1			İ		1
	Physical Collocation-Security Access System-Administrative	١.			l	1	1				1					
	Change, existing Access Card, per Request, per State, per Card		_	cro	PE1AA		15.51				<b>_</b>					
ı	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			aro	PE1AR	ŀ	45.00						1			(
	Physical Collocation - Security Access - Initial Key, per Key		-	CLO	PETAK		15.00 15.00			-	<del>                                     </del>	<u> </u>				
<del></del>	Physical Collocation - Security Access - Key, Replace Lost or	—	<del></del>	<u> </u>	PEIAN		10.00			<b>_</b>	<del> </del>	<b></b>				ł
	Stolen Key, per Key			cro	PE1AL		15.00				1	J				
	Physical Collocation - Space Availability Report, per Central			-	7 17		10.00			<del> </del>	<del> </del>	<del></del>				
	Office Requested			cro	PE1SR		2,140.00	2,140.00			l					
	Physical Collocation - CFA Information Resend Request, per	<u> </u>			1 - 1011		211100	2,140.00		<del>                                     </del>	<del> </del>	-	<b></b>		·	<del> </del>
	premises, per request		1	cro	PE1C9	l	77.48			1	1		l	I	1	
	Physical Collocation - Cable Records, per request			CLO	PE1CR	t	1,707.00			1	1		<u> </u>		<u> </u>	
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable			-	[					1					1	1
	record (maximum 3600 records)			CLO	PE1CD		923.08			<u></u>	<u> </u>		L		<u> </u>	
1	Physical Collocation, Cable Records, VG/DS0 Cable, per each				[											
	100 pair			CLO	PE1CO		18.02			<u> </u>	<b></b>		L			ļ
	Physical Collocation, Cable Records, DS1, per T1 TIE			cro	PE1C1		8.43			ļ		L		ļ	ļ	
— <u> </u>	Physical Collocation, Cable Records, DS3, per T3 TIE	ļ	ļ	CI.O	PE1C3		29.51			<u> </u>	<u> </u>		ļ		ļ	<b> </b>
l	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			cro		l							l		l	
<del></del>	Physical Collocation - Security Escort for Basic Time - normally		$\vdash$	<u>uo</u>	PE1CB		278.82			<del> </del>				ļ	<b> </b>	
J	scheduled work, per half hour			cro	PE1BT		33,68	21.34		1	1		l	Ī	1	
	Physical Collocation - Security Escort for Overtime - outside of		$\vdash$	0.0	FEIDI		33,00	21.34		<del> </del>	<del>                                     </del>		<del> </del>		<del> </del>	<del> </del>
- 1	normally scheduled working hours on a scheduled work day,										1	1	l	Ī	ł	
l	per half hour			cro	PE1OT		43.87	27.57		1	1		l	1	I	
	Physical Collocation - Security Escort for Premium Time -				<del>   </del>		,,,,,,	2		<del>                                     </del>	<del>                                     </del>		l	<b> </b>	<del> </del>	<del>                                     </del>
1	outside of scheduled work day, per half hour			CLO	PE1PT	J	54,06	33.80			1		l	l	1	
	Physical Collocation - Virtual to Physical Collocation Relocation,		$\Box$		i	İ				1	† <del></del>		l	i		
	per Voice Grade Circuit			CLO	PE1BV		33.00			1	1		l	[	1	
	Physical Collocation - Virtual to Physical Collocation Relocation,				1 1					1	1		i -			T
	per DSO Circuit			CLO	PE1BO		33,00							L		L
	Physical Collocation - Virtual to Physical Collocation Relocation,															1
ſ	per DS1 Circuit			cro	PE1B1	J	52.00			I	1		I	l	1	I

COLLOCA	TION - North Carolina				_								Attach	ment: 4	Exhi	bit: B
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
		l									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			perLSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									hei rok	ber row				
		l											Electronic-	Electronic-	Electronic-	Electronic-
		i									1	l	1st	l'bbA	Disc 1st	Disc Add'i
		<del>                                     </del>	<del>                                     </del>				None	curring	Nonrecurring	Discount	<del> </del>	<u> </u>	000	Rates (\$)	<u> </u>	I
<del></del>	<del>-</del>	<del></del>	╁		<del></del>	Rec	First	Add'l	First		FOUR	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation.		<b>├</b> ─				rirst	Addi	FIRST	Addil	SUMEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
		l			l					l		1		l		
	per DS3 Circuit		ـــــ	CLO	PE1B3		52.00	_								ļ
l	Physical Collocation - Virtual to Physical Collocation In-Place,	l			i				1	l		l .	l	1	l	1
ļ	Per Voice Grade Circuit			CLO	PE1BR		23.00					1	<u> </u>			
	Physical Collocation Virtual to Physical Collocation In-Place, Per	l			l				1	l		1	ł		ľ	
	DSO Circuit			CLO	PE1BP		23.00			L		J				J
1 1	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit	l	į .	Cro	PE1B\$		33.00			ļ	1					
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	per DS3 Circuit	l	!	CLO	PE1BE		37.00		·	1			l .			
	Physical Collocation - Virtual to Physical Collocation In-									1	1	1	1			
	Place/Relocation, space cable facilities assigned to Collocation	l	1													1
I I	Space, per 700 cable pairs or fraction thereof	l	1	lcLo	PE1B7		592.00		l	l		I	]	1	I	1
	Physical Collocation - Co-Carrier Cross Connects/Direct		<del> </del>				******			<b>-</b>		1	1	•	1	
1	Connect - Fiber Cable Support Structure, per linear ft.	l	1	cro	PE1ES	0,0028			l	l		I		ŀ	I	1
h	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	<del>                                     </del>	1	-		0,0020			<b>-</b>	-	+	<del> </del>	<del> </del>	<del></del>	<del> </del>	<del> </del>
1 1	Copper/Coax Cable Support Structure, per lin. ft.	1	l	cro	PE1DS	0.0041			!					1		
<del>                                     </del>	Physical Collocation - Co-Carrier Cross Connects/Direct		-	0.0	7 - 100	0,0041			<del></del>		+	<del> </del>	<del> </del>		<del>                                     </del>	<del> </del>
l I	Connect, Application Fee, per application	1	İ	ao	PE1DT		583.66									
<del></del>	Physical Collocation - Copper Entrance Cable per Cable (CO		<u> </u>	GLO	PEIUI		503.00					<b></b>	<u> </u>		<del> </del>	
l I	manhole to vault splice)						4 407 475	40.00				1	1			
		<u> </u>	<del> </del>	cro	PE1EA		1,167,175	42.68				1	Į			
1 1	Physical Collocation - Copper Entrance Cable Installation, per	1		l	l							l	1		1	
ļ <b>ļ</b>	100 Pairs	<u> </u>		cro	PE1EB		18.086					<u> </u>	ļ		ļ	ļ
	Physical Collocation - Fiber Entrance Cable per Cable (CO											1	1	ļ	1	[
L	manhole to vault splice)			cro	PE1EC		971.852	42.68							<u> </u>	
	Physical Collocation - Fiber Entrance Cable Installation, per													•	ì	1
	Fiber			aro	PE1ED		7.234								1	1
	Physical Collocation - Application Cost, Simple Augment				PE1KS		575.93		1.16							
	Physical Collocation - Application Cost, Minor Augment				PE1KM_		806.66		1.16			_	1			
	Physical Collocation - Application Cost, Intermediate Augment		l	Cro	PE1K1		1,023.00		1.16							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -										1					
	Fiber Cable Support Structure, per cable	l i		CLO	PE1DU		532.72		1				ŀ			
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -												i		i -	T
1	Copper/Coax Cable Support Structure, per cable	1 1	l	CLO	PE1DV		532.72					1				1
ADJACENT (	COLLOCATION		1							<b></b>		<del>                                     </del>	<del> </del>		1	1
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1555					1	1	<b>i</b>			_
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.		T		PE1JC	5,78			1	1	1	Ì	1	· ·	<del></del>	i
	Adjacent Collocation - 2-Wire Cross-Connects	1	1	UEA,UHL,UDL,UCL		0.0239	33.53	31.65	<del> </del>	1	1	1			1	<del>1</del>
	Adjacent Collocation - 4-Wire Cross-Connects		<del>                                     </del>	UEA,UHL,UDL,UCL		0.0477	33.67	31.70	<u> </u>	1	1	1	<del> </del>	<u> </u>	1	1
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL		1.28	52.87	39.86	1	1	1	1	t		i –	1
	Adjacent Collocation - DS3 Cross-Connects	<del>                                     </del>	$\overline{}$	UEAUHL, UDL, UCL		17.35	51.97	38.59	<del> </del>	· · · · · · · · · · · · · · · · · · ·	1	†	<del> </del>	<b> </b>	1	t
	Adjacent Collocation - 2-Fiber Cross-Connect	1	t	CLOAC	PE1F2	2.94	51.97	38.59	<del> </del>		+	<del>                                     </del>	<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>
	Adjacent Collocation - 4-Fiber Cross-Connect	1	<del>                                     </del>	CLOAC	PE1F4	5.62	64.53	51.15	<del></del>		+	<del> </del>	<del>                                     </del>		<del>                                     </del>	+
<del>                                     </del>	Adjacent Collocation - Application Fee	$\vdash$	-	CLOAC	PE1JB	3.02	3,139.00	01.15	$\vdash$	<del> </del>	+	$\vdash$	<del>                                     </del>	<del> </del>	<del>                                     </del>	<del></del>
	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate	<del> </del>	<del> </del>	OLONO	1 15 15 15		3, 138,00	<del> </del>	<del> </del>	<del> </del>	+	<del> </del>	<del> </del>	-	<del>                                     </del>	<del>                                     </del>
l	per AC Breaker Amp		I	CLOAC	PE1FB	5.50			l	i	1	I	1		1	
	Adjacent Collocation - 240V, Single Phase Standby Power Rate	<del> </del>	├	OLOAG	LE ILD	3,50		<b> </b>		ļ	<del></del>	<del> </del>	ļ	<del> </del>	<b>├</b>	<del></del>
	per AC Breaker Amp	l	I	CLOAC	DE4ED			1	l	İ	ŀ	1	1		1	1
		<u> </u>	⊢	CLOAC	PE1FD	11.01			<del> </del>	<del></del>	<del> </del>	<del> </del>	<del> </del>	<b></b>		<del>                                     </del>
	Adjacent Collocation - 120V, Three Phase Standby Power Rate	l	I					1	1		1	1	1		1	i
	per AC Breaker Amp	⊢—	⊢	CLOAC	PE1FE	16.51		ļ	<del> </del>		1	ļ	<b></b>	<b></b>	ļ	<del> </del>
l	Adjacent Collocation - 277V, Three Phase Standby Power Rate	ł	I						1			ŀ	1		1	
0100012	per AC Breaker Amp		⊢	CLOAC	PE1FG	38.12		ļ	<b></b>			ļ				
PHYSICAL C	OLLOCATION IN THE REMOTE SITE		L						<u> </u>						ļ	Ļ
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		865.34								ļ	
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	254.02										
			I									1		1		
	Physical Collocation in the Remote Site - Security Access - Key	L	L_	CLORS	PE1RD		26.06				1	L	l	1		l
T	Physical Collocation in the Remote Site - Space Availability				1							1				
1	Report per Premises Requested	l	I	CLORS	PE1SR		230.60	I	i			1	1	I	1	1

COLLOCAT	TION - North Carolina												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
	***	$\vdash$	<del> </del>		<del> </del>	<del>                                     </del>	Nonre	urring	Nonrecurring	Disconnect		L	oss	Rates (\$)		
			<b>—</b>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation in the Remote Site - Remote Site CLLI															]
	Code Request, per CLLI Code Requested	ļ		CLORS	PE1RE	ļ	74.74						<b></b>			<del> </del>
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally			CLORS	PE1RR		232,94			ļ						<del> </del>
	scheduled work, per half hour			CLORS	PE1BT		33.68	21.34		İ		1				
	Physical Collocation - Security Escort for Overtime - outside of	<del>                                     </del>	+	CLORG	PEIDI	<del> </del>	33.00	21.04		· · · · · · · · · · · · · · · · · · ·				<del>                                     </del>	<b> </b>	<del>                                     </del>
l	normally scheduled working hours on a scheduled work day,	]				ŀ						1		l		
	per half hour	l		CLORS	PE1OT		43.87	27.57						L		
	Physical Collocation - Security Escort for Premium Time -					1				1					1	
DI IVOIGAL O	outside of scheduled work day, per half hour DLLOCATION IN THE REMOTE SITE - ADJACENT	ļ	<b>↓</b>	CLORS	PE1PT		54.06	33.80		ļ			ļ		<del></del>	-
rn foldal, Cl	ALOCATION IN THE REMOTE SITE - AUJACENT		+-	<del> </del>	-		<b></b>			<del> </del>	-		<del> </del>	<del> </del>		<del> </del>
	Remote Site-Adjacent Collocation - AC Power, per breaker amp		1	CLORS	PEIRS	6.27				I	ļ	1		1	1	1
	The state of the s		1	****		1 2.2.				<del> </del>		·				<b>†</b>
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0,134						L				<u></u>
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755,62	755.62							ļ	<b></b>
NOTE	: If Security Escort and/or Add'l Engineering Fees become nec	essary i	for rem	ote site collocation,	the Parties	will negotiate a	ppropriate rate	8.		<b> </b>	-					<del> </del>
VIKTUAL CO	Virtual Collocation - Application Fee	-	$\vdash$	AMTFS	EAF	<del> </del>	1,208,00	ļ	1,16	<del>                                     </del>	<del> </del>	<b></b>	26.94	12.76		+
	Virtual Collocation Administrative Only - Application Fee		+	AMTES	VE1AF	<b> </b>	741,44		1,10	+	<del> </del>		20.04	12.70	<del></del>	<del>                                     </del>
	Virtual Collocation - Cable Installation Cost, per cable	<del>                                     </del>	<del> </del>	AMTES	ESPCX	<del> </del>	2,750.00			<b></b>			26.94	12.76		†
	Virtual Collocation - Floor Space, per sq. ft.		1	AMTFS	ESPVX	3.20										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	3.48										
ı	Virtual Collocation - Cable Support Structure, per entrance	1		l												1
	cable	<del> </del>	<b>├</b>	AMTFS UEANLUEA,UDN,U	ESPSX	12.60				<b></b>	<del></del>					<del>                                     </del>
				DC,UAL,UHL,UCL,U EQ, UNCVX,												
	Virtual Collocation - 2-wire Cross Connects (Ioop)	1		UNCDX, UNCNX	UEAC2	0.0208							26.94	12.76		
				UEA,UHL,UCL,UDL,		_										
1		1	1	UAL, UDN, UNCVX,					1				l			
	Virtual Collocation - 4-wire Cross Connects (loop)	<b></b>		UNCDX	UEAC4	0.0417					<del> </del>		26.94	12.76		<del>                                     </del>
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	1.86		1					26.94	12.76		
				UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3,										_		
	Virtual Collocation - 4-Fiber Cross Connects			ULD12, ULD48, UDF	CNC4F	3.73							26.94	12.76	İ	1
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	0,3978							26.94	12.76		
	Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLDS	CND3X	4.18							26.94	12.76		
l	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTES	VE1CB	0.0028						]				
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax	<del>                                     </del>	$\vdash$	<del></del>					-	<del> </del>		<del> </del>	<del>                                     </del>			<del>                                     </del>
	Cable Support Structure, per linear ft Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable	<del>                                     </del>	-	AMTFS	VE1CD	0.0041				<del> </del>	-	-	<del>                                     </del>			<del></del>
ı	Support Structure,per cable	l	1	AMTES	VE1CC	1	532.72		<u> </u>		1		26.94	12.76		

OLLUCA	ION - North Carolina												7	ment: 4		ibit: B
											Svc Order	Svc Order	incremental	Incremental	Incremental	Incremen
				i							Submitted	Submitted	Charge -	Charge -	Charge -	Charge
	i	Interi	1	ł							Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			perLSR		Order vs.	Order vs.	Order vs.	Order v
		m		ł							per Lore	po, 2011	Electronic-	Electronic-	Electronic-	Electron
			I	ŀ	1								ist	Add'I	Disc 1st	Disc Ad
_		1	1										151	Addi	DISC 15t	DISC AG
			1	1			Nonre	currina	Nonrecurrir	g Disconnect	1	·	oss	Rates (\$)	4	
		-	1	<u> </u>		Rec	First	Add'l	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax		1							T						
- 1	Cable Support Structure, per cable		1	AMTES	VE1CE		532.72						26,94	12.76		
	Virtual Collocation Cable Records - per request		1	AMTES	VE1BA		1474.00 I	947.42 S	247.64 1	247.64 S	<del> </del>					1
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															<del>                                     </del>
	record		ı	AMTES	VE1BB		629,42	629.42 S	350.10 I	350.10 S			I			ł
	Virtual Collocation Cable Records - VG/DS0 Cable, per each		1		+		<del></del>			1	<b>†</b>	t — —	<del>                                     </del>	· · · · · · · · · · · · · · · · · · ·		<del>                                     </del>
	100 pair	ŀ	I	AMTES	VE1BC		8.87 1	8.87 S	10.43	10.43 S			I	!		1
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTES	VE1BD	j	4.40		5.171	5.17 8	<del> </del>		·· ·			<del> </del>
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.38 I	15.38 S	18.09 I	18.09 S	1	<del>-</del>	<del></del>	ł	<del></del>	<del> </del>
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber		+-	runii O	145105		10,001	10.00 0	10.031	10.00 0	+		<del></del>			-
	records		1	AMTES	VE1BF		165.38	165.38 S	144.871	144.87 S			1		i .	i
_	Virtual collocation - Security Escort - Basic, per half hour			AMTES	SPTBX		41.00	25.00	144.07 1	144.07 3	<del> </del>		26.94	12.76		₩
_	Virtual collocation - Security Escort - Overtime, per half hour			AMTES	SPTOX	<del></del>	48.00	30.00		+	+		26.94	12.76		<del> </del>
	Virtual collocation - Security Escort - Premium, per half hour			AMTES	SPTPX		55.00	35,00		+	<del></del>		26.94	12.76	<del></del>	<del> </del>
-	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTES	CTRLX		52.59	21.45	-	+	<del> </del>	<del> </del>	26.94	12.76		<del> </del>
	Viluai collocatori - Malifieriarice III CO - Basic, per frair frour		<del> </del>	AMIFS	CIKLX		52.59	21.45		<del></del>	ļ		26.94	12./6		<b>├</b> ──
	Virtual collocation - Maintenance in CO - Overtime, per half hour		1	AMTES	SPTOM			28.11			1		٠	12.76		1
	virtual conocation - Maintenance in CO - Overtime, per han nour		Н—	AMIFS	SPIOM		70.24	28.11			<u> </u>		26,94	12.76		<b>↓</b>
ı	Virtual collocation - Maintenance in CO - Premium per half hour		I	AMTES	SPTPM						]			40.00		
	Virtual Collocation - Request Resend of CFA Information, per		₩	AMIFS	SPIPM		87.88	34.77		ļ	1		26,94	12.76		<del></del>
1	CLU		1		l			ľ	1		i		1			
DTUAL COL	LOCATION		ļ	AMTFS	VE1QR		77.48				<u> </u>				<b></b>	<del></del>
TIOAL COL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-		-								<del> </del>		<u> </u>		ļ., <u>, , , , , , , , , , , , , , , , , , ,</u>	↓
				l									l		l	1
	Wire Analog - Res		↓	UEPSR	VE1R2	0.09	41.78	39.23			<u> </u>		26.94	12.76	<u> </u>	
l l	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			l												1
<del></del> -	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.09	41.78	39.23					26.94	12.76		
1	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			l										l		
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.09	41.78	39.23			1		26,94	12,76	Ĺ	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire						İ					ŀ		l	ĺ	
	Analog Bus		L	UEPSB	VE1R2	0.09	41.78	39.23					26.94	12.76		↓
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire		1		1 1		İ	l		1	1	Ì	i	l	l	
	ISDN		ļ	UEPSX	VE1R2	0.09	41.78	39.23			L		26.94	12.76	L	<u> </u>
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire									1		l				
	ISDN			UEPTX	VE1R2	0.09	41.78	39.23		<u></u>		L	26.94	12.76	1	
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire		1											[		
	ISDN DS1			UEPEX	VE1R4	0,18	41.91	39,25		Į.		l	26.94	12,76	1	1
I Note:	Rates displaying an "R" in Interim column are interim and sub	iact to	mia in	aun se sat forth in	General Terr	a and Condist					1		1			

COLLOCA	ION - South Carolina			<del></del>										ment: 4		bit: B
												Svc Order	Incremental	Incremental	Incremental	Incrementa
			l								Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	usoc			RATES (\$)			perLSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		*11	l								-	•	Electronic-	Electronic-	Electronic-	Electronic-
			l										1st	Add'i	Disc 1st	Disc Add'i
	<u> </u>				L								L		<u> </u>	
					ļ	Rec		urring		Disconnect				Rates (\$)		
		<u> </u>			<b></b>		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DUVEICAL CO	DLLOCATION	<b></b> _	<b>├</b>								ļ					<b>└</b>
PHI SICAL CI	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	├	—	<del></del>					<b> -</b>		ļ				ļ	
	Wire Analog - Res		1	UEPSR	PE1R2	0.0341	12.32	11.83	6.04	5.45	1					İ
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	<del>                                     </del>	<del> </del>	UCF SIX	FEIRZ	0.0341	12.32	11.03	0.04	3.43	<del> </del>		<b></b>			<del> </del>
	Wire Line Side PBX Trunk - Bus		l	UEPSP	PE1R2	0.0341	12.32	11.83	6.04	5,45	1					l
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	<del> </del>	<del>                                     </del>	02.50	1 21102	0.0041	12.02	11.00	0.04		+			_	<del> </del>	<del></del>
	Wire Voice Grade PBX Trunk - Res		1	UEPSE	PE1R2	0.0341	12.32	11.83	6.04	5.45				!		1
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		-			5,55 11		11.00	9,01	<del> </del>	<del>                                     </del>				†	$\vdash$
	Wire Analog - Bus		l	UEPSB	PE1R2	0.0341	12.32	11.83	6.04	5.45	1	1				
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1		i -	ĺ				i		1		i			<b>†</b>
	Wire ISDN		L	UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45	L_	L		<u> </u>	<u> </u>	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1						1		1		1			
	Wire ISDN		L	UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45	L		L			L
1	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-		I													
	Wire ISDN DS1		L	UEPEX	PE1R4	1,12	22.08	15.96	6.42	5.80						<u> </u>
PHYSICAL CO	LLOCATION	<u> </u>	Щ.		L											4
	Physical Collocation - Initial Application Fee	<u> </u>	L	CLO	PE1BA		1,883.67									<u> </u>
	Physical Collocation - Subsequent Application Fee	ļ	<b>!</b>	CLO	PE1CA		1,570.10				ļ					ļ. ——
	Physical Collocation Administrative Only - Application Fee		Ь—	CLO	PE1BL		743.66					ļ				<u> </u>
	Physical Collocation - Space Preparation - Firm Order Processing	ĺ	l								1	l			1	
	Physical Collocation - Space Preparation - C.O. Modification per	├	-	CLO	PE1SJ_		602.05		<b></b>		ļ		ļ			
	square ft.	l	l	CLO	PE1SK	2.75						l	1			
-	Physical Collocation - Space Preparation, Common Systems		_	OLO	FEION	2.75			ł		<del> </del>	<del> </del>			· · · · · · · · · · · · · · · · · · ·	
	Modifications-Cageless, per square fool		l	CLO	PE1SL	3.24			ŀ			l				*
	Physical Collocation - Space Preparation - Common Systems	1		0.0	1 5105	0.24			i e		<del>                                     </del>	<b>-</b>	<del>                                     </del>		+	<del></del>
	Modifications-Caged, per cage		l	cro	PE1SM	110.16						l				2
	Physical Collocation - Cable Installation, Pricing, non-recurring	$\vdash$	-			7.51.10			-		<del>                                     </del>		<del></del>		4	<del></del>
	charge, per Entrance Cable		l	cro	PE1BD		794.22		22.54			i				-
	Physical Collocation - Floor Space, per sq feet	1		CLO	PE1PJ	3.95			T	1					1	i.
1	Physical Collocation - Cable Support Structure, per Entrance								1							r
	Cable			CLO	PE1PM	21.33			ļ		1	l	l	L		l
											1	1				
	Physical Collocation - Power, -48V DC Power - per Fused Amp			CLO	PE1PL	9,19										
ı	Physical Collocation - Power Reconfiguration Only, Application		l													
	Fee		<u> </u>	cro	PE1PR		400.33		ļ		1					<b>↓</b>
[	Physical Collocation - Power, 120V AC Power, Single Phase,	1	Ī	lor o	DE4E5							1	l			1
<del></del>	per Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase,	⊢—	├	cro	PE1FB_	5.67			ļ	<b>—</b>	<del></del>	<u> </u>	<del>                                     </del>		<del>                                     </del>	<del> </del>
İ	per Breaker Amp	ſ	l	CLO	PE1FD	11.36					1	l	I			1
	Physical Collocation - Power, 120V AC Power, Three Phase, per	$\vdash$	$\vdash$	ULU .	FEIRD	11,30			<del> </del>	<del></del>	<del> </del>	-	<del> </del>	<del>                                     </del>	<del> </del>	<del></del>
I	Breaker Amp	l	1	CLO	PE1FE	17.03					1	1	I			1
<del></del>	Physical Collocation - Power, 277V AC Power, Three Phase, per	$\vdash$	$\vdash$	OLO .	1 5 11 5	11.03			<del> </del>	<del>                                     </del>	+	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>
I	Breaker Amp	l	1	lcro	PE1FG	39.33					1	1	I	1		1
		<del> </del>	<del>                                     </del>	UEANL.UEQ.	-				<b>i</b>		<del>†                                    </del>		<del> </del>	<del> </del>	<del> </del>	<del></del>
l		l	1	UNLDX, UNCNX,					}		1	l	I	l		1
I			l	UEA, UCL, UAL,					1			l		l	1	
l			l	UHL, UDC, UDN,					1					1	I	
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0341	12.32	11.83	6,04	5,45					L	<b></b>
				UEA, UHL, UNCVX,												
	Physical Collocation - 4-wire cross-connect, loop, provisioning	L			PE1P4	0.0682	12,42	11,90	6.40	5.74	Ļ	L	<u> </u>	<u> </u>	L	<b></b>
I				WDS1L,WDS1S,									_	l	1	
(		l	l	UXTD1, ULDD1,						l	1	l	I	i	1	
			Ī	USLEL, UNLD1,						I	1	l		1	1	
1	Physical Collocation -DS1 Cross-Connect for Physical		1	UEPEX, UEPDX,						1	1	l	I	I	1	
[	Collocation, provisioning		1	USL, ULC, U1TD1,	DE4D4	ا مد م	00.00	45.00	٠		1	l	I	I	1	1
	postocation, provisioning			UNC1X	PE1P1	1.12	22.08	15.96	6.42	5.80	L	L	L	l .	<u> </u>	1

COLLUCA	ION - South Carolina	,												ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually		incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add'
						_	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
			t T		1	Rec	First	Addʻl	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning		l	UNLD3	PE1P3	14,21	20.94	15.23	7.39	5.93			1			
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	2.82	20.94	15.23	7.40	5.93				: -		
	Dhunled Collegelles A Files Cores Cores			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12,				40.00								* * *
	Physical Collocation - 4-Fiber Cross-Connect Physical Collocation - Space enclosure, welded wire, first 100	<del>                                     </del>		UDF	PE1F4	5.01	25.61	19.90	9.73	8.26	$\vdash$	-			-	
	square feet			Cro Cro	PE1BW	219.19										3
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	21,50										,
	Physical Collocation - Security Access System, Security System, per Central Office			CLO	DE44V	74.70										
	Physical Collocation -Security Access System - New Card	<del>                                     </del>	-	CLO	PE1AX	74.72	_								<del>                                     </del>	
	Activation, per Card Activation (First), per State			cro	PE1A1	0.0601	27.85									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			cro	PE1AA		7.81									_
	Stolen Card, per Card			cro	PE1AR		22.83									Ĺ
	Physical Collocation - Security Access - Initial Key, per Key			CLÓ	PE1AK		13.13									b)
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.13									4
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		1,077.57									
	Physical Collocation - CFA Information Resend Request, per premises, per request			CLO	PE1C9		77.71				<del>                                     </del>					
	Physical Collocation - Cable Records, per request	-		CLO	PE1CR	<del> </del>	760.98	489.20	133.29				<del>-</del>		<del></del>	<b></b>
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			cro	PE1CD		327.65		189.54							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair			CLO	PE1CO		4,82		5.91							
	Physical Collocation, Cable Records, DS1, per T1 TIE			CLO	PE1C1		2.26		2.77							
	Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3		7.90		9.68							
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		84.68		77.30							
L_	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			Cro	PE1BT		16.96	10.75								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,															
<del></del>	per half hour  Physical Collocation - Security Escort for Premium Time -			Cro	PE1OT		22.10	13.89			<del>                                     </del>					1
<del></del>	outside of scheduled work day, per half hour Physical Collocation - Virtual to Physical Collocation Relocation,			cro	PE1PT		27,23	17.02			ļ					-
	per Voice Grade Circuit			cro	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52,00									

CULLUCA	FION - South Carolina								Attachment: 4			bit: B				
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs.	Charge -
			<u> </u>			Rec		curring		Disconnect				Rates (\$)		
<del></del>	Physical Collocation - Virtual to Physical Collocation Relocation,		-				First	Add'i	First	Add'i	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per DS3 Circuit			CLO	PE1B3		52.00				į			1		ĺ
	Physical Collocation - Virtual to Physical Collocation In-Place,	<del>                                     </del>	<del>                                     </del>	0.0	1 5 100		02.00				<del> </del>					<b></b>
	Per Voice Grade Circuit			CLO	PE1BR		23.00			}				1		l
	Physical Collocation Virtual to Physical Collocation In-Place, Per															
	DSO Circuit	ļ		Cro	PE1BP		23.00				L					
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit		1	cro	PE1BS		33.00				1					
<del></del>	Physical Collocation - Virtual to Physical Collocation In-Place.		<del>                                     </del>	CLO	PEIDO		33.00		<del>                                     </del>		·	<del> </del> -		<del></del>		
	per DS3 Circuit		1	CLO	PE1BE		37.00				ŀ	}				
	Physical Collocation - Virtual to Physical Collocation In-	· · · · ·				1				-						
i	Place/Relocation, space cable facilities assigned to Collocation		1								ĺ	ļ				
	Space, per 700 cable pairs or fraction thereof			CLO_	PE1B7		592.00		ļ		L					ļ
	Physical Collocation - Co-Carrier Cross Connects/Direct				DE4E0				l			1		,	Ì	Ľ
	Connect - Fiber Cable Support Structure, per linear ft.  Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	<del>                                     </del>		Cro	PE1ES	0,001					ļ			<del></del>	<u> </u>	<del>''</del>
	Copper/Coax Cable Support Structure, per lin. ft.	1		cro	PE1DS	0.0015					ŀ				İ	F
	Physical Collocation - Co-Carrier Cross Connects/Direct	···	$\vdash$		-	0.0010			<del>                                     </del>			<del> </del>				<del>                                     </del>
	Connect, Application Fee, per application	İ	l	CLO	PE1DT	1	584.42									,
	Physical Collocation - Copper Entrance Cable per Cable (CO				1											
	manhole to yault splice)			CLO	PE1EA		1,136.597	42.808								
1	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs	l		CLO	DEAED	1	40.44				1				1	
<del></del>	Physical Collocation - Fiber Entrance Cable per Cable (CO	<del> </del>	$\vdash$	CLU	PE1EB	-	18.14	<del></del>		-	<del> </del>			<del></del>	<b></b>	
	manhole to vault splice)	1		CLO	PE1EC	1	940.686	42.808				l	[		İ	
	Physical Collocation - Fiber Entrance Cable Installation, per	<del></del>		020		<b>†</b>	545.000	72,000	i		<del> </del>			<del>-</del>	<del>                                     </del>	$\vdash$
	Fiber	<u> </u>		Cro	PE1ED		7,256						İ		l	l
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.27		1.21							
	Physical Collocation - Application Cost, Minor Augment	<u> </u>	Ь—	cro	PE1KM		833.26		1.21						1	<u> </u>
<del></del>	Physical Collocation - Application Cost, Intermediate Augment Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	<b> </b>	<u> </u>	CLO	PE1K1		1,058.00		1.21		ļ	ļ				
Ì	Fiber Cable Support Structure, per cable	۱,	į l	cro	PE1DU		536.58					l			l	)
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	<u> </u>	<b></b>	0.0	12.00		000.00		<del> </del>	<b></b>	†——			<del></del>	<del> </del>	
	Copper/Coax Cable Support Structure, per cable	1		CLO	PE1DV		536.56			Ì				L		
ADJACENT C	OLLOCATION										i -					
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.  Adjacent Collocation - 2-Wire Cross-Connects			CLOAC	PE1JC	6.40	40.00				<u> </u>	<u> </u>				
	Adjacent Collocation - 2-Wire Cross-Connects  Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL UEA,UHL,UDL,UCL		0.0264 0.0527	12.32 12.42	11.83 11.90	6.04 6.40	5.45 5.74		<del> </del>				
	Adjacent Collocation - DS1 Cross-Connects			UEAUHL,UDL,UCL		1.03	22.08	15.96	6.42	5.80		<del>                                     </del>				<del></del>
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL		14.00	20.94	15.23	7.39	5,93		<del>                                     </del>	<del></del>	· · · · · · · · · · · · · · · · · · ·		
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.37	20.94	15.23	7,40	5.93						
	Adjacent Collocation - 4-Fiber Cross-Connect				PE1F4	4.53	25.61	19.90	9.73	8.26						
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,580.20					L				L
ı	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.67										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate		-	CLOAC	PEIFB	5.07	-				<del> </del>		<del></del>	<del></del>		<del>                                     </del>
1	per AC Breaker Amp	l		CLOAC	PE1FD	11.36			I		1				1	
	Adjacent Collocation - 120V, Three Phase Standby Power Rate								<del>                                     </del>	<u> </u>	<del> </del>	<del> </del>		<del>                                     </del>	i	T
	per AC Breaker Amp	L		CLOAC	PE1FE	17.03			<u> </u>				<u> </u>	L		
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
DHAGICAT CO	per AC Breaker Amp		$\vdash \vdash$	CLOAC	PE1FG	39.33			ļ	Ļ	<b> </b>		ļ	<u> </u>	<u> </u>	
THI SICAL CO	ALOCATION IN THE REMOTE SITE  Physical Collocation in the Remote Site - Application Fee		<del>  </del>	CLORS	PE1RA		308.38		168.60	<u> </u>	<del> </del> -	<u> </u>		<u> </u>		<del>                                     </del>
_	Cabinet Space in the Remote Site per Bay/ Rack		$\vdash$	CLORS	PE1RB	246,44	300.38		108.60	<del> </del>	<del> </del>		<del> </del>	<del></del>	<del> </del>	<del></del>
	Special Committee and part and it many					270,79	-		<del> </del>	<del> </del>	1	<del>                                     </del>		<del> </del>	<del> </del> -	
	Physical Collocation in the Remote Site - Security Access - Key		L	CLORS	PE1RD		13,13									
	Physical Collocation in the Remote Site - Space Availability										T			_		
	Report per Premises Requested	L	L	CLORS	PE1SR	L	116,13		L	L	<u></u>	<u></u>	L	<u> </u>	<u> </u>	<u></u>

COLLO	CATI	ON - South Carolina												Attach	ment; 4	Exhi	bit: B
						USOC						Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svo	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incrementa Charge - Manual Syd
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS				RATES (\$)			per LSR	perLSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'i	Order vs. Electronic- Disc 1st	Order vs.
Т			<del>                                     </del>	├─		<del>                                     </del>	<del>                                     </del>	Nonrec	urdna	Nonrecurring	Disconnect	<del> </del>		000	Rates (\$)	l	
		<del>-</del>	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\neg \neg$		Physical Collocation in the Remote Site - Remote Site CLLI	<del> </del> -	<del>                                     </del>		1		- 11100	- Auu i			COME	COMAIN	JUILAN	COMPAR	COMAN	COMPA
		Code Request, per CLLI Code Requested			CLORS	PETRE		37.64				ļ.			1		1
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO	<b>—</b>		CLORS	PE1RR	1	234.50				<u> </u>			<u> </u>	-	
		Physical Collocation - Security Escort for Basic Time - normally														ì	
		scheduled work, per half hour			CLORS	PE1BT		16.96	10.75						l		
İ		Physical Collocation - Security Escort for Overtime - outside of											Ì				1
		normally scheduled working hours on a scheduled work day, per half hour			0,000	DE407		20.40		i			1			i	ı
<del></del>	_	Physical Collocation - Security Escort for Premium Time -	-		CLORS	PE1OT	<del></del>	22.10	13.89				<u> </u>				<b>———</b>
		outside of scheduled work day, per half hour			CLORS	PE1PT		27.23	17.02			l					ı
PHYSICA	L CO	LOCATION IN THE REMOTE SITE - ADJACENT	<del></del>	<del> </del>	OCONO	FEIFI		21.23	17.02				<del></del>				
			$\vdash$	$\vdash$	_		1						<del></del>		<del></del>		
		Remote Site-Adjacent Collocation - AC Power, per breaker amp		L	CLORS	PE1RS	6.27						1	1	I		1
										i					1	i	
		Remote Site-Adjacent Collocation - Real Estate, per square foot		L	CLORS	PEIRT	0.134			L	L		<u> </u>				L
	OTE:	Remote Site-Adjacent Collocation-Application Fee	L		CLORS	PE1RU	L	755.62	755.62								
N	COL	If Security Escort and/or Add'l Engineering Fees become nec OCATION	essary !	or rem	ote site collocation,	the Parties	will negotiate a	propriate rate	8								
VIKTOAL	COLI	Virtual Collocation - Application Fee		<del> </del>	AMTES	EAF		1,207,95		0.54							ļ
	_	Virtual Collocation Administrative Only - Application Fee	-		AMTES	VE1AF	<del>                                     </del>	743.66		0.51			ļ				
		Virtual Collocation - Cable Installation Cost, per cable	<del> </del>		AMTES	ESPCX	<del></del>	794.22		22.54			<del> </del>		<u> </u>	<del> </del>	<u> </u>
		Virtual Collocation - Floor Space, per sq. ft.			AMTES	ESPVX	3.95	154.22		22.04		<del></del>					
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	9,19										
		Virtual Collocation - Cable Support Structure, per entrance		i		1											
		cable	<u> </u>		AMTFS	ESPSX	18,66										1
					UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U												
		Virtual Collocation - 2-wire Cross Connects (loop)			EQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45						
					UEA,UHL,UCL,UDL,												4.
		184 -18-11 11 4 1 8 8 1 1 1			UAL, UDN, UNCVX,												F
-+		Virtual Collocation - 4-wire Cross Connects (loop)		┞—	UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74						
				1	UDL12, UDLO3,							1					ı
				l '	U1T48, U1T12,												t .
					U1T03, ULDO3,		1										ĺ
- 1		Virtual Collocation - 2-Fiber Cross Connects			ULD12, ULD48, UDF	CNC2F	2.86	20.94	15.23	7.40	5.93						1
							1										
			1		UDL12, UDLO3,		1					]	1		I	1	1
			l		U1T48, U1T12,		j	l				1	1	1	I		1
	į	Virtual Collocation - 4-Fiber Cross Connects			U1T03, ULDO3, ULD12, ULD48, UDF	CHOAT	ا ـــ ا	05.04	40.00	0			1				1
-+	_	VIII. CONCOUNT * 4-FINST CIOSS COTHECES			USL,ULC, ULR,	UNU4F	5.71	25.61	19,90	9.73	8.26	ļ	<b></b>		<b> </b>	ļ	<del>                                     </del>
- 1					UXTD1, UNC1X,	1		l					1				ı
- 1					ULDD1, U1TD1,	1		l		ŀ		1	1		I		1
		Virtual collocation - Special Access & UNE, cross-connect per			USLEL, UNLD1,							ł					ı
		DS1				CNC1X	1.12	22.08	15.96	6.42	5.80		L				L
- 1					USL,UE3, U1TD3,												
					UXTS1, UXTD3,												l
					UNC3X, UNCSX, ULDD3, U1TS1,	1				-		l	1		I		1
- 1		Virtual collocation - Special Access & UNE, cross-connect per			ULDS1, UDLSX,			l				l	1	Ī		i	1
		DS3			UNLD3	CND3X	14.21	20.94	15.23	7,39	5.93	1	1		I	1	1
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable					17.41	20.04	10.20	,,55	0.53	<b> </b>	l		<b></b>	<b> </b>	<del> </del>
		Support Structure, per linear foot		L I	AMTFS	VE1CB	0.0022						1		l	Į.	1
		Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax													i e		
<b>—</b> ⊢		Cable Support Structure, per linear ft	<u> </u>		AMTES	VE1CD	0.0033						<u></u>			<u> </u>	
- 1	- 1	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable				l											
		Support Structure, per cable	L	ــــا	AMTFS	VE1CC	<u>l</u>	536.56									<u> </u>

OLLOCAL	ON - South Carolina			,										ment: 4		bit: B
			l		- 1	1							Incremental			
					1	1					Submitted	Submitted		Charge -	Charge -	Charge
	RATE ELEMENTS	Interi	1		1						Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY		m	Zone	BCS	USOC	RATES (\$)						perLSR	Order vs.	Order vs.	Order vs.	Order v
		111	1 '	1		ſ					20, 20,	""	Electronic-	Electronic-	Electronic-	Electron
			l	i		1					i		1st	Add'l	Disc 1st	Disc Ad
			1		1	ł					1		151	Ada i	DISC 1St	DISC AG
							Nonrec	urring	Nonrecurring	g Disconnect			OSS	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax										1		1			1
	Cable Support Structure, per cable		ı	AMTES	VE1CE	!!	536.56					1	l			i
	Virtual Collocation Cable Records - per request	1		AMTES	VE1BA		760.98	489.20	133,29							1
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable									<del> </del>	·					<del> </del>
- 1	record	ŀ	1	AMTES	VE1BB	l I	327.65		189.54					Ì		
	Virtual Collocation Cable Records - VG/DS0 Cable, per each	-	-		+				700,01		1					<del>†                                    </del>
-	100 pair	ł	l	AMTES	VE1BC	¦ !	4.82		5.91				l		1	
$\neg$	Virtual Collocation Cable Records - DS1, per T1TIE		<del> </del>	AMTES	VEIBD	<del>   </del>	2.26	-	2.77	-	<del>                                     </del>		<del>                                     </del>		<b>i</b>	$\vdash$
	Virtual Collocation Cable Records - DS3, per T3TIE		<del>                                     </del>	AMTES	VEIBE		7.90		9.68		<del> </del>		-		<del> </del>	<del></del>
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	-	<del> </del>	7411110	75,105		7.80		5.00		+		<del>                                     </del>			<del> </del>
	records		l	AMTES	VEIBF	l 1	84.68		77.30							
_	Virtual collocation - Security Escort - Basic, per half hour	_	<del></del>	AMTES	SPTBX		16.96	10.75	11.30	<del> </del>	4	ļ			<del></del>	+
$\rightarrow$	Virtual collocation - Security Escort - Overtime, per half hour	_		AMTES	SPTOX		22.10	13.69		<del>                                     </del>	<del> </del>				<del></del>	<del>}</del>
	Virtual collocation - Security Escort - Premium, per half hour			AMTES	SPTPX		27.23	17.02		<b></b>	+	<b></b>		<b></b>		<del> </del>
-	Virtual collocation - Maintenance in CO - Basic, per half hour	-		AMTES	CTRLX		27.23	10.75		-	<del></del>	<del>                                     </del>		<del></del>	<b></b>	+
	Virtual Collocation - Meantenance in CO - Basic, per frail flour		├	AWITO	CINLX		21.99	10.75			<del> </del>	<del> </del>	-	<u> </u>	<del></del>	┼──
ı	Virtual collocation - Maintenance in CO - Overtime, per half hour		l	AMITES	SPTOM		36.56	13.89			ľ	i		Į.	ŀ	
<del></del>	Virtual Collocation - Maintenance in CO - Overtime, per trait hour	<del> </del>		AWITO	SPIOM		30.30	13.09	_		ļ				<b>.</b>	<del> </del>
- 1	Virtual collocation - Maintenance in CO - Premium per half hour	1		AMTES	SPTPM		45.12	17.02						l	ĺ	
	Virtual Collocation - Request Resend of CFA Information, per		<b>—</b>	AMIFS	SPIPM		45.12	17.02						<b></b>		<del>                                     </del>
- 1	CLU	l	1	AMTFS	VE1QR		77.71				l.			]		
RTUAL COL			—	AWIFS	VETUR		77,71				<del> </del>	1	<del></del>			
TOAL COL	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-		<del> </del>							<b></b>	<del> </del>					<b>├</b>
	Wire Analog - Res			UEPSR	VE4D0	0.0317	40.00	44.00					j			
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSR	VE1R2	0.0317	12.32	11.83	6.04	5.45	<b>_</b>					<del> </del>
	Wire Line Side PBX Trunk - Bus			UEPSP		l	12.32			l			1			
<del></del>	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45	<del>                                     </del>	<b> </b>	<u> </u>			<del> </del>
1	Voice Grade PBX Trunk - Res		l			ا مممع ا	40.00			l		1			l	
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		<u> </u>	UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45	ļ					
ı	Analog Bus				l	ll					l .	1	İ			
-+				UEPSB	VE1R2	0.0317	12.32	11.83	6.04	5,45	<u> </u>			ļ	ļ	<b></b>
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire		1	l	l	l				l	1		i	I	l	l
	ISDN			UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45	4		ļ	ļ		<u> </u>
- 1	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			l	I					ļ.	I		I	I	l	1
	ISDN			UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45	<b></b>		L		L	↓
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire												1			
	ISDN DS1			UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80	1		L		l	L
Note:	Rates displaying an "R" in interim column are interim and sub	iect to I	rate tru	e-up as set forth i	n General Term	ns and Conditio	ns.									

COLLOCAT	ION - Tennessee		, .											ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	e BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'i
		<u> </u>	$\vdash$				1		T 80		ļ	l			DISC 181	DISC AUG I
		<del> </del>	$\vdash$	<del></del>	<del> </del>	Rec	Nonrecurring First	Add'I	Nonrecurring First	Disconnect Add't	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		1			<del> </del>			Augi	1110		COME	OOMAN	- CO.MAN	COMPLE	COMPAN	JOHN
PHYSICAL CO					i					_				1	· · · · · · · · · · · · · · · · · · ·	1
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	PE1R2	0.30	19.20	19,20					20,35	10,54	13.32	1.40
_	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	19.20	19.20					20,35	10,54	13,32	1,40
_	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Wire Analog - Bus			UEPSB	PE1R2	0,30	19.20	19.20					20,35	10.54	13.32	1,40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPSX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1,40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.30	19.20	19.20					20.35	10.54	13,32	1.40
DI WOLGAL GE	Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1			UEPEX	PE1R4	0.50	19.20	19.20					20.35	10.54	13.32	t 1.40
PHYSICAL CO			Ш													
	Physical Collocation - Cageless - Application Fee Physical Collocation Administrative Only - Application Fee	<u> </u>		CLO CLO	PE1CH	ļ	2,633.00		ļ							
	Physical Collocation - Space Preparation - Firm Order Processing	-	1	Cro	PE1BL PE1SJ		743.25			ĺ						e G
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			cro	PEISK	2.74	1,204.00	· · · · · · · · · · · · · · · · · · ·			ļ					
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot		i i	cro	PEISL	2.95					<del> </del>					
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			Cro	PEISM	100.14				ļ	<del> </del>					
	Physical Collocation - Cageless - Cable Installation Cost, per cable	'		CLO	PE1ZA	100.14	4740.00									
	Physical Collocation - Cageless - Floor Space, per sq. ft.	_		CLO	PE1ZB	3.91	1,749.00			<u> </u>	<del></del>					
_	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	5.94				<del>                                     </del>	<del> </del>	ļ				
	Physical Collocation - Cageless - Cable Support Structure, per Entrance Cable			CLO	PE1CJ	17.87										s .
	Physical Collocation - Cable Support Structure, per Entrance Cable	ı		CLO	PE1PM	19.80										
	Physical Collocation - Cageless - Power, per Fused Amp			CLO	PE1ZC	6.79										
	Physical Collocation - Power, -48V DC Power - per Fused Amp	1	$\sqcup$	CLO	PE1PL	8.87					<u> </u>	L				
	Physical Collocation - Power Reconfiguration Only, Application	ı		CLO	PE1PR		400.10									
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp	1		cro	PE1FB	5.60										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	11.22										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp	1		CLO	PE1FE	16.82									-	
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp	) , l	,	CLO	PE1FG	38.84										
				UEANL,UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN,	FEIFG	38.84		_								
	Physical Collocation - 2-wire cross-connect, loop, provisioning	ı		JNCVX	PE1P2	0.033	33.82	31.92			1	1	1	1		
	Physcial Collocation - Cageless - 2-Wire Cross-Connects		Ų	JNLDX, UNCNX JEA, UHL, UNCVX,	PE1ZD	0.57	11.62	9.90	10.38	8.66					-	
	Physical Collocation - 4-wire cross-connect, loop, provisioning Physical Collocation - Cageless - 4-Wire Cross Connects	_!		JNCDX, UCL, UDL	PE1P4 PE1ZE	0.066 0.57	33.94 11.81	31.95 10.04	10.44	8.67			ļ			

COLLOCAT	ION - Tennessee												Attach			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		-		Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'i	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'i
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	<u> </u>	<u> </u>		WDS1L,WDS1S.			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning	1		UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1, UNC1X	PE1P1	1,51	53.27	40,16								
	Physical Collocation - Cageless - DS1 Cross Connects			WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX	PE1ZF	1.32	32.22	17.76	10.46	8.75						
	Physical Collocation - DS3 Cross-Connect, provisioning	1		UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE1P3	19.26	52.37	38.89								
	Physical Collocation - Cageless - DS3 Cross Connects			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE1ZG	12.32	29,97	16,30	12.03	8.99						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
	Physical Collocation - Cagaless - 2 Fiber Cross Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1CK	3.03	41.56	29.82	12.96	10.34						
	Physical Collocation - 4-Fiber Cross-Connect	ı		ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1F4	28.11	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Physical Collocation - Cagaless - 4-Fiber Cross-Connect	-		ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1CL	6.06	50.53	38.76	16.97	14,35		_				
	Physical Collocation - Space enclosure, welded wire, first 100 square feet Physical Collocation - Space enclosure, welded wire, each			cLO	PE18W	218.53										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet Physical Collocation - Security Access System - Security System			сьо	PE1CW	21.44										<u> </u>
	per Central Office Physical Collocation -Security Access System - New Card	<u> </u>		CLO	PE1AX	55.99					<del> </del>		-		-	-
	Activation, per Card Activation (First), per State  Physical Collocation-Security Access System-Administrative			CLO	PE1A1	0.059	55.67						<del>                                     </del>			
	Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	_		cro	PE1AA		15.61				<del> </del>	ļ···	<del> </del>			<del>                                     </del>
	Stolen Card, per Card	<u> </u>		CLO	PE1AR		45.64				1	<u> </u>	<b> </b>		<del> </del>	<del> </del>
	Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or	$\vdash$		CLO	PE1AK		26.24			<del>                                     </del>	<del>                                     </del>	<del> </del>	<b> </b>		<del> </del>	<del> </del> -
	Stolen Key, per Key	l		cro	PE1AL	I	26.24		1	1			]			